

This issue contains the DECEMBER INDEX

# CURRENT LIST of MEDICAL LITERATURE

Vol. 15

December 31, 1948

No. 21-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY  
Washington, D. C.

1211 383993  
CURRENT LIST  
OF  
MEDICAL LITERATURE

The **CURRENT LIST OF MEDICAL LITERATURE** is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price: \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the **ARMY MEDICAL LIBRARY**, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

This index was prepared cooperatively by a staff recruited from various divisions of the Library. To expedite its publication, journals on Chemistry, Physics and Veterinary Medicine were eliminated as they were assumed to be adequately indexed in Chemical Abstracts and the Bibliography of Agriculture. Articles listed in the weekly issues under Anthropology, General, History, Bibliography, Biography and Nutrition were indexed selectively; however, articles with any possible medical significance were included. This index further differs from the usual form in that articles have been indexed on a title-word basis when the subject could be expressed in that way. Inconsistencies in terminology result from this procedure as the need for publishing this index was considered urgent.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abdom. abdomen	inflamm. inflammation
abnorm. abnormalities	inj. injuries, injurious
accommod. & refrac. accommodation and refraction	innerv. innervation
addict. addiction	instr. instruments
admin. & dos. administration and dosage	insuff. insufficiency
admin. & org. administration and organization	manag. management
anat. & histol. anatomy and histology	med. medical, medicine
appar. apparatus	metab. metabolism
artif. artificial	metast. metastasis
bact. bacteriology	morphol. morphology
bibliogr. bibliography	mortal. mortality
chem. chemistry	nerv. nervous
comm. communicable	neurol. neurology
compl. complications	nutrit. nutrition
cond. conditions	obst. obstetrics
congen. congenital	obstruct. obstruction, obstructive
defic. deficiency	parasit. parasitology
deform. deformities	pathol. pathology, pathological
degen. degeneration	perf. perforation
dent. dental, dentistry	pharm. pharmacy
deriv. derivatives	phys. physical
determ. determination	physiol. physiology, physiologic
develop. development	postop. postoperative
diag. diagnosis	pregn. pregnancy
dilat. dilatation	preop. preoperative
diphth. diphtheria	prep. preparation, preparations
dis. diseases	preserv. preservation
disloc. dislocations	prev. prevention
disord. disorders	prod. production
econ. economic	progn. prognosis
educ. education	progr. progress
eff. effects	psychiat. psychiatry, psychiatric
embryol. embryology	psychol. psychological, psychology
epidem. & statist. epidemiology and statistics	psychosom. psychosomatic
etiol. & pathogen. etiology and pathogenesis	regen. regeneration
exam. examination	rehab. rehabilitation
excis. excision	rel. relations
for. bod. foreign bodies	roent. roentgenography
form. formation	rupt. rupture
fract. fractures	sanit. sanitation
Gt. Brit. Great Britain	seq. sequels
gyn. gynecology	serv. services
hemorrh. hemorrhage	soc. social
hered. heredity	standard. standardization
hist. history	statist. statistics
hosp. hospitals, hospitalization	strict. stricture
hyg. hygiene	surg. surgery, surgical
immun. immunity	tech. technique
in child. in childhood	ther. therapy
indust. industrial	thromb. thrombosis
infarc. infarction	tox. toxicity
infect. infection, infectious	transm. transmission
	transpl. transplantation
	traum. traumatic
	U. S. United States
	wds. wounds



# CURRENT LIST OF MEDICAL LITERATURE

## SUBJECT INDEX

Vol. 15, Nos. 18-21 (cols. 1361-1680)

December 31, 1948

- ABDOMEN**, acute 1621p,1632s; geriat. asp. 1436a, 1489s; celioscopy 1616r; cyst 1606d; dis. diag. 1468d; exam. 1435p; neurol. asp. 1435s; pain 1381u; ptosis 1375p; surg. 1410i,1576a,1670h, 1670i; tuberculosis 1516d; tumor 1476r,1606c; wds. & inj. 1559c
- ABNORMALITIES AND DEFORMITIES**, 1424s, 1646a
- ABORTION**, 1596k,1618f,1637j; compl. & seq. 1380n,1484t,1615g; habitual 1637n,1643n; Radix malvae 1585b; statist. 1615n; ther. 1381p,1392-l, subphrenic 1671t; tuberculous 1541t
- ABSOLUTE PITCH**, 1592n
- ABSORPTION**, infra-red 1580k
- ACANTHOSES**, nigricans 1372h
- ACARDIA**, 1424n
- ACCIDENTS**, 1623f; psychol. asp. 1392u
- ACCLIMATIZATION**, 1513n,1513o,1513p
- ACETYLCHOLINE**, 1365g,1457i,1502r,1502u,1525h; antagonists 1445j; ther. 1484h
- ACETYLENE**, 1545o
- ACID**, p-aminobenzoic 1412b,1437o,1455o,1498q, 1653e,1653f; p-aminosalicylic 1384p,1660w, 1661c; ascorbic 1475b; beta oxy-iso-propyl-maleonic 1526g; citric, in rickets 1427i; 2,4-dichlorophenoxyacetic 1461f,1461i; erucic 1375w, 1376a; hippuric 1363d; humic 1429j; hydroxamic 1365i; lactic, infants 1472b; nicotinic 1474f, 1474h; oxbenzylphosphinous 1588c; pteroylglutamic 1432b; pyruvic 1361p
- ACID-BASE EQUILIBRIUM**, 1484d,1663s, 1663o, 1583o
- ACIDOSIS**, 1583o
- ACNE**, in newborn 1499g; pits 1560n; ther. 1472w, 1610s; tuberculosis 1541w,1542a
- ACOUSTICS**, 1657b,1657c
- ACRODERMATITIS**, 1372q
- ACRODYNIA**, 1567u,1567w
- ACROMEGALY**, psychiatr. asp. 1577-l,1577m, 1577n
- ACRYLIC RESINS**, 1369f; neurosurg. asp. 1420f
- ACTINOMYCOSIS**, 1412f; cervicofacial 1423-l, 1537v,1671b; ther. 1496g
- ACTINOPTERYGII**, 1527g,1527n
- ACTOMYOSIN**, 1365n
- ACTYLPIRUVASE**, 1446f
- ADDITION**, analgesics-1459-l,1459m; lit. review 1544n
- ADDISON'S DISEASE**, 1459b,1471w,1581j,1631n
- ADENITES**, cervical-facial 1396t
- ADENOIDS**, radiother. 1480b; surg. 1413m
- ADENOMA**, sebaceum 1372o
- ADHESIONS**, postop., prev. 1512o
- ADIE'S SYNDROME**, 1406n
- ADJUSTMENT**, in child. 1592a
- ADOLESCENCE**, 1505g; psychol. 1636p
- ADRENAL GLAND**, anat. 1441d; cancer 1631n; chem. anal. 1443m; cortex insuff. 1640c,--physiol. 1456d,1458i; hypofunction in child. 1499w, 1569c; tumor 1513a,1658o,1674-l,1674r; wds. & inj. 1671r
- ADRENAL HORMONES AND PREPARATIONS**, 1362e,1423t,1429h,1407s,1441o,1455a,1460b,1471q, 1471g,1471i,1523v,1551m,1567m,1573-l,1587s, 1588n,1602v,1602w,1607-l,1612j,1632b
- ADRENALECTOMY**, alloxan diabetes 1543v; exper. 1458h,1458p,1524e,1585s,1586n,1587g,1587o, 1587p,1612m
- ADULTERY**, 1651w
- AEROSOLS**, 1663v
- AFTER-IMAGES**, 1591h,1591k
- AGGLUTININS AND AGGLUTINATION**, 1361j,1405f, 1416a,1443e,1455c,1464t,1553d,1558o,1562d, 1571s
- AGRANULOCYTOSES**, 1648a
- AGRICULTURE**, accid. prev. 1620t
- AIR**, ionized 1492i; pressure 1664h
- ALBINISM**, 1463c
- ALBRIGHT'S SYNDROME**, 1509b
- ALBUMIN**, determ. 1455b; in embryos 1645p
- ALCOHOLISM**, control, Army 1415g; medico-leg. asp. 1544e,1544m,1652b; ther. 1491-l,1549k
- ALCOHOLS**, ethyl, intravenous 1487g; exper. 1497n, 1544m
- ALGINATES**, 1661b; in surg. 1477m
- ALKALOSIS**, 1498t,1583o
- ALLERGENIC EXTRACTS**, 1373v
- ALLERGISTS**, 1601h
- ALLERGY AND ANAPHYLAXIS**, 1490i,1582g,1601p, 1630v,1644e,1647e,1647n; bacterial 1601m; cutaneous 1647o; diag. 1400v; endocrine asp. 1618e, 1647j; etiol. & pathogen. 1538h,1647-l; in child. 1425h,1494h,1601d; morphol. asp. 1570r; psychosom. asp. 1577i; serum & vaccine 1568v,1599p, 1601q,1636b; symptoms 1640-l; ther. & prev. 1372k; ther. 1391s,1403u,1461e,1474m,1484j, 1484k,1569p,1590g,1601e,1601g,1604s,1611g,1646b, 1647k,1654c
- ALLOXAN**, 1365a,1585n,1605-l,1638j
- ALOPECIA**, 1540o,1540s
- ALTITUDE**, 1429v,1588e,1589i,1588u,1588v,1589a, 1589d,1589e,1589g; eff. 1589g,1589h,1589i,1589j, 1589k,1589-l,1589n,1589o,1589p,1589q,1663s, 1664h,1664i; vision 1588v,1588w
- ALTRUISM**, in child. 1590k
- ALUMINOSIS**, 1516e,1576i
- ALUMINUM AND COMPOUNDS**, 1383g,1545g
- ALVEOLECTOMY**, surg. 1649a
- ALVEOLI**, dent. atrophy 1453i
- AMBULANCES**, 1578i
- AMBULATION**, early 1463w,1564i
- AMEBIASIS**, 1476v,1514r; Ceylon 1416b; compl. & seq. 1390c; cutaneous 1596m; ther. 1568m
- AMENORRHEA**, 1381j,1435j
- AMERICAN ASSN. FOR THE ADVANCEMENT OF SCIENCE**, 1546c
- AMINES**, chlorinated 3<sup>o</sup>, tox. 1661k
- AMINO ACIDS**, defic. 1445h; determ. 1378u,1495p, 1546j; eff. 1476-l,1588h,1613i; metab. 1400n; nutrit. 1495e,1553u; silk 1362r; ther. 1400u
- AMINOPHYLLIN**, 1403u,1444t
- AMINOPTERIN**, 1456m
- 8-AMINOQUINOLINES**, tox. 1419d
- AMMI**, ther. 1475g
- AMMONIA AND COMPOUNDS**, 1428-l,1589p; tox. 1461w,1622-l
- AMNESIA**, ther. 1504s
- AMNIOTIC FLUID**, 1615a,1615-l

- AMOEBA, 1503s  
 AMPHIBIA, anurous 1527o  
 AMPUTATION, 1510b, 1597p; phantom limb 1640m  
 AMYLASE, determ. 1565-1  
 AMYLOIDOSIS, 1541a, 1575b  
 ANALGESIA AND ANALGESICS, 1398j, 1459h, 1459i, 1661s; cancer 1459q; obst. 1459q, 1486n, 1567i; spinal 1407c; legal asp. 1459n, 1459o; surg. 1459p  
 ANAPLASMOSIS, 1604p  
 ANASTOMOSIS, spleno-renal 1626c  
 ANATOMY, nomenclature 1387i; dent. 1368q; training 1472j, 1491m, 1629s  
 ANATOXIN, 1394d  
 ANDROGENS, 1429g, 1458u, 1560a  
 ANEMIA, 1645e; aplastic 1563o, 1631i; etiol. & pathogen. 1598r; hemolytic 1424e, 1618r, 1645r; hypochromic 1384w; hypoteric 1471p; in child. 1427b; macrocytic 1404u, 1428u; obst. 1456i; pernicious 1402s, 1456i, 1465p, 1474p, 1565q, 1632e, 1645v; sickle cell 1443i, 1509a, 1509d, 1552d, 1552t, 1628s; splenic 1396m, 1594d; ther. 1583t, 1605u, 1605v  
 ANESTHESIA AND ANESTHETICS, 1369t, 1386j, 1388w, 1398s, 1413j, 1471i, 1486-1, 1486r, 1490t, 1502v, 1513j, 1574o, 1628i, 1630h, 1637k, 1645a; accid. 1481u; appar. 1400s; balanced 1517a, 1602a; barbiturates 1603t; card. patient 1452f; chloroform 1511i; compl. & seq. 1617t; curare 1407d, 1602c, 1669c, 1669d, 1672i; cyclopropane 1400r, 1661r; epidural 1516w; ether 1669b; geriatric asp. 1486o, 1614q; hydrocarbons 1661q; in dentistry 1407f, 1513-1; in gen. pract. 1413j; in obst. 1407e, 1477g, 1486n, 1506r, 1548d, 1548i, 1548-1, 1548m, 1603t, 1625v, 1633w, 1637j;--saddle block 1417k;--spinal 1436i; in Veterans Administration (U.S.) 1629k; inhalation 1407d; intravenous 1486-1; local 1661o;--larynx 1603u;--tox. 1542k, 1649c; orthopedic 1639b; oxygen control 1595m; paravertebral 1548d, 1549a; pentothal 1517a, 1601v, 1602b, 1616p; premedication 1486m; regional 1407f; spinal 1398p, 1548h, 1597m, 1668w;--compl. & seq. 1484w, 1513g, 1598d, 1642o;--in child. 1597n;--lucaine 1517a;--pontoaine 1601u; sympath. cervical 1513d; training 1400r; vinbarbital 1380a; with music 1369a  
 ANEURYSM, aortic 1388m, 1458c; arteriovenous 1674o; cerebral 1400k; coronary 1528e; ventricular 1467h  
 ANGNA PECTORIS, 1407i, 1467g; electrocard. 1457r; progn. 1622c; surg. 1385b; ther. 1446i, 1642c; tobacco relation 1639r  
 ANGIOCARDIOGRAPHY, 1457s, 1457t  
 ANGIOMA, giant 1539u  
 ANGIOTONIN, 1402c, 1661j  
 ANIMALS, care & hyg. 1506b; exper. appar. 1614c; psychol. 1505p, 1505r  
 ANKLE, athorodesis 1649v; wds. & inj. 1594e  
 ANKYLOSIS, surg. 1638v, 1638w  
 ANNELIDA, 1364v  
 ANONYCHIA, 1539h  
 ANOPLURA, hematopinae 1527e  
 ANOREXIA, 1426j  
 ANOXEMIA, 1502t, 1525g, 1606v  
 ANTERGAN, 1604i  
 ANTHOCYANIN, formation 1524-1  
 ANTHRAX, 1578h; bacilli 1663-1; nursing 1578i; ther. 1466c  
 ANTHROPOLOGY, 1521r, 1602g, 1667f; dent. index 1521t  
 ANTIBIOTICS, 1400p, 1410d, 1414f, 1425t, 1432e, 1432g, 1475o, 1475p, 1526g, 1545h, 1558c, 1627-1; basidiomycetes 1613s; electrodialysis 1584j; infect. 1469o; otorhinolaryng. asp. 1415c; tox. 1454e, 1454h  
 ANTICHOLESTERASE, 1362s  
 ANTICOAGULANTS, 1455g  
 ANTICOAGULASE, 1602j  
 ANTIGENS AND ANTIBODIES, 1374j, 1426c, 1455k, 1462o, 1464a, 1498v, 1549p, 1553f, 1582d, 1582e, 1620c, 1658r; paracolobactrum 1381i; pediatric asp. 1427o  
 ANTHEMORRHAGICS, 1561d  
 ANTHISTAMINICS, 1387b, 1390k, 1403-1, 1456a, 1521j, 1521k, 1521-1, 1559s, 1584m, 1647a, 1647e, 1647q  
 ANTIMALARIALS, 1427s, 1427t, 1427u  
 ANTI-SEMITISM, psychoanalytic asp. 1504m  
 ANTISEPTICS, mercurial 1501j  
 ANTITOXIGEN, 1612f  
 ANTITOXINS, 1507i  
 ANTIVENINS, standard 1437u  
 ANURIA, exper. 1457b; ther. 1481j  
 ANUS, abnorm. 1669s; cancer 1669g; imperforate 1598t, 1628o; infect. 1670a; preternatural 1414q; sphincter dis. 1646p  
 ANXIETY, 1420d, 1634g, 1666p  
 AORTA, abnorm. 1416f; aneurysm 1392-1; coarct. 1489w, 1482v, 1486f, 1497m, 1528c, 1528d, 1595v, 1636u; insuff. 1394c; ligation 1481w; perf. 1458e, 1497t; syphilis 1648f  
 APOSERIS, foetida 1585c  
 APPARATUS, 1381v, 1401m, 1401n, 1546p, 1606w, 1677r, 1677s; screw hole measuring 1575g; surg. 1599b  
 APPENDICITIS, 1567d, 1596m, 1597c, 1649d; compl. & seq. 1483p, 1598b; diag. errors 1552g; early 1556e;--in pregn. 1380r, 1674v; retro-caecal 1470d  
 APPENDIX, abscess 1415v; cancer 1642u; cysts 1568g; exam. 1508r; in vag. 1435a; surg. 1469a, 1619-1  
 APPERCEPTION, 1590r  
 APPREHENSION, card. eff. 1457h  
 APPRATCHOPHAGEY, 1543d  
 APTITUDE, 1385w  
 APYRASE, system 1365o  
 ARACHNODACTYLY, 1627v  
 ARBACIA, eqg 1363j, 1363j, 1364a, 1364f, 1364m, 1364n, 1365e; punctulata 1363h  
 ARCTIADAE, 1527s  
 ARGYRIA, 1560o  
 ARISTOTLE, on mental aging 1547f  
 ARM, anat. 1409w; osteitis deformans 1539q; pain 1393w; prosthesis 1674n; vein, obstruct. 1671p  
 ARRHYTHMIA, 1455a, 1478k; auricular flutter 1499i, 1636c  
 ARSENIC AND COMPOUNDS, 1363p, 1437g, 1602o; antidotes 1429k; ther. 1540i, 1540k; tox. 1383j, 1525v, 1559b, 1562i, 1634i, 1647h  
 ARTERIES, dis., sympathectomy 1570f; excision 1598e; inflamm. 1573o; int. carotid, aneurysm 1674h; occlusion 1556t; peripheral, dis. 1552g; pulmonary 1606t;--dilat. 1413w; retinal, occlusion 1654c, 1654r; roent. 1414g; splenic, rupt. 1671v; temporal, inflamm. 1386c, 1569g; thrombosis, ther. 1560i; wds. & inj., surg. 1509v  
 ARTERIOSCLEROSIS, 1488o, 1574k; carotid sinus in. 1547d, 1547d; cerebral 1572j, 1651b; compl. & seq., ther. 1390b; Finland 1627o; obliterans 1475b  
 ARTERITES, compl. & seq. 1541g  
 ARTHRITIS, 1643k; gonococcal 1392g; humbo-sacral, surg. 1389b; rheumatoid 1387c, 1488r, 1600f, 1627h, 1675i;--biopsy 1510k; etiol. & pathogen. 1400e, 1483s;--ther. 1413a, 1485u, 1562g; ther. 1412v, 1454q, 1571n  
 ARTHRODESIS, ankle 1649v; ischil-femoral 1650b

ASCAR  
 seq.  
 ASCAR  
 ASCAR  
 ASCITE  
 ASCOR  
 synth  
 ASEPSI  
 ASPER  
 ASPIRI  
 ASSOCI  
 ASTHM  
 in. 1  
 & ch  
 ther.  
 1647  
 ATAXI  
 ATELE  
 ATHLE  
 ATOMI  
 1622  
 ATROF  
 ATROF  
 AUREO  
 tion  
 AURIC  
 1457  
 AUTOM  
 AVENA  
 AVIATI  
 desc  
 1387  
 heal  
 AXOLO  
 BACTI  
 140  
 BACK  
 roe  
 BACTI  
 BACTI  
 tob  
 coli  
 137  
 131  
 158  
 mut  
 145  
 BACTI  
 am  
 BACTI  
 BAL,  
 155  
 BALNI  
 BARBI  
 1412  
 BARLI  
 BARTI  
 BASAL  
 BATHS  
 BEDS,  
 BEES,  
 BEHAV  
 BEHCH  
 BELLA  
 BENAI  
 BENZI  
 BENZI  
 BERGA  
 BERGI  
 BERIB  
 BERNI  
 BERYI  
 BETA  
 BIBLE  
 BIGUA

- ASCARIASIS, 1423j, 1483b, 1543j, 1582g; compl. & seq. 1437h, 1632w; diag. 1594o; roent. 1667n  
 ASCARIDES, extracts 1507v  
 ASCARIDOL, 1584i  
 ASCITES, aspiration 1483r; chylous 1566o  
 ASCORBIC ACID, eff. 1456b, 1523n; in foods 1495g; synth. 1653j  
 ASEPSIS, hist. 1494s  
 ASPERGILLUS, 1373s  
 ASPIRIN, 1486q  
 ASSOCIATION, remote 1591h  
 ASTHMA, 1413w, 1638r; biochem. 1389g; dyspnea in. 1647d; exam. 1626m; heart in 1601f; in inf. & child. 1390e, 1425u, 1500f, 1572s; surg. 1510f; ther. 1425u, 1487m, 1488t, 1515v, 1601g, 1601i, 1647a  
 ATAXIA, 1411p  
 ATELECTASIS, 1676t; compl. & seq. 1639u  
 ATHLETICS, 1676n; inj., ther. 1511d  
 ATOMIC ENERGY, 1481k, 1480u, 1492s, 1509t, 1509u, 1622s; pub. health asp. 1546h  
 ATROPHY, muscular 1630d  
 ATROPINE, eff. 1584v  
 AUREOMYCIN, 1558c; bact. 1361o, 1485g; excretion 1445n; ther. 1474s, 1574s  
 AURICULAR FIBRILLATION, etiol. 1457e; ther. 1457f  
 AUTOMOBILES, med. asp. 1395c  
 AVENA COLEOPTILE, exper. 1589v  
 AVIATION AND AVIATORS, 1565r; emergency descent 1521w; flight surgeons 1441p; med. 1387s, --hist. 1581b, --oxygen in 1441n; pub. health aspects 1431r  
 AXOLOTL, exper. surg. 1442r  
 BACTRACIN, 1361q; in surg. 1595o; standard 1401j  
 BACK, pain 1381u, 1387-1, 1435r, 1478w, 1510b, 1574g; roent. 1631j  
 BACTEREMIA, 1455m  
 BACTERIA, 1432d; Aerttryck carrier 1666b, azo-tobacter agilis 1522r; clostridium, toxin 1522q; coliform 1659d; coryne. 1522w; culture 1369w, 1374c, 1495w, 1522p; Döderlein 1615e; gram-neg. 1316e, 1509m; inactivation 1503i; intracellular 1582j; mesenteric 1663-1; micrococci 1371w; mutation 1363v; phytopathogenic 1549g; resist. 1455-1, 1522f, 1522g, 1552j  
 BACTERIOPHAGE, 1376u, 1496e, 1503g, 1503h; amino acid content 1378q  
 BACTERIOIDS, reversion 1361-1  
 BAL, 1411c, 1444f, 1464q, 1553q; ther. 1393t, 1490v, 1553r, 1559b; tox. 1550q  
 BALNEOLOGY, 1643a, 1643g  
 BARBITURATES, in obst. 1380a, 1406a; tox. 1385i, 1412m  
 BARLEY, germination 1525s  
 BARTHOINITIS, ther. 1541v  
 BASAL METABOLISM, low 1394i  
 BATHS, infants 1500c; sand bath 1571n  
 BEDS, patents 1462i  
 BEES, transport 1525u  
 BEHAVIOR, 1421c, 1430d, 1522a, 1591f, 1591i, 1592a  
 BEHCET'S SYNDROME, 1422i  
 BELLADONNA, 1428w; Indian 1584f  
 BENADRYL, 1521h; tox. 1521k  
 BENZEDRINE, 1462c  
 BENZENE, 1550j; tox. 1383a, 1603g  
 BERGAMOT OIL, inj. eff. 1627b  
 BERGEN UNIVERSITY, 1613p  
 BERBERI, 1579r  
 BERNHEIM'S SYNDROME, 1621w; tox.  
 BERYLLIUM, tox. 1383i, 1658n  
 BETA CELLS, metab. 1382o  
 BIBLE, 1371s  
 BIGUANIDE DERIVATIVES, 1623q, 1629e  
 BILE, chem. 1524s, 1663f; collection, appar. 1566p; excret. 1586m; secret. 1402d, 1635p  
 BILE DUCTS, 1573i; atresia 1408j; calculi 1402s, 1435d, 1484u, 1487u; cancer 1498e; innerv. 1566j; obstr. 1433m, 1498e, 1566c, 1569d; sphincter atony 1434w, 1435c; surg. 1434k, 1435e, --mortal. 1569f  
 BILIARY TRACT, ascariasis 1512p; echinococcus 1435a; dis. 1510f, 1612f, 1639j; surg. 1433n, --comp. & seq. 1639i  
 BIOCHEMISTRY, 1404s; Gr. Brit. 1553w; teaching 1629t  
 BIOLOGY, 1572w; exper. 1527r; institution 1365r; mean calculation 1587-1; social 1442-1; training 1365s  
 BIRTH, control 1633s; Gauss-Willeit forceps 1393q; multiple 1470v; natural 1379t  
 BISMUTH, ther. 1412j, 1482w, 1539j, 1540t  
 BLACKWATER FEVER, DDT in 1514m  
 BLADDER, bilharziasis 1437d; cancer 1478d, 1594i, --surg. 1616k; dis. 1472u, 1653a, --neurogenic 1384w; diverticula 1600f; exam. 1615i; for bod. 1385g; hernia 1439m; inflamm. 1638c; mucosa 1629d; physiol. 1549a; rupture 1416g; sclerosis 1600j; surg. 1439q, 1511w, 1512r, 1517c, 1568k, 1600e, 1677r; tumor 1381e, 1410u, 1639-1  
 BLAST, inj. eff. 1420n  
 BLASTOMYCES, dermatitis 1361u  
 BLINDNESS, 1590j; etiol. & pathogen. 1654t, 1678d; hyster. 1655c; in child. 1506s  
 BLOOD, absorption 1583v; antegen 1604i; bacteri-cidal eff. 1548e; bromine 1604n; cells 1605v, 1646a; chem. 1573c, 1583a, 1589n, 1605j; coagulation 1444t, 1503f, 1578q, 1589j, 1603v, 1604a, 1630u, 1645m, 1672m, --appar. 1439j, 1587u, --time 1604b; count 1454u, 1572p; deriv. 1474o; dyscrasia 1536g electric. conduction 1589n, 1589o; enzymes 1602v, 1602w; exam. 1181v, 1658u; fatty acid, metab. 1363c, 1363p, fibrinogen 1589-1, 1663f, 1663g, 1663j, 1663k; formation 1442a; gases 1663s; globulin volume 1646s; hionamine 1644e; in child. 1582q; insulin 1527u; iron 1603g; Ketones 1603a; lipids 1628u; oxygen 1446p, 1588q, 1588r, 1606v; parasites 1514g; plasma 1409c, 1668e, --amino nitrogen 1585s, --bovine 1620f, --eff. of storage 1586a, --phosphates 1586h; platelets 1454v, 1645j, 1658f, proteins 1425f, 1472p, 1588o, 1589m, 1604c, 1646a, 1654p, 1662-1, --in pregn. 1382j; prothrombin 1454w, 1589k, 1670m; reaction 1392b; sediment. 1370k, 1436o, 1465r, 1481e, 1484i, serum 1462g, 1554r, 1585m; sulfonamides 1615o; urea in 1411-1; volume 1392o  
 BLOOD CIRCULATION, 1401m, 1401n, 1401r, 1401s, 1401w, 1416t, 1455g, 1546p, 1622d, control. 1466b; peripheral, dis. 1675f; pharm. asp. 1484c; plast. surg. asp. 1510n  
 BLOOD GROUPS, 1405f, 1421d, 1527d, 1615n, 1627a, 1628s, 1633t, 1642w; genetic asp. 1545h; forensic asp. 1476u, 1508a; Rh factor 1639u  
 BLOOD PRESSURE, 1466a; appar. 1378j; determ. 1606w, 1625w; eff. of benadryl. 1521h; exper. 1585w; ther. 1397v; venous 1606w, 1664j, --in child. 1499a  
 BLOOD PRESSURE, HIGH, 1380t, 1395e, 1408q, 1408r, 1414-1, 1436n, 1455d, 1455w, 1466a, 1466s, 1481s, 1482p, 1564r, 1583a, 1627h, 1636n; brain 1569k; compl. & seq. 1458t, 1541g, 1677-1; diet 1456n; exper. 1456o, 1456q, 1456r, 1569i, 1585o; heart 1569i; kidney 1569j; neurogenic 1456a; retina 1569k, 1626r; progn. 1569-1; psychosom. asp. 1493k; surg. 1375a, 1403m, 1477a, 1479i, 1569m, 1595t, 1595w, 1569m, 1627g, 1628g, 1672j, 1672k, 1672-1, 1673w, 1674a; ther. 1397f, 1409j, 1446e, 1470c, 1595s; urologic asp. 1439i  
 BLOOD PRESSURE, LOW, 1557h; exper. 1543o; postural 1543o

- BLOOD SUGAR, 1589h; determ. 1589g; low 14041, 1637q
- BLOOD TRANSFUSION, 1470-1,1565c,1572-1,1622v, 1626c,1642m,1643m; arterial 1596b; bank 1382s, 1391k,1421d,1643g; compl. & seq. 1488j,1628f; hist. 1623j; substitutes 1658d
- BLOOD VESSELS, dia. 1389v,1407j,1408u,1477f, 1621a,--infants 1427j; pararenal 1677k; spasm 1481n,1574u; surg. 1439i,1512e
- BLUE BABIES, 1528k
- BODY, fluids 1413r; weight 1468a,1557e
- BOGE, microbiology 1513v
- BONE, abscess 1396-1; alkaline phosphatase 1362g; atrophy 1398v; develop. & growth 1561i; dia. 1394d,1571p,1625v,--classific. 1490c; intermaxillary 1634w; lymphosarcoma 1571d; pathol. 1371v, roent. 1667u; surg. 1485n,1644v; transpl. 1565w; tuberculosis, compl. & seq. 1673d,--ther. 1599i; tumor 1404-1,1410t,--ther. 1410w,1434d,1497v, 1509g,1550k,1597g; wds. & inj. 1528k
- BONE MARROW, 1601p,1645u,1653c,1658h,1658i, 1658-1; acetic acid 1365m; aspiration 1443t; reaction in child.1427-1; tumor 1631e
- BOOKE, German 1379c
- BOTULISM, 1390f
- BOWEN'S DISEASE, 1372q
- BRACHIAL PLEXUS, block 1388r,1670j; pois. 1617i
- BRAIN, abnorm. & deform. 1403q,1652c; abscess 1435s,1482k,1651j,1656c,1656g,1656q,1656r,1656t, 1656u,1657j; anesth., in frogs 1585r; aneurysm, arteriovenous 1577b; blood vessels 1401w,1403s, 1489c,1651e,--exper. 1585b,1657g; chem. 1419j; concussion, air 1420c; cortex, anat. 1419h,--physiol. 1460g,1588m; degener. 1576e; develop. 1536c; dis. endocrine compl. 1642t,--etiol. & pathogen. 1639p,--in child. 1565g; edema 1420c; embolism, fat 1424m; hematoma 1578m; hemorrh. 1394f,1621a; innerv. 1651e; metab., exper. 1585g,1651-1; physiol. 1385t,1622m; roent. 1598m,1632d,--eff. on circulation 1562b; surg. 1408i,1409v,1634r,1650v,--hist. 1434p; tumor 1387p,1401e,1402r,1410s,1489c,1572h,1572i,1627j,--diag. 1420-1,--in child. 1657j,--roent. 1420m; wds. & inj. 1455n,1668u,--cerebrospinal fluid 1418p,--compl. & seq. 1513b,1576r,--surg. 1420i
- BRANCHIAL SINUS, ther. 1385e
- BREAD, 1429e,1432j,1653m
- BREAST, areola, lymph nodes 1561p; cancer 1390c, 1405-1,1408f,1435c,1480g,1488a,1574q,1606b, 1606k,1625s,1629m,1639c,1656a,1670f,--liver in 1366n,--radiother. 1668f,--recurrence 1411w,--surg. 1436d,--ther. 1487r,--Zürich 1472g; dia. 1575h,--pelvic dia. relation 1366m; estrone sensitivity 1551; hemorrh. 1674s; hypertrophy 1574q,--in pregn. 1547w; sensitivity 1589e; tumor 1636h
- BROMINE AND COMPOUNDS, 1604n; tox. 1541n, 1661v
- BRONCHI, cancer 1411a,1468v,1621r,--diag. 1385f, 1490w,1667v; cysts, etiol. 1385m; inflamm. 1482t; obst. 1515u,1621i; physiol. 1644m; roent. 1406g,1595a,1634-1; rupture 1593w; spasm 1601r; stenosis, surg. 1627t; ther. 1667p; tuberculosis 1571s; tumor 1571a
- BRONCHECTASIS, 1385d,1408f,1412-1,1635j,1640d, 1643v; atelectatic 1639g; diag. 1406g, hered. 1636e; ther. 1386b
- BRONCHOPNEUMONIA, ther. 1571u
- BRONCHOSCOPY, 1398v,1489h,1619k,1635i; compl. & seq. 1422-1; hist. 1479c
- BRUCELLA, abortus 1455k
- BRUCELLOSIS, compl. & seq. 1559e; reinfect., ther. 1555a; statist., in France 1431h
- BUCHENWALD, psychiatric asp. 1652j
- BURNAND'S SYNDROME, 1557c
- BURNS, 1510d; in child. compl. & seq. 1561h; metab. 1572m; ther. 1435u,1510a,1512v,1512w, 1572m,1598f,1611b,1611c,1638q
- BURSTITE, radiother. 1490n
- CAERSON DISEASE, 1383s,1550p
- CALCIUM AND COMPOUNDS, 1376-1,1542e, 1692b
- CAMPFOR, ther. 1643e
- CANCER, 1596f,1598k; acylpyruvase activity 1446f; adenocarcinoma 1366-1,1385g,1466f,--in twins 1380k; appendix 1642u; bladder 1618k; breast 1435s,1436d,1487r,1488a,1606k,1625g,--recurrence 1411w,--Zürich 1472g; bronchi 1385f,1411a,1468v,1490w; cells 1658p; cervix uteri 1473p; chemother. 1388e; chorionic 1381d,1615u; colon 1375e,1435n,1469e,1671v, 1672e; control 1377h,1474r,1491m,1563m, 1617-1,1631j; diag. 1374g,1381n,1410n,1416i, 1549a,1569a,1572e,1633c,1648w,1656a; early 1410r; epidem. & statist. 1366p,1431e,1485v, 1606e; epidermoid 1481f; epiglottis 1422i; epithelioma 1372n,1372p; esophagus 1410c, 1436e; etiol. & pathogen. 1390t,1526c,1622r, 1634p; exper. 1606b; gastrointestinal 1606j, 1643c; genitourinary 1410r; heart 1473r; in pregn. 1435h; intestinal 1510t; isotopes in 1410c; larynx 1605e; lung 1470f,1473c,1627i, 1671u; metast. 1399a,1458s,1594f; multiple 1402s; ovary 1510w; pain 1459g; pathol. 1424r; prostate 1410u,1473u,1673r; rectum 1411a, 1433s,1435n,1639a,1672i,1672u; research 1606h; sedimentation rate 1623h; sigmoid 1433s; skin, sun 1454b; squamous-cell 1650c; stomach 1410p,1410q,1433r,1510c,1619b,1672a; surg. plast. 1510p; ther. 1480a,1606g,1606j, 1636i; thyroid 1414e; transit. cell 1481g; ultra violet microscopy 1376v; uterus 1417n,1473q; 1617p,1617q; vaginal smear 1490r,1511m; vulva 1433k
- CANDIDA ALBICANS, eff. 1497f
- CANNABIS, 1398f
- CANNULA, uterine 1615b
- CAPILLARIES, dilat. 1502m; fragility 1413c; permeability 1585k,1647g
- CARBAMATES, 1446a,1590b
- CARBARSONE, tox. 1412n
- CARBOGENE, ther. 1391n
- CARBOHYDRATES, in diet 1370s,1453b,1495-1; metab. 1376c,1638j,--embryo 1442v,--spleen in 1468-1
- CARBON DIOXIDE, 1363i; breathing 1551p; eff. 1663u,1673v
- CARBON MONOXIDE, tox. 1620j,1664a,1664b
- CARBUNCLE, hist. 1385v
- CARCINOGENS, 1386c,1366v,1632c
- CARCINOID, intestinal 1672d
- CARDIAC PATIENTS, bedpan deaths 1455i; psychologic asp. 1470i
- CARDIAC PLEXUS, 1446m
- CARDIOLIPIN ANTIGEN, 1630w
- CARDIOSPASM, ther. 1566g
- CARDIOVASCULAR SYSTEM, atmospheric eff. 1472h; dia. 1455u,1470j,1482n,1501e,1643j,--psychogenic 1504m; insufficiency 1573k; physiol. 1402c,1524b; roent. 1498u; surg. 1483m,1626j,1636e; ther. 1409r,1574h
- CARONAMIDE, 1427c,1474q,1640g
- CAROTENES, 1429b
- CAROTID SINUS, 1446m,1467q,1477j,1537q
- CARROTS, 1396q
- CARTESIAN DIVER TECHNIQUE, 1363m
- CASTRATION COMPLEX, 1505b
- CASTS, 1598a; materials 1639k
- CATARACT, compl. & seq. 1654t; sunflower 1562k; surg. 1644h,1654p,--sutures 1552f

CATFISH  
CATHER  
CAUSAL  
CAUSTIC  
CAVE  
CECITIS  
CECUM  
1554  
CEDILA  
CELIAC  
1427  
CELLS  
1669  
CELLULO  
CELLULO  
1630  
CEREBE  
lesio  
1606  
1656  
CEREBE  
1513  
1374  
CERVIC  
CERVIC  
1473  
1617  
CESARI  
1436  
comp  
CESTOD  
CHANCY  
CHARAC  
CHARAC  
CHAUL  
CHEESE  
CHEMIC  
CHEMIS  
CHEMIS  
1584  
asp.  
roent  
CHEST  
CHEST  
CHICK  
CHILD  
1505  
1394  
emot  
1426  
disch  
cap  
in ho  
genec  
1425  
1419  
psych  
somal  
CHIROF  
CHLOR  
CHLOR  
CHLOR  
CHLOR  
CHLOR  
CHOLA  
CHOLE  
comp  
CHOLE  
1484  
CHOLE  
1474  
CHOLE  
CHOLE  
CHOLE

- CATFISH, fins regener. 1525f  
 CATHARTICS, 1661n  
 CATHETERS, 1547m  
 CAUSALGIA, 1473u  
 CAUSTICS, tox. 1396b  
 CAVE SICKNESS, 1505w  
 CECITIS, ulcerative, ther. 1443f  
 CECUM, dis. 1381u; tumor 1597c; vulvulus 1554j, 1598o  
 CEDILANID, eff. 1494c  
 CELIAC DISEASE, in child. 1400o; lipases in 1427c; ther. 1628e  
 CELLS, 1527c, 1658r; biochem. 1553o; division 1668d; permeability 1525q; physiol. 1594i  
 CELLULITIS, etiol. & pathogen. 1372a  
 CELLULOSE, electron microscopy 1377i; methyl 1630u; oxidized, eff. 1394k; --in surg. 1517g  
 CEREBELLUM, abscess 1482s; dis. 1397a; lesions, exper. 1605p; local. of function 1606q, 1606r; physiol. 1604t, 1604u, 1604v; surg. 1656v; tumor 1419c  
 CEREBROSPINAL FLUID, 1181t, 1384e, 1419g, 1513b; pressure 1423g; proteins 1658c; test 1374d  
 CERVICAL SPOON, 1470g  
 CERVIX UTERI, cancer 1386q; --metast. 1473p, 1473q; roent. 1616b; tumor 1380o, 1485f, 1617m; --in pregn. 1616i  
 CESAREAN SECTION, 1380b, 1397-1, 1399o, 1413q, 1436g, 1554w, 1555j, 1615i, 1618d; anesth. 1390o; compl. & seq. 1381e, 1398f  
 CESTODES, 1514e  
 CHANCROID, ther. 1373i  
 CHARACTER, 1420b  
 CHARAS, 1536a  
 CHAULMOOGRA OIL, 1517d, 1573v, 1638s  
 CHEESE, 1582a  
 CHEMICAL INDUSTRY, France 1501m  
 CHEMISTRY, 1554a, 1611p  
 CHEMOTHERAPY, 1394v, 1484a, 1500k, 1553w, 1584c, 1640g, 1647k, 1660d; appar. 1645f; dent. asp. 1370g; in neurop. 1651j; in surg. 1475o; roent. asp. 1395g  
 CHEST, dis., hemoptysis 1391g; tumor 1564h  
 CHESTNUTS, 1495s  
 CHICKEN POX, 1582t  
 CHILD, behavior 1440w, 1504a, 1591t; care & hyg. 1505v, 1506p, 1506q; psychology 1666p; develop. 1394e; --character 1493w; --dis. 1499m; --emotional 1505q; --mental 1504e; dis. 1404a, 1426k, 1623a, 1658q; --fourth 1635a; --anal discharge 1668a; educ. 1504f; --phys. handicapped 1659n; guidance 1493u, 1494a, 1494d; in hosp. educ. 1544n; --inj. eff. 1499n; intelligence 1503v; --disease relation 1499h; --low 1425o; nutrition 1400o; psychiatry 1407w, 1419o, 1419p, 1419q, 1419r, 1419s, 1419t, 1419u; psychoanal. 1492w; psychol. 1494p; psychosomat. asp. 1485d; welfare 1425o  
 CHIROPODY, 1417g, 1417h  
 CHLORETONE, 1653j; chlorlation 1582b  
 CHLOROFORM, 1455a, 1497s  
 CHLOROMYCETIN, 1361n, 1467o, 1660w  
 CHLOROPLASTS, 1364r  
 CHLOROQUINE, tox. 1497o  
 CHOLATE-MORPHINE-NITRITE, test 1639j  
 CHOLECYSTECTOMY, 1403i, 1596-1, 1598n; compl. & seq. 1643a; exper. 1445a  
 CHOLECYSTENTEROSTOMY, 1657j; indic. 1484n  
 CHOLECYSTITIS, 1489m, 1510t; compl. & seq. 1474g, 1476i, 1487u; in child. 1500w  
 CHOLERA, vibrio 1370r, 1387g; ther. 1630a  
 CHOLERETICS, exper. 1524s  
 CHOLESTEROL, blood 1471w; eff. 1585k  
 CHOLESTEROLESTERASE, 1588k  
 CHOLINE AND DERIVATIVES, 1362c, 1501c  
 CHOLINESTERASE, 1362a; determ. 1450h; exper. 1362d; inhib. 1364w, 1445j, 1661f  
 CHOREA, record. appar. 1499b  
 CHOROID, atrophy 1655j; cancer 1561c; hemorrh. 1399g; tuberculosis 1657r; tumor 1654o  
 CHRIST-SIEMENS SYNDROME, 1425e  
 CHROMATOGRAPHY, 1545p  
 CHROMATOPHORES, physiol. 1503p  
 CHROMOGOMES, 1363f, 1377a, 1379k  
 CHRONAXIA, 1525j  
 CHRYSOPS SILACEA, 1515c  
 CHYLOTORAX, 1566o  
 CIBAZOL, eff. 1641r  
 CICATRIX, ther. 1674h  
 CIGARETTES, smoke 1495k; storage 1495m  
 CINCOPHEN AND DERIVATIVES, tox. 1403o  
 CINEFLUOROGRAPHY, appar. 1509f  
 CIRCUMCISION, psychoanalytic asp. 1504u  
 CITRIC ACID, prod. 1522i  
 CITRULLIN, 1588j  
 CLAMPS, surgical 1546p  
 CLAMS, tissue metab. 1364-l  
 CLAUSTROPHOBIA, 1505e  
 CLAVICLE, disloc. 1414w  
 CLEFT PALATE, 1477p  
 CLIMACTERIC, 1633m; electroshock 1556d  
 CLIMATE, 1436m, 1492h  
 CLINICS, 1387v; pediatric, Helsingfors 1639e  
 CLOSTRIDIUM, metab. 1361k  
 COCCACEAE, 1506b  
 COCCIDIOIDOMYCOSIS, fungus 1407m, 1437i, 1467n  
 COD LIVER OIL, ther. 1557c  
 CODEINE, 1604e, 1604f  
 COITUS, exper. 1638n; wds. & inj. 1617n  
 COLCHICINE AND DERIVATIVES, 1613b, 1622q  
 COLD, 1482e, 1502m, 1620e; sensitivity 1521o; ther. 1601h; tox. 1424w  
 COLITIS, ULCERATIVE, 1400j, 1403g, 1466e, 1483q, 1566d, 1669n, 1669o; --compl. & seq. surg. 1472r  
 COLLAGEN, 1602t  
 COLLAPSE THERAPY, 1599-1  
 COLLOID MILKUM, 1539b  
 COLON, abnorm. 1566k; cancer 1375e, 1475q, 1476k, 1612h, 1674r; --compl. & seq. 1469e, 1671v; --surg. 1435n, 1672e; dilat. 1512i; diverticulitis, perf. 1375f; --surg. 1511k; for. bod. 1669k; giant 1474j; obst. 1564m, 1669v; polyp 1435o, 1669j, 1669p, 1669q; surg. 1477a, 1482e; tumor 1637f, 1670b  
 COLOR, blind 1591-1, 1633c; in industry 1590q; perception 1376k, 1376t, 1386t, 1544i, 1544n, 1613f; --test 1580i  
 COLORECTECTOMY, 1434n  
 COLORECTITIS, hemorrh. & suppur. 1567u  
 COMA, 1485-l; hepatic 1403c  
 COMEDOMASTIES, 1510v  
 COMMOTIO, retinae 1553k  
 COMMUNICABLE DISEASES, 1389m; in child. 1554g, 1572p; nursing 1578u; prev., appar. 1550v; ther. 1636v, 1646h  
 COMMUNIN, ther. 1422s, 1422t  
 COMPLEMENT, 1374d; fixation 1401b, 1464-l, 1464m  
 CONCENTRATION CAMPS, med. asp. 1412d  
 CONDYLOMA, 1648i, 1648v; sarcoma 1396o, 1510i; surg. 1406k, 1406-l  
 CONSCIOUSNESS, dis. 1628b  
 CONSTIPATION, in child. 1566h  
 CONSTITUTION, 1391c; types, Kretschmer 1576v



- DIGITALIS AND PREPARATIONS, 1446o, 1553n, 1622g; exper. 1457g; standard. 1600s; tox. 1471s, 1552m
- DIMERCAPROL, 1611j
- DIOXOLANES, 1462d
- DIPARCOL, 1643-j
- DIPHENHYDRAMINE, 1403u
- DIPHTHERIA, antiserum 1426e, 1582n; bacilli 1507v; carriers, roent. ther. 1565d; infants 1500-i, 1626p; post-nasal 1423n; prev. 1425e, 1506a, 1582n, 1639e; ther. 1391v, 1483v; toxin, eff. 1464w; tracheo-bronchial 1423m, 1423q
- DIPLOE, tumor 1587c
- DIPLOPIA, 1657n, 1657p
- DIPTERA, 1527n
- DISABLED, rehab. 1619u
- DISEASES, chronic 1395m; convulsions 1576p; degenerative 1577h; infect., congresses 1661d; etiol. & pathogen. 1565u; psychosomatic 1396j, 1466j, 1467e; skin symptoms 1611-l; transm. 1377m
- DISINFECTION AND DISINFECTANTS, 1361o, 1370a, 1582k, 1660b, 1665d
- DISPENSING, 1660m
- DIETAFOA, reprod. 1377u
- DIURETICS, 1615e; mercurial 1480v, 1566a
- DIVERS, Coatsau 1545t; dermatoses 1540q
- DIVERTICULOSIS, 1612h
- DIVINING ROD, 1429r
- DIVORCE, 1651v
- DOSTOIEVSKY, FEODOR, M., psychopathol. 1504q
- DRAINAGE, postural. 1562q
- DRAWINGS, children's 1505m
- DREAMS, 1420d; art relation 1470o; interpret., hist. 1470n; psychophysiol. 1504p, 1504w
- DROSOPHILA, melanogaster 1362i
- DRUGS, 1662d; absorption 1583v; addiction 1474v; analysis 1474u; biosynth. 1462b; econ. asp. 1584q; eff. 1566-l; industry 1427p, 1429o, 1501q, 1660b; aseptic technics 1501u; --France 1660-l; legislation 1427n, 1476p; obst. 1406a; patents 1429m; preservative 1660b; spasmolytic 1375c, 1635o; sunscreen 1584k; sympatholytic 1457j, 1661g; tox. 1428m, 1455r; vasoconstrictive 1401q vasotrophic 1401q
- DUCTUS ARTERIOSUS, 1408q, 1572f, 1643m; diag. 1389p; surg. 1391h, --appar. 1488n
- DUODENUM, dis. 1395o, 1568c, 1573c; diverticula 1415c, 1671a; for. body, in child. 1426t, --perf. 1414p; innerv. 1566b; morphine eff. 1445c; obstr. 1573m, 1648q; papilla 1569d; roent. 1465s; ulcer 1375o, 1391w, 1445e, 1504-i, 1508q, 1511-l, 1512g, 1597-i
- DURALUMIN, inj. 1383m
- DURA METER, hematoma 1509u; infect. 1403r, 1637b; wds. & inj. 1405d
- DUST, 1632q; masks 1363j; sampling 1465f
- DWARFISM, 1494n, 1499, 1572t
- DYES, spectrophotometry 1585m
- DYSCHONDROPLASIA, 1425w, 1509b, 1650f
- DYSENTERY, 1666e; amebic 1515e
- DYSMENORRHEA, 1381d, 1643e
- DYSTOSIS, metaphyseal 1650g
- DYSPHAGIA, 1479r
- DYSPLASIA, fat 1577s; hereditary ectodermal 1425e; polycystotic fibrous 1474a, 1625v
- DYSTOCIA, ther. 1380u
- DYSTROPHY, 1446p; mesoderm. congen. hered. 1627v; muscular 1412a, 1462-i
- EAR, abnorm., exper. 1527a; absence, congen. 1422m; anat., in child. 1546u; for. body 1496o; in otosclerosis 1656b; internal 1397d, 1405e, 1405h, --dis. 1581d, --eff. of streptomycin 1524e, --histol. 1666i; middle, dis. 1581h, --for. body 1656j; ossicles 1581f; papilla, edema 1424b; perilymphatic system 1581g; surg. 1477m, 1657t; tumor 1581g, 1655w
- ECLAMPSIA, 1380t, 1481t, 1616r; ther. 1400u, 1482h, 1548v, 1631m
- ECONOMICS, medical 1395s, 1574n, 1629q
- ECTODERM, abnorm. 1536e
- ECZEMA, geriatric 1372w; in newborn 1570-l; kidney in 1637b; radiother. 1500a; surg. 1513a; ther. 1411k, 1478f, 1478i, --in child. 1539o; vaccination 1498v; vitamin ther. 1539k, 1539-l, 1561n
- EDEMA, 1405p; angioneurotic 1389w, 1538m; ther. 1393a, 1576h
- EDUCATION, MEDICAL, 1537n, 1578t, 1629r, 1629s, 1634n, 1635f
- EGG, albumin removal 1527f; bact. 1522v
- EJACULATION, exper. 1523r
- ELBOW, disloc. 1630u; pain, surg. 1650a
- ELECTRICITY, 1665g; inj. eff. 1510d, 1585n
- ELECTROCARDIOGRAPHY, 1446j, 1466w, 1481p, 1484g, 1528e, 1565p, 1606t, 1607a, 1607b, 1607c, 1607k, 1622a, 1631f, 1632c, 1643w; appar. 1485a; eff. of benedryl 1521b; P-pulmonale 1484m; T wave 1457m
- ELECTROENCEPHALOGRAPHY, 1378v, 1399o, 1461k, 1572k, 1650p
- ELECTROMYOGRAPH, 1402b
- ELECTROMYOGRAPHY, 1385e; speech 1493b
- ELECTRONARCOSIS, 1403u
- ELECTROPHORESIS, 1488h; appar. 1378i
- ELECTROPHYSIOLOGY, 1502s
- ELECTRORETINOGRAPHY, 1639d
- ELECTROSHOCK THERAPY, 1652d; compl. & seq. 1390i
- ELECTROSURGERY, 1554v
- ELECTROTHERAPY, 1418v, 1650o, 1652e; appar. 1562v
- ELEPHANTIASIS, 1488d; congen. 1649t
- EMBOLESM, air, pathol. 1424-l; amniotic, mortal. 1380p; aortic 1642f, --surg. 1511u; arterial 1556e; cerebral 1394f, 1627h, --fat 1424m; coronary 1438-l; paradoxical 1446v; pulmonary 1486r, 1509w, 1573t, 1594a, 1628t, 1674p, --compl. & seq. 1457t; retinal 1655i
- EMBRYOLOGY, 1556w; compar. 1611v; pathogen. in 1674o; spinal cord 1441h
- EMETINE, ther. 1415v, 1455i, 1485-l
- EMOTIONS, 1504o, 1505i, 1505j
- EMPHYSEMA, mediastinal 1599w; pulmonary 1455d, 1636h
- EMPHYSEMA, 1558c, 1635h; tuberculous 1510d
- ENCEPHALITIS, 1396a, 1562u, 1637e; compl. & seq. 1393a; diag. 1656e; epidemic 1483d; Jap. B 1417b, 1417d, 1417e, --control 1417c, --epidemiol. 1417c, --exper. 1417d; osteogenic 1422j; post-vaccinal 1500b, 1622j; vaccinal 1426s; virus 1436u
- ENCEPHALOMYELITIS, 1418s, 1562u, 1578f; equine 1410a
- ENCEPHALOPATHY, arsenic, ther. 1559b
- ENDOCARDITIS, 1480s, 1571t; bacterial 1564n, 1564p, --in child. 1426m; infectious 1395i, 1399d, 1402v, 1477v, 1479k, 1607d; reinfect. 1558g; streptococcus in 1522j; ulcerative 1446m
- ENDOCRINE GLANDS, dis. 1577u, 1618p, --pathol. 1436f, 1483j; surg. 1669w
- ENDOCRINOLOGY, 1577k, 1631i; exper. 1445g, 1525e, 1566o, 1612r
- ENDOMETRIOSIS, 1536b, 1570e, 1615t; compl. & seq. 1615a; ther. 1574p
- ENDOMETRIUM, hypertrophy 1642a
- ENEMATA, 1599c
- ENTADA, sudanica 1514i
- ENTERAMINE, 1442g

- ENTERIC COATING, 15460  
 ENTERITES, staphylococcal, newborn 1477k  
 ENTEROBACTERIACEAE, 15261  
 ENTEROCOLITES, 1374w, 1594b  
 ENTEROPTOSIS, compl. & seq. 14871  
 ENURESES, 1487k; surg. 1517e; ther. 1500g, 1566p  
 ENVIRONMENT, cold, resistance 1415n  
 ENZYMEs, 1365k, 14021, 1429d, 1640o, 1663h; mucolytic 1394-1, 1454h, 1642g; nuclear 1460f; proteolytic 1503j; reducing 1569e; research 1579u  
 EOSINOPHILS, 1394f  
 EPENDYMITE, 1623n  
 EPIDEMICS, social asp. 1431a  
 EPIDIDYMS, abnorm. 14331; inflamm. 1628p  
 EPILEPTOTIC, cancer 14221  
 EPILEPSY, crises 1581e; diag. 1572k; exper. 1651m; in child. 1474u; myoclonus 1482g; osteopath. ther. 1417k; pathol. 15721; psychiat. asp. 1481r; soc. asp. 1431-1, 1650k; surg. 1576m; ther. 1471a, 1471m, 1485u, 1486g, 1488a, 1650e; traumatic 1651g  
 EPINEPHRINE, bronchiole eff. 1428e  
 EPISTAXIS, 1487g, 1623e  
 EPITHELIOMATOSIS, 1373p, 1410w, 1561s  
 ERGOT AND PREPARATIONS, 1411v, 1487-1, 1588d, 1611f, 1617s, 1631f  
 ERYSIPELAS, in child. 14231  
 ERYSIPELOID, 1675e  
 ERYTHEMA, 1538e; annular 13721; in child. 1396r; multiforme 1386n, 1481o, 1539d, 1539f; nodosum 1636d  
 ERYTHREMA, 1554r  
 ERYTHRITOL, 1377a  
 ERYTHROBLASTOSIS, 1426v, 1548o, 1645k; etiol. 1390e, 1615n, 1659k; histol. 1424v; ther. 1389q, 15831, 1659h  
 ERYTHROCYTES, 14151, 1605u, 1622f, 1627q, 1645-1; count 1589u, 1659v; diameter 1645n; form. 1407a, --embryo 1645o; in pregn. 1484a; life-span 1545b; maturation 1645v; permeability 1383q; spherizing 1364o  
 ERYTHRODERMA, radiother. 1541c  
 ERYTHROMELIA, 1540o: with ulcer cruris 1540a  
 ERYTHROPLASIA, 1677p  
 ESOPHAGOSCOPE, optical 1474t  
 ESOPHAGUS, atresia 1598v, 1628n; cancer 1410o, 1458e, --diag. 1543f, --surg. 1436e, 1543g, 1648g, --ther. 1543e; diverticula 1404w, --surg. 1496p; eff. of serotherapy 1647j; for. bod. 1496t; peptic ulcer 1564v; perforation 1670k; physiol. 1587e; polypi 1423p; roent. 1407s, 1479n; sarcoma 1598c; stricture 1396b, 1396w, 1499k, 1537p; surg. 1388f, 1542r, --compl. & seq. 1496k; tumor 1508a, 1594a, 1635a  
 ESTIVATION, imbricate 1377c  
 ESTROGENS, 1429g, 1445p, 1467k, 1469h, 1556p, 15871, 1587k; eff. 1442v, 1458h, 1458w, 1459a, 1627-1, 1605a, 1616d, 1645h; in cosmetics 1501j; in pregn. 1379o, 13901; lobster egg 1445o; ther. 1381h, 1541v, 1574p, 1626h, 1637n, 16381, 1674c; tox. 1436q  
 ESTRUS, chimpanzee 1458-1  
 ETHER, physical prop. 1376p  
 ETHYL MORRHUATE, ther. 1524h  
 EUBASIN, tox. 1427g  
 EUGENICS, 1462u  
 EUGLENA, chlorophyll in 1364b  
 EUNUCHOIDISM, ther. 1577g  
 EUSTACHIAN TUBES, obstruct. ther. 1497b, 1497f  
 EVISCERATION, congen. 1413o  
 EXCITABILITY, age asp. 1547e  
 EXERCISE, physiol. 1431o, 1445k, 1663p  
 EXOPHTHALMUS, 1406q, 1424c, 1654j  
 EXPIRATION, forced 1444n  
 EXPLOSIONS, 1664h  
 EXPLOSIVES, tox. 1383q  
 EXTRACELLULAR FLUID, physiol. 1378n  
 EXTRAPYRAMIDAL SYNDROME, ther. 1581q, 1643-1  
 EXTREMITIES, sclerosis 1668c; tumor, malign. 14731; wds. & inj. 1509w, --surg. 15541  
 EYE, accom. & refract. 1558f, 1580o, 1654d, 1654g; artificial 1393j; asthenopia 1623e; axial length 1508k; burns 1481o, 1631h; care & hyg. 1463q, --newborn 1547r; cysts 1443b; diag. signif. 1408d; dis. 1654c, 1654-1; exercise 1654d; for. bod. 1654m, 1654o; gonioscopy 1654v; hemorrh. 1399h, 1654j; lens, tumor 1655k; mutation exper. 1363v; nursing care 1578k; papilla 1626r; paralysis 1654n; position 1589k; pupil 1655e; surg. 1413-1, 1553h, 1654b, 1654n, --compl. & seq. 16551, --post-op. care 1622v; ther. 1399j, --tissular 1406p; wds. & inj. 1402p, 1655b  
 EYELIDS, abnorm. 16541; cancer 1406j, 1563e; dis. 1628m; melanosis 1510q; ptosis 1490k; surg. 1654e, 16541; tuberculosis 1556a; tumor 1654k  
 FACE, abnorm. & deform. 1537o; acne, ther. 1541w; dent. & surg. 1368t; furunculosis, ther. 1675a; infect., dent. asp. 14331; surg. 1486b, 1487q, 1597v; wds. & inj. 1486o, 1510c, 1510o, 1537f  
 CL-PAGARINE, 1613j  
 FALLOPIAN TUBE, 1617p; abnorm. 1547k; bact. 1615j; cancer 1381n; dis. 1381n, 1382k, 1413q, 1483b; exam. 1615b; insufflation appar. 1617u; muscles 1616c; roent. 1548j; surg. 1380d, --compl. & seq. 1511q; tuberculosis, roent. 1617o; vulvulus 14551  
 FAMINE, exper. 1501m  
 FASCIOLA HEPATICA, infect. 1441t  
 FAT, conservation 1495j, 1594p, 1594q; metab. 1554n, 1636-1, 1660v; sterilization 1662a; tissue, physiol. 1664p  
 FATIGUE, 14851, 1524k, 1605p, 1621g, 1663o; laboratories, U.S. 1430v  
 FECES, acid ferment 1543j; albumin 1543b; blood 1375-1; exam. 1391t, 1638a; mucin 1543b; urobilinogen 1658g  
 FEEBLEMINDEDNESS, 1394s, 1419m, 1430c  
 FEMUR, fract. 14051, 1508o, 1508p, 1509q, 1573q, 1598h, --surg. 1436b, --ther. 1675e  
 FENESTRATION, 1405e, 1423d, 1656f  
 FENESTRELLA, 1612b  
 FERMENTATION, bact. 1522u; beer 1429d  
 FERNS, 1660k  
 FERRIC CHLORIDE, solutions 1661v  
 FERTILITY, exper. 1443o, 1633m  
 FERULA, nodiflora 1605k  
 FETUS, death 15481, 1615k, 1623a; papyraceous 1380n; pathol. 1549c; physiol. 1615q; resuscitation 1380v  
 FEVER, diag. 1416e; intermittent, in child. 1498o; ther., compl. & seq. 1538p; therapeutic 1623o, 1634j  
 FIBERGLASS, in dent. 1369a  
 FIBRIN, 1663g; formation 1586c, 1651f  
 FIBROBLASTS, 1444g, 1606m  
 FIBROPLASIA, retrofetal. 1563f  
 FIBROSIS, 1455f  
 FIBULA, fract. 1485d  
 FILARIASIS, 1629v; eye 1476w; ther. 1632a  
 FINGERS, abnorm. & deform. 1540n, 1627v; fract., ther. 1639-1; surg. 1392q, 1512-1, 1673j, 1675d  
 FINKELSTEIN, SALO, 1591m  
 FISH, erythroid cells 1364-1; trematodes 1523b  
 FISTULA, abdominal 1560r; anorectal 1486e, 1561k; broncho-cutaneous 1475j; cholecystic 14071, 1667e; duodenal 1560o; infect. 1516k; rectal, surg. 1512k; rectourethral 1671r; ther. 15411,

- 1668n; vesicovaginal 1600i  
 FLATULENCE, etiol. & pathogen. 1559k  
 FLAVOPROTEINS, 1429c  
 FLIES, 1421g; eradication 1666g; larva 1545d; tsetse 1514-1  
 FLOCCULATION TESTS, 1404j  
 FLOUR, 1443b, 1544q  
 FLUORESCEN, surg. 1475d  
 FLUORINE AND COMPOUNDS, 1428i, 1500a, 1609e; in water 1432a; inj. eff. 1640m; ther. 1371k, 1381h, 1536m, 1609j  
 FLUOROMETRY, 1612c, 1612d  
 FOLIC ACID AND DERIVATIVES, 1636i, 1662j; ther. 1628e; tox. 1424i  
 FOOD, 1430d; adulteration 1428b; allergy 1601-1; bact. 1549r; canned 1579h, 1579-1; eff. 1663o; hyg. 1500i, 1506e, 1665w; organoleptic tests 1579e; pollenized, tumor prod. 1446i; preservation 1579i; world supply 1544k  
 FOOT, deform. 1389q; dis. 1373a, 1392d, 1673i; flat 1628a, 1649w; gangrene 1541g; pad, patents 1462r  
 FOOT AND MOUTH DISEASE, immun. 1444e; virus 1443v, 1443w, 1444a, 1444c, 1444d  
 FORCEPS, 1546n; Simpson 1382k  
 FOREARM, tumor 1672n, --simul. 1672b; wds. & inj. 1410b  
 FOREIGN BODIES, in air and food passages 1425v; roent. 1465k  
 FORENSIC MEDICINE, 1646j, 1646k  
 FORLANINI, CARLO (1847-1918), 1624-1  
 FORMALDEHYDE, eff. 1663j  
 FORMOL, eff. on vaccines 1526j, 1526k  
 FRACTURES, 1483n; curare in 1639k; diag. 1636m; epiphyseal, ther. 1490d; medullary nailing 1513b, 1640p, --appar. 1512-1, --indic. 1674m; Pott's 1485d; ther. 1413n, 1509n, 1509o, 1597h, 1669a, 1672n  
 FRAMBESIA, ther. 1482v  
 FRANGULA, 1663b  
 FREI'S TEST, 1463w  
 FREUD, SIGMUND, 1652h  
 FRONTAL BONE, fract. 1405d; inflamm. 1405j  
 FRUITS AND VEGETABLES, powdered 1428b  
 FUCHSIN, 1361i  
 FUNDULUS HETEROCLITUS, 1364s  
 FUNGI, 1361v, 1662h; acid-resistant 1522s; infect. 1576d; radioactive asp. 1361g; soil 1361u; Sor-daria 1544q; staining 1361i  
 FUNGICIDES, 1527g; exper. 1502a; patents 1462j  
 FURAN, derivatives 1637d; eff. 1522o  
 FUSOSPIROCHETOSIS, 1453k, 1453-1  
 GAFFKY TETRAGENA, 1371w  
 GALLIUM, analysis 1429j  
 GALLBLADDER, abnorm. 1512, 1543b; calculi 1476i, 1607e, 1670g; dis. 1559-1, 1628q, 1670u, --ther. 1662n; distomata 1441s; drainage 1648e; hemorrh. 1599c; pathol. 1622p; perf. 1509i; physiol. 1622p; radiomanometer 1474j; roent. 1508o, --kidney in 1594f; surg. 1674t; tubercu-losis 1483p  
 GALLSTONES, 1375k, 1407o, 1482i; postop. 1375g  
 GAMBUSIA, water oxygen concent. 1507p  
 GAMMA COUNTER, 1614d  
 GAMMA GRANULE, indust. 1550i  
 GAMBEXANE, ther. 1386o; tox. 1536p  
 GANGLION, basal, dis. 1562r; cervical 1573j, --sup. ther. 1598d; sphenoplatine, blocking 1481n; thoracic 1409r  
 GANGRENE PREVENTION, 1416t, 1470e  
 GASTRECTOMY, 1476r, 1631c  
 GASTRITES, 1470d, 1542t  
 GASTROENTEROLOGY, 1612g; in Egypt 1633f; surg. asp. 1557o  
 GASTROENTEROSTOMY, 1487s  
 GASTROINTESTINAL TRACT, cancer 1560v, 1606j, 1643c, --surg. 1648h; dis. 1386h, 1402w, 1426a, --cerebral compl. 1640b, --ther. 1576g; roent. 1630j, --in child. 1500v; sonding, inj. eff. 1568c; surg. 1391p, 1512i, 1554e; ther., preop. 1567j; tumor 1398b, 1668g, 1671n, 1673u  
 GELATINE, capsules 1428n  
 GENETICS, 1363i, 1379-1, 1429b, 1461p, 1463a, 1463d, 1546d, 1581w, 1614h, 1614j, 1614k; bact. 1462w; bees 1614m; biochem. 1553r; compatibility 1463b, 1614g; exper. 1442p, 1614-1; Rh gene C 1463b; W. J. Spillman 1379i  
 GENITALS, pain 1548g; prolapse, surg. 1617d; tumor 1615c, 1636h  
 GENITOURINARY TRACT, abnorm. 1512u, 1616v; calculi 1439g; cancer 1410r; dis. 1572d, 1677g; surg. 1415c, 1439g; tuberculosis 1439r; tumor, malign. 1366g  
 GERIATRICS, 1471b, 1471c, 1471d, 1477e; biologic asp. 1471a; card. asp. 1614s; in urol. 1385t; psychiatric asp. 1625n; surg. 1435w, 1614q  
 GERMICIDES, 1584e  
 GESTALT PSYCHOLOGY, principles 1591i  
 GIARDIASIS, diag. 1487r  
 GINGIVITIS, 1609q  
 GLANDS, prothoracic 1362k; sinus 1362j; sub-maxillary 1362u  
 GLASS, 1611r; optical 1580h  
 GLAUCOMA, 1640n, 1654q; congen. 1563e; etiol. & pathogen. 1654v; predisposition 1404p; prev. 1388u; scintillans 1549s; ther. 1406e, 1634q, 1654t, 1654u  
 GLOBIN, metab. 1456j  
 GLOBULIN, Ac 1586b; determ. 1375a, 1455b  
 GLOMERULONEPHRITIS, 1555t  
 GLOMUS, tumor 1649i  
 GLOVES, surgical 1382t  
 GLUCIDES, metab. 1604j  
 GLUCOXYAMINASE, 1524w  
 GLUCONATE, Calcium, ther. 1515v  
 GLUCOSE, metab., exper. 1585v; tolerance 1589i  
 GLUCURONIDE, in urine 1613n  
 GLUTAMIC ACID, 1646-1; eff. 1579b, 1588j; pter-oyl, defic. 1579t  
 GLUTEO-PERIANAL REGION, fistuloma 1487n  
 GLYCOGEN, 1549d; in hair 1624i; in muscle 1604h  
 GLYCOLS, eff. 1384e, 1503b  
 GLYCOSIDES, card., eff. 1457d  
 GONER, 1644f; exophthalmic 1489p, --blood in 1434h, --iodoroentgenotherapy 1468e, --respira-tion 1605p, --roentgenether. 1557g, --ther. 1434i, 1458r, 1458v, 1488r; intrathoracic 1594-1, 1667j; newborn 1472k; surg., appar. 1434n  
 GOLD AND COMPOUNDS, 1485u; ther. 1454q, 1483j, 1487i; tox. 1454q, --ther. 1393i  
 GOLGI APPARATUS, 1594i; vital stain 1545i  
 GONADOTROPINS, 1392b, 1523p; chorionic 1380c, 1549q; exper. 1445g; ther. 1572d  
 GONITIS, surg. 1483s  
 GONOCOCCI, 1440c; atypical 1538q; culture 1610j, 1610i; infect., ther. 1570p; resist. 1538n  
 GONORRHEA, 1616a; diag. 1488j, 1517k; prev. 1431s; ther. 1476d, 1539n, 1542g, 1611a, --compl. 1538o, 1538p, 1610v  
 GORGONIA, verrucosa 1524v  
 GOUT, 1456d, 1467d  
 GRANULOCYTOPENIA, 1383o, 1571r; etiol. & patho-gen. 1659a  
 GRANULOMA, 1658n; annulare 1372m; inguinale 1396d, 1479p, 1574c, 1615r, --ther. 1373b, 1412a  
 GRANULOSIS, rubra 1623r  
 GRAPEVINES, mildew, prev. 1526t

- GRASP REFLEX, 1493f  
GRIPPE, immun. 1571f  
GRIS, JUAN, psychol. 1505m  
GROUP, health 1554k; syntality 1592e; therapy 1494g, --relaxation 1576f  
GROWTH, 1622q; cellular 1510p; exper. 1365u, 1365w, 1464v; hormones 1543s, 1543w; sex. asp. 1375k  
GULLIVER'S TRAVELS, 1460w  
GUM, dis. 1369h, 1370p; massage 1536v; pathol. 1453e, 1453g; tumor 1536u  
GYNECOLOGY, 1397r, 1416-1, 1491s; clinics, Gt. Brit. 1617e; in China 1406c; surg. 1615e, 1616n; training 1574w; ther. 1381w  
GYNERGEN, ther. 1646f  
HABROBRACON, 1363w, 1364f  
HAIR, color 1404r; defects in child. 1542-1; twisted 1540n, 1553j  
HALLUX, valgus, surg. 1512m  
HALOGENS AND COMPOUNDS, 1432h  
HANDEDNESS, 1591p  
HAND, aponeurosis, contract 1540n; dis. occup. 1383q; size 1589g; wds. & inj. 1410-1, 1471m, 1636k  
HANDEDNESS, 1591p  
HARLEIP, 1400c, 1477p; surg. 1669a  
HEAD, abnorm. 1617n; surg. anesth. 1385s; wds. & inj. 1570n, 1651f  
HEADACHE, 1467b, 1481j, 1577c, 1626a, 1666a; ophth. asp. 1652c; spinal, ther. 1598d; ther. 1548h  
HEAD'S ZONES, 1420n  
HEALTH, 1665r; Canadian Indians 1625m; educ. 1500i, 1635t, 1665q; resorts, France 1436e  
HEARING, 1429u; tests 1405i, 1497c, 1580v  
HEARING AIDS, 1567k; fitting 1625s  
HEART, abnorm. 1407k, 1408m, 1408r, 1408s, 1425m, 1426e, 1446p, 1470a, 1506e, 1528-1, 1559q, 1622b; automatism 1414r; beat 1607-1; block 1446k, 1446t, 1466w, 1478k, 1528f, 1623k, 1626e, --etiol. & pathogen. 1528b, --in pregn. 1475d, --vestric. complexes 1528g; blood vessels 1390h, 1596a; bloodless 1525t; cancer 1473r; catheterization 1408n, 1408o, 1457a, --appar. 1457o; dis. 1392i, 1392u, 1400n, 1406m, 1413b, 1455i, 1562p, 1574e, 1629d, 1667b, --diag. 1457a, --etiol. 1420v, --in child. 1657n; eff., of epinephrine 1552m, --of odors 1551n, --of quinidine 1570b, --of thiamine 1523s; fetal 1525c; fibrillation, in aged 1484n; for. bod. 1569d; function tests 1402a, 1446u, 1483o; hernia 1670q; hypertrophy 1476m, 1480t, 1621w; infarct. 1456w, 1466v, 1563h, 1573i, 1606p, 1606s, 1607e, 1621u, 1622a, 1629k, 1639n; insuff. 1416k, 1467t, 1560f, 1562h, 1564m, 1618v, 1622d; left vent., dis. 1508e; mechanical 1551q, 1638f; muscle 1362p, 1402m, 1525c, 1528g; pain 1466t; physiol. 1402a, 1443k, 1596f, 1622n, 1661m, --exper. 1585j, 1596e, 1598p, 1598q, 1598r, 1598s; rate 1383k, 1446w, 1456v, 1528h, 1633h, 1663p; residual blood 1484b; roent. 1417n, 1446j, 1508s, 1667b, 1667c; rupt. 1468v; septum, abnorm. 1408p, 1596a; sounds 1386h, 1387i; surg. 1406a, 1442n, 1481-1, 1512g, 1573s  
HEAT, eff. 1379p, 1629o  
HEGER, PAUL, clinic 1387w  
HELMINTHS, Okinawa 1437h  
HEMATEMESIS, surg. signif. 1434k  
HEMATOCOLPOMETRA, 1583m  
HEMATOCYANIN, 1365a  
HEMATOMA, ossification 1385r  
HEMATOMYELIA, 1637n  
HEMATO-OPHTHALMIC BARRIER, 1647g  
HEMATURIA, 1482h, 1490o, 1625i; etiol. 1467e  
HEMIPLEGIA, electroenceph. 1578b; in child. 1556t; psychol. asp. 1495a; ther. 1630c  
HEMIPTERA, 1527g, 1527j, 1527s  
HEMOBLASTOSIS, 1631t  
HEMOCHROMATOSIS, 1409c, 1471r, 1483i, 1561v  
HEMOGLOBIN AND COMPOUNDS, 1373v, 1384n, 1429b, 1455b, 1498d, 1498e, 1498f, 1603f; diet. 1393n; geriatric asp. 1614p; passage 1545j; pathol. 1487e  
HEMOGLOBINURIA, etiol. & pathogen. 1404q; paroxysmal 1618q  
HEMOLYSE, 1425c; in pregn. 1482b; osmotic 1363d  
HEMOPERITONEUM, 1463i, 1648h, 1671t  
HEMOPHILIA, compl. & seq. 1670d; surg. 1632p, 1670d; ther. 1484e  
HEMOPHILUS, influenzae 1361q; pertussis 1545g  
HEMOPHTYSIS, in menopause 1556c  
HEMORRHAGE, eff. 1484i; etiol. 1404a, 1627s; in obst. 1411v; intraocular 1563d; occult 1375-1; postpart. 1468v; ther. 1393p, 1537h, 1546m  
HEMORRHOIDS, ther. 1669k, 1670a  
HEMORYTHRIN, 1365a  
HEMOSTASIS AND HOMOSTATICS, 1408v, 1472i, 1568b  
HEMP, 1602i  
HENRY'S MELANIN REACTION, 1507j  
HEPARIN, 1395m, 1454u, 1454v, 1578q  
HEPATITIS, congestive, compl. & seq. 1643p; diet. 1624p; infect. 1640i, --compl. & seq. 1458a  
HEPATOENTERIC DEGENERATION, 1651r  
HEPTYLAMINES, 1661h  
HERBALS, 1442m  
HEREDITY, 1379j, 1379k, 1537o, 1622r, 1629i  
HERNIA, 1510b; abdominal 1404b; diaphragmatic 1399t, 1414d, 1428j, 1483i, 1512i, 1598w; femoral 1468w, 1469a, 1670i; inguinal, surg. 1434j, 1434n, 1469a, 1469-1, 1511h, 1555q, 1565u, 1572q; mistreated 1375r; skin graft 1413k; strangulated 1637q  
HERPES, 1654p  
HETRAZAN, ther. 1632n  
HEXYLRESORCINOL, 1527q  
HILL-BURTON ACT, 1464g  
HIP, arthritis, occup. 1550o, --surg. 1512c; deform. 1649i; dis. 1405b, 1597g, --in child. 1508v, --ther. 1388p; disloc. 1675f; surg. 1673r; tuberculosis 1673p  
HIROSHIMA, John Hersey's 1592h  
HIRST TEST, 1551o  
HISTAMINE AND ANTIHISTAMINE, 1387b, 1401-1, 1415e, 1428g, 1445j, 1453v, 1464a, 1472f, 1484j, 1484k, 1501s, 1583s, 1587s, 1601k, 1601o, 1626j, 1643c; eff. 1428e, 1521e, 1521g, 1603g, 1647g; resist. 1523u; ther. 1393r  
HISTIDINE, 1475b, 1541u  
HISTOPATHOLOGY, 1658e  
HISTOPLASMOSES, fungus 1522d, 1554m, 1676c  
HOBBIES, psychoanalytic asp. 1504s  
HODGKIN'S DISEASE, 1471v, 1487p, 1606n, 1637p; diag. 1469-1; intestinal 1566j; jejunum 1469k; pain 1638o; ther. 1405b  
HOMEOPATHY, 1576e  
HOMICIDE, adolescent 1494m  
HOMOSEXUALITY, psychoanal. asp. 1504u  
HOOKWORK, in Georgia 1560b  
HORMONES, 1429d, 1473f; adrenocortical 1523q, 1616b; adrenocorticotrophic 1458i, 1458o; analysis 1556d; bioassay 1458m; eff. 1442q, 1543p; implant. 1596e; pituitary 1458o; sex 1376w, 1429f, 1441f, --defic. 1624n, --exper. 1587-1, 1612-1; in obesity 1547-1, --ther. 1412k, 1414l, 1617w; ther. 1555k, 1608f, 1617v; thyroid 1646w; tox. 1556w  
HORSE SERUM, eff. 1455p  
HOSPITALS, 1464f, 1506m, 1619w; admin. & org.

- 1382r, 1464d, 1464c, 1464g, 1566w, 1578-1; children's 1403t; in Canada 1665n; in Charleston, S. C. 1549-1; in Dutch East Indies 1421j; in Europe 1472i, 1494a, 1619t, 1643j; in Washington, D. C. 1382s; naval 1416d, 1416-1; obst. 1381s, 1556s; outpatient 1569o; planning 1549g, 1619n, 1619b, 1619r; proctology 1669m; psychiatric 1612v, 1650q, 1652-1, 1652m, --Canada 1625t; public relat. 1399r, 1549k; records 1408w; rehab. serv. 1464c; reports 1464d; rural 1471d; soc. asp. 1464b; staff 1464f, 1549k, 1619b, 1619u; statist. 1539q, 1619v; surg. service 1398g, 1476v, 1575n, 1631p, --training 1382r; Twelfth General, hist. 1488v; veterans' 1669m
- HOUSING**, physiol. asp. 1431m
- HUMAN EXPERIMENTATION**, 1642q
- HUMANISM**, 1648e
- HUMERUS**, fract. ther. 1553g, 1597e
- HUMIDITY**, endurance 1502p, 1502g
- HYALOMMA BRUMPTI**, 1441w
- HYALURONIDASE**, 1384-1, 1562c, 1649b
- HYDATIDIOSIS**, hepatic 1671g; pelvic 1671e; renal 1671i
- HYDRACETINIA**, develop. 1364c
- HYDROA**, vacciniforme 1412k
- HYDROCARBONS**, 1459v, 1550j
- HYDROGEN PEROXIDE**, eff. 1376m
- HYDROIDS**, 1364d
- HYDRONEPHROSIS**, 1677i; familial 1677h; in pregn. 1548u
- HYDROTHERAPY**, develop. 1554h
- HYDROXYCORTICOSTERONE**, in urine 1456c
- 2-HYDROXYSTILBAMIDINE**, ther. 1631e
- HYGIENE**, clin. 1567g; educ. 1430v, 1431n, --in France 1560i; international 1397f
- HYOSCYAMUS**, egyptian 1584c
- HYPERCHOLESTEREMIA**, 1467p
- HYPERKINESIA**, 1472c
- HYPEROPIA**, 1665o
- HYPEROSTOSIS**, Morgagni's 1642s
- HYPERPARATHYROIDISM**, 1543m
- HYPERSENSITIVENESS**, 1538k
- HYPERTHYROIDISM**, in twins 1552u
- HYPNOSIS**, 1504m, 1513j; in dent. 1537i; in inf. 1467h; induction 1590n
- HYPOCHONDRIASIS**, ther. 1486h
- HYPOGASTRIC PLEXUS**, surg. 1548f
- HYPOPHYSECTOMY**, exper. 1461d, 1527r, 1612o, 1612n
- HYPOPHYSIS EXTRACT**, antidiuritic eff. 1604s
- HYPOSPADIAS**, surg. 1510m
- HYPOTHALAMUS**, dis. 1405e; extract, antidiuretic eff. 1604s; physiol. 1395p, 1558j; syndromes 1581s
- HYSTERECTOMY**, 1381i, 1473d, 1547k, 1563a, 1563b, 1615-1, 1615t, 1630t, 1637i; compl. & seq. 1639s; hormone implant. 1596e
- HYSTERIA**, malaria simulating 1623-1
- IDIOCY**, amaurotic 1414r; mongolian 1396a
- ILEITIS**, 1467g, 1487c, 1559r
- ILEUM**, duplication 1375b, 1512q; in inf. 1672r; ther. 1672s
- ILLUSIONS**, optical 1562e
- IMAGINATION**, 1506g
- IMIDAZOLES**, 1654c; tox. 1406i
- IMMUNITY**, 1389n, 1549p, 1553a, 1630d, 1632f, 1641s, 1658v
- IMMUNIZATION**, anti-Rh 1565j
- IMPAIRMENTS**, physical 1563-1
- IMPETIGO**, ther. 1499p
- IMPREGNATION**, artif. 1560j
- INDIANS, AMERICAN**, 1493q
- INDICATOR**, yellow 1377g
- INDIVIDUALITY**, genetic asp. 1540f
- INDUSTRIAL MEDICINE**, 1383t, 1383u, 1383v, 1395s, 1403e, 1406i, 1442m, 1471g, 1485a, 1551b, 1551c, 1551d, 1551i, 1555d, 1620-1, 1625r; absenteeism 1593s; accidents 1383t, 1465j, 1474k, 1630n, 1634j, 1652w; children 1390u, 1544s; Gt. Brit. 1465d, 1465e; nutrition 1383s; ophthalm. 1383u; psychiatry disabil. 1551g; women 1544s
- INFANTICIDE**, 1504q
- INFANTILISM**, in schizophrenics 1577t
- INFANTS**, allergy, diag. 1474m; behavior 1591u, 1591v; care 1500c; crying 1591t; dis. 1400b, 1400n, 1501c, 1501e; feeding 1405s, 1494i, 1499m, 1583k, 1583-1, 1642c; inhalation ther. 1500c, 1500d; intest. in vagin. 1468r; leukemia 1500k; mortal. 1665r, --Basle 1617u, --economic asp. 1665s; new-born 1629w, --anemia 1380q, --asphyxia 1500r, --care 1381s, 1381t, 1634a, --diarrhea 1499d, 1616-1, --dis. 1499q, --eczema 1570-1, --feeding 1379q, 1381-1, --ileus 1672r, --infect. 1640n, --inj. 1654j, --meningitis 1625c, --mortality 1572o, --osteomyelitis 1626c, --skin dis. 1499g, --surg. 1572p, 1630k; nutrit. dis. 1425i, 1427a, 1630r; post mature 1478t; premature 1399n, 1399a, 1427e, 1443u, 1497j, 1499c; surg. 1426-1; vital statist., in France 1431g; welfare 1635r, 1659v
- INFECTIO**, 1598s; control 1468o; focal 1370o, 1538b, --dent. asp. 1452p, --prev. & control 1609t; mycotic, in Illinois 1557k; ther. 1477-1
- INFLAMMATION**, 1613n
- INFLUENZA**, A, 1592q; B, in Italy 1620c; antibodies 1592v; compl. & seq. 1404q; diag. 1592s; epidemiol. 1592t, 1592u; exper. 1558o; pathol. 1568r, 1592t; tests 1628f
- INFRA-RED PHOTOGRAPHY**, med. asp. 1468k
- INFUSIONS**, I.V. appar. 1462m; infants 1640e
- INGESTION**, fish 1503r
- INHIBITION**, proactive 1590i
- INIENCEPHALUS**, 1390r
- INJECTIONS**, 1632f, 1660m, 1668-1; hypertonic, card. eff. 1587a, 1587b; intravenous 1487g; paravertebral, compl. & seq. 1511p; serum ther. 1543c
- INOCULATIONS**, compl. & seq. 1553c
- INOSITOL**, 1462a
- INSANITY**, in Brazil 1572g; paranoid 1391c
- INSECTICIDES**, appar. 1437u
- INSECTS**, 1431r; bites 1454k; repellents 1437j, 1661b; respiration 1551p
- INSOMNIA**, ther. 1625j
- INSTRUMENTS**, 1408i, 1501-1, 1548o, 1548p, 1587u; dent. 1452u
- INSULIN**, 1624t; eff. 1631e, 1663o; exper. 1365b, 1551-1; tox. 1407n, 1409n, 1483g, 1493c
- INSURANCE**, 1559r; life, in Germany 1559h
- INTEREST**, logical asp. 1545w
- INTERNATIONAL CONGRESS ON MENTAL HEALTH**, 1420a
- INTERVERTEBRAL DISKS**, dis. 1414b, 1511c; inj. 1577c; hernia 1401d, 1413a, 1641b; rupture 1596i; surg. 1490c, 1568o
- INTERVIEW**, 1430e
- INTESTINES**, abnorm. 1572f; amputation & closure, spontaneous 1674i; bact. exper. 1522m, 1522n; cancer 1403g, 1410b, 1510t, 1557-1, 1633a, 1669g; carcinoid, metastasis 1672d; dis. 1473v, 1485i, 1548s, 1634v, 1669n; diverticula 1387d, 1581r, --compl. & seq. 1434t; for. bod. 1404b; hemorrh. 1393c, 1409u; infarction 1557b, --exper. 1435b; invagination 1435a, 1458b, 1480p, 1500r, 1580e, 1626b, 1637f, 1670e, 1670t; motility 1666e; obstruct. 1400n, 1404b, 1407i, 1408f, 1436g, 1443f, 1548b, 1571n, 1615a, 1634b; etiol. & pathogen. 1561n, 1674v; in newborn 1555m; in pregn. 1381e, 1548s; pain 1392n, 1670c; perfor. 1404b, 1509j; polyp. 1540s, 1669r; roent. 1666a; surg. 1435-1, 1511e, 1511o, 1511v, 1512a, 1597o, 1598i, 1670m,

- 16711,1674k; tuberculosis 1438j,1478d,1677a;  
tumor 1435m,15081,1639a,1673n; urea absorption  
1551v; volvulus 1434u,1510j,1573m,1670s,1671a;  
wds. & inj. 1509j
- INTRAMUSCULAR THERAPY**, 16231
- INTRAVENOUS TUBING**, plastic 1488t
- INULIN**, metab. 1637o
- INVALIDISM**, psychosom. asp. 1490o
- IODINE**, admin. & dos. 1594b; bact. eff. 1427n;  
chem. 1428p; determ. 1432i,1584w; radioactive  
1458r,1595c,1596d,1596f; ther. 1596h; tox. 1548p
- IODOTHYRIN**, 1524v
- IPECAC**, 1584t
- IRIS**, 1654s; absence 1633c; surg. 1654t
- IRON**, metab. 1441f,--in child. 1427k
- ISCHEMIA**, exper. 1455c
- ISOSPORA**, infect. 1437m,--exper. 1437-1
- ISOTOPEs**, 1445q,1480a; mercury 1460j; radio-  
active 1404n,1548d,1573u,1575v,1648k,1667g;  
stable 1461s
- ITCH**, exper. 1373a
- JACKSON, CHEVALIER**, 1479c
- JAPANESE**, psychologic asp. 16521
- JAUNDICE**, 14671,1618t; bilirubin 1585r; blood  
1636g; catarrhal 1413i,1482u,1498d,--in child.  
1556e; diag. 1400u,1632r; hemolytic 1498f,1622g,  
1624a; neonatal 1565k; obst. 1498d,1498e,1560q,  
1575j; pruritis 1575p; surg. 1510h; syphilitic  
1638o; ther. 1648j
- JAWS**, abnorm. 1537o; actinomycosis 1558f; anky-  
losis 1537r; cysts 1371t,1371w; dent. & surg.  
1368t; dis. 1368u,1371u,1565v,1631p; disloc. 1371q  
1537r; fract. 1537s; radiolucent 1368o; surg.  
1537k; tumor 1371t,1670o; wds. & inj., compl. &  
seq. 1657v
- JEJUNUM**, diverticula, perf. 1672c; tumor, compl.  
& seq. 1394k
- JOINTS**, 1509m; ankylosis 1413v; atlanto-occipital,  
dis. 1391m; surg. 1673q; tuberculosis, epidemiol.  
& statist. 1672p
- JOLLY BALANCE**, 1378o
- JURISPRUDENCE, MEDICAL** 13881,1394n,1560d,  
1560g,1562s; psychiatry 1572g; wds. & inj. 1023f
- JUVENILE DELINQUENCY**, 1504g; ther. 1493o
- KAHN TEST**, 1475v
- KALOPHOBIA**, 1429w
- KALA-AZAR**, activation 1514u; ther. 1569u
- KALINOSIS**, 1383d
- KAPOSI'S ERUPTION**, 1635n
- KARAYA MUCILAGES**, 1427q
- KELOIDS**, etiol. & pathogen. 1558-1
- KERATITIS**, 1657v; etiol. & pathogen. 1387j; ther.  
1406r,1412e
- KERATOCONJUNCTIVITIS**, 1654p
- KERATOSIS**, follicularis 1539c,1610u; pilaris 1540f
- KERNICTERUS**, 1565k
- KETONES**, metab. 1426c
- KETOXYBYRINE**, 1613h
- KIDNEY**, 1409b; abnorm. & deform. 1439w,1467r,  
1639u,1673b,1673c,1674-1; abscess, compl. & seq.  
1439n; blood vessels 1401u; calculi 1434q,1597b,  
1633j,1673d; cyst 1481b,1648a; dis. 1403f,1406w,  
1407b,1455u,1455v,1470g,1483i,1541-1,1574k,1583a,  
1665j,--dent. asp. 1369u,--diag. 1439s,1512s,--in-  
fants 1472d,--traum. 1434m; eff. of altitude 1588j,  
1588k,--of sulphathiazol 1181n,--of uranyl salts,  
exper. 1588m; excretion, roent. 1594g; explor.  
1568d; extract 1402c,1402d,1458r,--of uranyl salts,  
1658g; horseshoe 1600h; hydatidosis, surg. 1671i;  
infarct. 1621p; insuff. 1409b,1499m,1564-1,--exper.  
1524q,--in surg. 1432o; muscle 1439e; pathol.  
1424p; pelvis 1477j; physiol. 1439f,1615u,--exper.  
1596n; polycystic, in pregn. 1470d; surg. 1439b,  
1487d,1596q; syphilis 1385i; test 1567n,1588f;  
tuberculosis 1555o,1625-1,--surg. 1552c; tumor  
1399q,1471s,1480k,1600h,1628u,--eff. 1386d,--in  
child. 1428r; urea, exper. 1363a
- KINESIOLOGY**, 1473c
- KLEBSIELLA PNEUMONIAE**, lysin 1522t
- KLEPTOMANIA**, 1651s
- KNKE**, 1509m; anat. 1650e; appar. 1593t; dis. 1433-1  
--Wasserman test in. 1620p; inj. ther. 1511d; osteo-  
pathy, diag. 1596e; prosth. patents 1462k,1462-1;  
surg. 1435s
- KRAUROSIs**, vulvae, ther. 1541u
- KURLOFF'S BODIES**, 1645q
- LABOR**, 1562v,1641o,1652t; blood in 1392c; compl.  
1415d,1468k,1549c;--delayed 1562w; drugs in  
1548k,1630g; duration 1591t,--long 1637k; episio-  
tomy 1562p; hemorrh. 1486g,1563a; in tuberculosis  
1547t; manag. 1394p; pathol. 1411g; presentation  
1381m,1487b,1487g; second stage 1578g; time  
predilection 1570d; version 1547t
- LABORATORY**, appar. 1587w; procedure 1630w;  
tech. 1485t
- LABYRINTH**, excision, exper. 1524d
- LACQUER AND VARNISH**, 1382v,1383-1
- LACRIMAL ORGANS**, dis. 1654m,--compl. & seq.  
1557r; surg. 1406m; tuberculosis 1406e; hypofunc-  
tion 1381-1; nutrit. asp. 1421q,1579u,1579v;  
physiol. 1378k; suppression 1458w
- LACTIC ACID**, 1456e; determ. 1587t
- LACTOBACILLUS**, ther. 1489f
- LACTOFLAVIN**, metab. 1653g
- LACTONES**, eff. 1363j,1661i
- LACTOSE**, determ. 1460j
- LAMBLIASIS**, 1631o,1670u
- LAPLAND**, biologic asp. 1442-1
- LARYNGECTOMY**, anesth. 1511o
- LARYNGITIS**, infants 1623p
- LARYNGOCELE**, 1581k
- LARYNGOSCOPY**, hist. 1497d,1497e
- LARYNX**, 1418o; burns 1498j; cancer 1423c,1581j,  
1629-1,--surg. 1477q,--ther. 1509e; 1595b; dis.  
1397n,1405g,1581n,1644k; diverticula, surg. 1581m;  
obstruct. 1496d,1512e; paralysis 1397c,--surg.  
1477q; physiol. 1423j; roent. 1594g; surg. 1657c;  
tuberculosis 1496b,1673r; tumor 1496-1,1581i
- LATHYRISM**, 1579p
- LAURENCE-MOON-BIEDL SYNDROME**, 1406o
- LEAD POISONING**, 1379m,1383m,--in child. 1427d
- LEARNING**, 1505j,1505k,1590e; exper. 1591r; spatial  
1590s
- LEATHER**, dermatitis 1647m
- LEAVES**, 1528s
- LEG**, arteriosclerosis, necrosis in 1561g; bandages  
1471k; muscles, pain, climatic 1599g,--tumor  
1538w; fractures 1669a,--surg. 1596h,--walking  
appar. 1625e; skin, surg. 1389a; surg. 1648u; tu-  
berculosis, pathol. 1539a; ulcer, ther. 1539i,1624s
- LEGUMES**, nutritive value 1579p; pois. 1495o; pro-  
tein 1421o
- LEISHMANIA**, 1436w,1514o
- LEISHMANIASIS**, 1402o; ther. 14741; visceral 1437c
- LENS**, CRYSTALLINE, abnorm. 1654g; albuminoid  
1588p; chem. 1603i; luxation 1627v
- LENSES**, ophth. 1655t
- LENTICULAR NUCLEUS**, degen., ther. 1386f
- LEPROSY**, 1372e,1666e; bact. 1623c; compl. & seq.  
1473j; exam. 1655d; hospital 1568r; prev. & con-  
trol 1399f; statist. 1644t; surg. 1431a; survey  
1538e; ther. 1479g,1501j,1660f
- LEPTOSPIRA**, 1604g
- LEUKEMIA**, 1371m,1399h,1456m,1608k; diag. 1537f;  
eosinophil. 1374a; etiol. & pathogen. 1366f,1648a;  
gums in 1453g; lymphatic 1403a,1499r,1654m;  
megakaryocytic 1635u,1645-1; myelogenous 1403a,  
1667r; myeloid 1415e,--compl. & seq. 1473o;

- ther. 1432w, 1366e, 1446a, 1484d, 1556o, 1622k, 1640a, 1653f
- LEUKOCYTES**, 1646a; abnorm. 1404t; count 1548f; life-span 1545b
- LEUKOMA**, etiol. 1645m
- LEUKORRHEA**, ther. 1633q
- LIBRARIES**, med., Poland 1642d; plant, research 1579f
- LICORICE**, ther. 1565f, 1637a
- LIGAMENTS**, anterior cruciate 1598u; flava 1602q, 1602r, 1602s, 1602t; inguinale, surg. 1671c; teres uteri, fibroma 1389e; tumor 1381i
- LIGHT**, 1580f; inj. eff. 1634p; stimulation 1588m
- LIGHT SCREENS**, evaluation 1433e
- LIGHTING**, 1405k
- LIP**, cancer, radiother. 1595a; cleft, nursing 1578j; edema, tuberculous 1541o; syphilis, tertiary 1540w
- LIPIDS**, determ. 1375a
- LIPOCHONDRODYSTROPHY**, 1419e, 1582w, 1583a
- LIPODYSTROPHY**, progressive 1390m
- LIPIDOSES**, 1489e
- LIQUOID**, 1659c
- LITTORINIDAE**, Brit. 1613o
- LIVER**, abnorm. 1594c; abscess 1621j, 1634t; atrophy 1405f, 1618t; amebic abscess, diag. 1437b; blood vessels 1401v; cell, degen. 1424r; chem. 1605m, 1605n, 1605o; cirrhosis 1392w, 1456g, 1475f, 1552v, 1555a, 1625b, 1646o, --etiol. & pathogen. 1570w, --exper. 1644d, --pigmentary, compl. & seq. 1566r, --ther. 1388a; clearance 1424g; cyst, pathol. 1671g; dis. 1400j, 1403c, 1403o, 1456h, 1489b, 1572f, 1612f, 1622h, 1632a, 1632-1, --etiol. & pathogen. 1390e, --nutrition asp. 1624o, --protein in 1552p; extracts 1421m, 1443c, 1483a, 1549c, --tox. 1521j; fibrosarcoma 1481a; function test 1375a; 1384t, 1458a, 1466h, 1554e; hermia 1598w; hydatidosis 1671f; infect. 1482o; inflamm. 1456i; metab. 1392e; necrosis 1568w; nutrit. asp. 1579e; pathol. 1403m, 1409c, physiol. 1560n, --exper. 1588k; syphilis 1392-1, 1636o; thyroid relation 1424t
- LOCHIA**, sulfonamides 1615o
- LOCOMATION**, geriatric asp. 1614r
- LOFFLER SYNDROME**, etiol. & pathogen. 1632w
- LONGLINESS**, 1505q
- LOTIONS**, 1495r
- LUCAINA**, 1517a
- LUGWORM**, burrowing 1377b
- LUMBOSACRAL JOINT**, 1511a
- LUMBRICUS**, 1365u
- LUNG**, abscess 1392q, 1399v, 1406e, --incision 1596v, --surg. 1496p, --ther. 1389u; amebic abscess, ther. 1485-1; atelectasis 1621t; blood vessels 1488b; calcif. 1594w; cancer 1383c, 1402u, 1473o, 1481f, 1635g, --diag. 1557p, 1559v, 1627f, --surg. 1391q, 1671u, --ther. 1470f, 1594r; cavities, ther. 1439c; coin lesion 1435v; collapse 1582v; cyst 1400e, 1409f, 1499g, 1638e, --evacuation 1596o, --in child. 1671h; dis. 1416m, 1505w, 1677c, 1677d, --in dust. 1599k; echinococcosis 1409-1, --in child. 1570-1; edema 1575r, --in child. 1428p, --murs. asp. 1420w; embolism, fatty 1667w; eosinophiles, diag. 1390q; exam. 1635i; fibrosarcoma 1481a; fibrosis 1594v, --pathol. 1594u, --roent. 1594u; fragment 1512b; hydatidosis, surg. 1486v; infarct. 1573t, --roent. 1556-1; local inject. 1486v; morphol. 1676v; pathol. 1646e; physiol. 1622a; radiother. 1556e; roent. 1394a, 1481a, 1666a; sarcoidosis, pathol. 1594u; smooth muscle, physiol. 1502r; surg. 1434f, 1438e, 1643f, --compl. & seq. 1515j, --Italy 1388f; syphilis 1396t, 1516h; tumor 1416t, 1597b, 1666u, 1670o, 1676h, --exper. 1558p, --histamine 1366k, --roent. 1508o
- LUPUS**, 1541h; compl. & seq. 1611f; erythem. 1390g, 1468i, 1561p, --compl. & seq. 1372n, --diag. 1373r, --ther. 1479g, 1542n; ther. 1421h, 1542e, 1625o; tuberculous, control 1541r, --ther. 1477o; vitamin D<sub>2</sub> ther. 1581o
- LYMPH**, absorption 1583v
- LYMPH NODES**, abdominal, tuberculosis 1439k; broncho pulmonary, tuberculosis 1438h; cervical tuberculosis 1491f; dis., pulmon. compl. 1486i; mediastinal, tuberculosis 1516h; pathol. 1408i; rupture, compl. & seq. 1557u
- LYMPHADENITIS**, etiol. & pathogen. 1455j; tuberculous 1480i
- LYMPHATISM**, 1491h
- LYMPHOBLASTOMA**, follicular 1482u
- LYMPHOCYTOSIS**, infect. 1426j
- LYMPHOGRANULOMA VENEREA**, 1423w, 1437c, 1541b, 1574j, 1662-1
- LYMPHOSARCOMA**, exper. 1552-1
- LYSATES**, 1444u, 1522t
- LYSEMURIO**, ther. 1563s
- LYSOZYME**, 1603-1
- MAGNESIUM**, defic. 1444t; determ. 1585b; metab. 1363o
- MAGNETISM**, 1492h
- MALARIA**, 1507g, 1621-1, 1622u; activation 1514u; chimpanzee 1437k; compl. & seq. 1468g; DDT in 1514m; Davey chick test 1514w; diag. 1483b, 1575p; epidemiol. & statist. 1631k; immu. 1523e; in paralysis 1414a; plasmodium 1436u, 1436v, 1624g, 1624h, 1632q; prev. & control 1634e, --in Steiermark 1561-1; serodag. 1507j; statist., in France 1431i; tests 1549u; ther. 1384f, 1384k, 1404-1, 1427d, 1467u, 1675a; therapeutic 1678b, --compl. & seq. 1627w
- MALFORMATIONS**, 1540n; in child. 1565v
- MANDIBLE**, centric relation 1370j; plant. surg. 1477b; prosthesis 1477b
- MANGANESE**, in soil 1545j
- MANNITOL**, metab. 1445e
- MANOMETER**, 1408n
- MASCULINIZATION**, in schizophrenics 1577p, 1577r
- MASSAGE**, 1499o
- MASTOID**, abnorm. 1496f; abscess 1393d; dis., ther. 1556h; inflam. 1397b; tuberculosis 1398-1; tumor 1636k, 1656k
- MASTECTOMY**, radical 1671m
- MATERNITY**, clinics 1635d; mortality 1394o; statist., in France 1431g; welfare 1635r, --rural 1390u
- MAXILLARY SINUS**, dis. 1423b, --in child. 1565b
- MEASLES**, 1424h, 1473g, 1506r, 1624r; compl. & seq. 1422u; urine 1659i
- MEAT**, industry 1579d, 1579m
- MECKEL'S DIVERTICULUM**, in child. 1435q
- MEDIASTINUM**, surg. 1392p; tumor 1405n, 1410p, 1511g, 1670u
- MEDICAL CARE**, 1481d, 1506e; prepaid 1551d
- MEDICAL CHEMISTRY**, U.S. 1662n
- MEDICAL DISSERTATIONS**, Denmark 1566d; Finland 1566e; Sweden 1566f
- MEDICAL HISTORY**, 1416b, 1431m, 1488m, 1555p; Russia 1463t; Salerno 1398m; Switzerland 1472g, 1472h
- MEDICAL RECORDS**, nomenclature 1382o
- MEDICAL RESEARCH COUNCIL**, 1553v
- MEDICAL SOCIETIES**, Czech. 1616g
- MEDICATION**, peroral 1404f
- MEDICINE**, 1418w, 1477m, 1492s, 1632h; anthropologic asp. 1602i; Argentine 1472m; Canadian Indian 1626d; Chicago 1488w; Cleveland Ohio 1495p; clinical 1395j, 1571d; educ. 1481d, --Germany 1557f, --Norway 1566e; Finland 1554p; folklore & superstition 1514f; Korea 1421e; New Zealand 1371i; Philippines 1486v; philosophy 1393f; Poland 1554p; practice 1555u; preventive 1415o, 1593k, 1633s; psychol., factor analysis

- 1554b; psychosom. 1405r, 1493v; research 1536i; rural 1486p, 1567q; soc. asp. 1488c, 1559f; social, Gt. Brit. 1478q; state 1371i, 1404d, 1491w, 1630q, --New Zealand 1452j, 1489r; Switzerland 1472d
- MEDULLA OBLONGATA, tumor 1659j
- MEGAKARYOCYTES, 1658h, 1658i
- MEGALOBlasts, 1385-1, 1653e
- MEIGS' SYNDROME, 1380-1
- MELANOBlasts, 1442v, --exper. 1503m
- MELANOPHORES, 1664n
- MELANOSIS, ophthalm. 1654h
- MELENA, surg. significance 1434k
- MEMORY, test 1430i
- MENIERE'S DISEASE, surg. 1469i, 1656c; ther. 1476i
- MENINGES, blood vessels 1419g; hemorrh. 1386-1, 1476m, 1572i, 1615q; tumor 1644n
- MENINGITIS, 1604q; aseptic, in child. 1569q; brain compl. 1656e; cerebrospinal 1472q, --in child. 1473j, --otologic asp. 1422k, --ther. 1394q, 1384r, 1649j; etiol. 1415-1, 1423u; influenzal 1394p, 1396e, 1582u, 1630i, 1637v, 1640h; meningococcic 1644k; pneumococcal, infants 1625e, --ther. 1625o; purulent 1501a, 1583f, --in infants 1473a; syphilitic 1517h, 1678e; ther. 1398v, 1425k, 1557i, 1569n; torular 1418u; tuberculous 1403n, 1408c, 1414a, 1426b, 1470q, 1477f, 1501e, 1552i, 1556m, 1556n, 1569b, 1581s, 1643u, 1644a, 1644i, --in child. 1657u
- MENINGOCOCCI, infect. 1398i, 1477i
- MENINGOENCEPHALITIS, 1571i, 1649a
- MENINGOENCEPHALOMYELITIS, experimental 1464p
- MENISCUS, discoid. congen. 1650e
- MENOPAUSE, 1506p; hemipysitis 1556c; ther. 1380b, 1568r, 1648-1
- MENSTRUAL CYCLE, estrogen secretion 1484o; psychoses 1646-1; temperature 1616e
- MENSTRUATION, 1614v, 1632i, 1633k; dis. 1379v, 1381p, 1411u, 1488e, 1574d, 1633-1, 1642b, --post-partum 1617v; inception 1606d; occup. asp. 1616e
- MENTAL DEFICIENCY, 1418b, 1418i, 1418k, 1494q; family care 1418j; convulsions 1576p; diet 1417g; educ. 1417u, 1417v; environment 1494o; parent attitude 1418-1; psychother. 1418d; sex. asp. 1418g; state med. asp. 1418r; trauma 1418c;
- MENTAL DISEASES, 1619-1, 1658e; classific. 1550m; epidemiol. & statist. 1574a; etiol. & pathogen 1543p; progr. 1403q; ther. 1403u, 1650s
- MENTAL HYGIENE, 1394-1, 1475s, 1493c, 1493v, 1494a; in child. 1403i; social asp. 1493u
- MENTAL PATIENTS, rehabl. 1494c
- MENTAL TESTS, 1379f, 1430b, 1430h, 1430j, 1504f, 1654v
- MERCURY AND COMPOUNDS, 1584a; ther. 1484e, 1541t; tox. 1403w, 1480v, --ther. 1490v
- MESANTON, ther. 1488s, 1650k
- MESENTERY, abnorm. 1648q; blood vessels occi. 1416k, 1488q
- METABOLISM, basal, statist. 1421r; determ. 1664c; dis. 1392v; exper. 1377g, 1551p, 1586i
- METACARPUS, fract. 1416j
- METALS, homeopathic asp. 1662q
- METATARSUS, fract., ther. 1558u
- METEORO PATHOLOGY, 1568p
- METHADONE, 1459k, 1661s
- METHERGIN, in gyn. & obst. 1616m
- METHYL ALCOHOL, tox. 1484u
- METHYL BROMIDE, tox. 1553d
- METHYL CHLORIDE, tox. 1550m
- METHYLAMINE, derivatives 1427a
- METHYL CHOLANTHRENE, eff. 1366u, 1446e
- METHYLENE BLUE, 1432o, 1461r
- METHYLGLUCAMINE ANTIMONIATE, 1541b
- METHYLTHIAZOL, 2-Benzylamino-4 1661w
- METHYLTHIOURACIL, eff. on thyroxin 1543r
- METOPON, eff. 1459j
- MICROCHEMISTRY, 1428s
- MICROCIONA, 1364a
- MICRO-ORGANISMS, 1581w; metab. 1553p; nutrit. 1553p; soil 1361v
- MICROSCOPY, electron 1432d, 1432k, 1432-1, 1522b, 1522-1, 1545q, 1558r; hist. 1394v; tech. 1161u, 1634p
- MICROSPORON, differentiation 1373k
- MICTURITION, exper. 1638n
- MIGRAINE, 1409f, 1623i, 1657-1; cervical 1648q; etiol. & pathogen. 1398a, 1640-1; hypothalamus in 1580m
- MILDEW, immun., hered. 1463d
- MILIARIA, exper. 1454i
- MILITARY MEDICINE, 1648n, 1648p; burns 1500t; dent. 1416o; gastroenterology 1415w, 1416v; hist. 1488v; immun. 1506a; surg. 1634r; Switzerland 1575s; wds. & inj. 1509e, 1509t
- MILK, cholesterol 1421r; dried 1425p; evaporated 1425p; exam. 1665t; ferment. 1660r; laws & regulation 1397g, 1495q, 1506f; sterilization & preserv. 1582z; ther. 1640a; vitamin 1370j
- MINERAL OIL, tox. 1465g
- MINERAL WATER, Cuba 1675m, 1675n; eff. 1513q; sulfated 1514a
- MINES AND MINERS, hyg. 1551b
- MIRROW DRAWING, 1591a
- MITES, hypospid 1523d; parasitic 1523c
- MITOSIS, 1513a; inhibition 1461n; pols., antidote 1462a
- MITRAL VALVE, dis. 1394c; stricture 1461c, 1622b
- MOLE, hydatid 1410h, 1640w
- MOLYBDENUM, soil 1461c
- MONGOLISM, etiol. 1418e
- MONILIA, folliculitis 1538b
- MONKEYS, rhesus, exper. 1565m, --in Gt. Brit. 1565i
- MONONUCLEOSIS, INFECTIOUS, 1406n, 1425j, 1571t, 1575o, 1645r
- MONSTERS, double 1395e
- MOOR, 1513t
- MORON, definition 1590j
- MORPHINE AND DERIVATIVES, 1427w, 1459k, 1525b, 1587s, 1604f; addict. 1492s
- MORPHOLOGY, types, female 1489e
- MORTALITY, social & econ. asp. 1563j
- MOSQUITOES, 1523g; Aedes 1514p; breeding places, exper. 1595a; Dutch E. Indies 1437v; eradication 1432j
- MOTES, Hylesia 1355k
- MOTION PICTURES, 1629r, 1629s; Gt. Brit. 1559g
- MOTION SICKNESS, barbiturates 1554n
- MOUTH, cancer, dent. asp. 1536n; care & hyg. 1453g; dis. 1369k, 1370o, 1537g, 1537p, 1575o, --infants 1499q; inflamm. 1540h; mucosa 1537-1; surg. 1371v, 1452u, --compl. & seq. 1368-1, --healing 1452v, --plast. 1536r; tumors 1409q, 1568k
- MOVEMENTS, choreic 1576q; involuntary 1591p
- MUCINS, in feces 1543h; influenza virus 1623s 1623u, 1623v, 1623w, 1624a, 1624c
- MUCOIDS, influenza virus 1623s, 1623u, 1623v, 1623w, 1624a, 1624c
- MUD, ther. 1513u, 1513w
- MUMPS, 1624m, 1649a, 1649h; compl. & seq. 1581n; virus 1444k, 1558n
- MURDERERS, psychol. 1590-1
- MUSCARI, comosum 1548f
- MUSCLES, 1587i; anat. & histol. 1663i; anterior tibial, necrosis 1649a; biceps, hernia 1434r;

- contract 1534i; cramps, etiol. & pathogen. 1587n; degener. 1647r; dis. 1436o, 1571p, 1623h, 1632-1, --etiol. & pathogen. 1639p; electromyography 1664f; enlarged, in child. 1498p; exper. 1365o, 1585p; fatigue 1549r; metab. 1365h; phosphorylase 1362n; physiol. 1362g, 1363r, 1502o; rectus abdominus, abnorm. 1677o; redox potentials 1387h; scalenus 1403i; spasm, ther. 1481n; transpl. 1654n
- MUSIC, ther. 1513k
- MUSTARD, powdered, eff. 1383e
- MUSTELES, canis 1364r
- MUTATION, bact. 1377p, 1377q; biochem. 1377p; radiation 1361m
- MY/STHENIA, gravis 1400k, 1458i, 1568t
- MYATONIA, congenita 1396n
- MYCETOMA, 1670r; in San Paulo 1527r
- MYCIN BF 510, 1610v
- MYCOSE, diag. 1361w; fungoides 1454g, 1542j, 1581i; tonsils 1564f
- MYELITIS, 1644a
- MYELOFIBROSIS, with tuberculosis 1618u
- MYELOSES, 1374a; compl. & seq. 1565e; megakaryocytic 1406g
- MYOCARDIUM, inflamm. 1499o, 1658q; infarct 1482i, 1457p, 1467k
- MYOCLONUS EPILEPSY, 1576p
- MYOGLOBIN, 1446-1
- MYOMEOTOMY, 1562w
- MYOSITES, chronic, statist. 1491p; ossificans 1396-1
- MYXEDEMA, 1566r; card. compl. 1424u; compl. & seq. 1471j, 1471u
- MYXOMYCETES, physiol. 1549s
- NAIL, bed, cancer 1650c; biting 1590k; dis. 1373a, 1542m, 1636o, 1667a; dystrophy 1611h; graft 1510j
- NARCOANALYSIS, exper. 1493n
- NARCOLEPSY, 1493-1
- NARCOTICS, 1585d, 1590c; tox. 1416d
- NASOPHARYNX, 1388-1, 1439p; bact. 1656d; inflamm. infants 1623p; lymphoid hyperplasia 1656h; tumor 1572h
- NATIONAL HEALTH SERVICE ACT, 1385d
- NATIONALITY, preference, in Japan 1592i
- NAVAL MEDICINE, surg. 1674d
- NAZI, psychol. 1592i
- NEANDERTHAL MAN, 1546a
- NECK, infect., dent. asp. 1433i; surg. anesth. 1385r, --compl. & seq. 1597d; swelling 1625i; tumor 1556h
- NECROBIOSIS, lipid, diabetic 1538c
- NEGLECT, social asp. 1391e
- NEGROES, dis. 1416m, 1622g; psychol. 1590g
- NEMATODES, 1411m, 1523j
- NEO-ARSPHENAMINE, 1565g, 1611j
- NEOSTIGMINE, 1393h, 1394i; in child. 1475h
- NEPHLOMETRY, 1612c, 1612d
- NEPHRECTOMY, 1628e
- NEPHRITIS, 1647c; blood 1407a; etiol. & pathogen. 1481i; glomerular 1430t; nurs. asp. 1420u; pathol. 1481i; scarlatinal 1500t
- NEPHROSIS, edema 1457c; lipid 1485r
- NERVES, eggs 1364g; limbata 1364j
- NERVES, accommodation 1363e; auditory 1379c; cerebrospinal 1585s; cranial 1442h; degen. 1651i; dis., radiother. 1432v; laryngeal 1488u; metab. 1383g; oculomotor 1651i; optic 1526b, --atrophy 1446b, --regen. 1503o, --tuberculosis 1657r; peripheral 1509r, --surg. 1511k, --wds. & inj. 1385u, 1448v; petrosal large sup. 1657i; phrenic, surg. 1438a; compl. & seq. 1478j; physiol. 1651p; roots 1395-1, 1574g; sciatic 1648i; splanchnic 1456a, 1586n; trigeminal 1572i; vagus, surg. 1663o, 1668j; vestibular, exper. 1525n; wds. & inj. 1596j, 1651g
- NERVOUS SYSTEM, dis. 1389s, 1478a, 1485o, 1666v, --diag. 1583p, --hered. 1576-1, --ment. eff. 1569m; eff. of drugs on 1588d, 1651n; exper. 1651d, histol. 1412q, 1660p; pathol. 1419i; physiol. 1362f, 1651o; surg. 1635b, 1668w; ther. 1660p; tumor 1577e
- NERVOUS SYSTEM, AUTONOMIC, in gyn. & obst. 1617i
- NERVOUS SYSTEM, CENTRAL, dis. 1542s, --copper metab. 1493h
- NERVOUS SYSTEM, SYMPATHETIC, dis. 1399p; exam. 1668t; histol. 1377v; physiol. 1511h, 1554u; surg. 1420j; tumor 1482g; vasomotor 1525g
- NEURALGIA, 1642g; facial 1389h, 1646t; glossopharyngeal 1671w; surg. 1496j, 1657t; ther. 1646i, 1673f; trigeminal 1397m, 1409m
- NEURASTHENIA, 1559n
- NEURECTOMY, extracranial 1671w
- NEURITES, multiple 1390-1, 1482-1, --sulfamid. 1599h
- NEUROBIOLOGY, 1429e
- NEUROFIBROMATOSIS, 1654k; radiologic asp. 1509a
- NEUROLOGY, 1650m; hist. 1554f; pediatric 1640h
- NEURONITIS, 1418o
- NEUROPSYCHIC ENTITIES, 1419a
- NEUROSES, 1493r, 1504u, 1576w, 1590m; iatrogenic 1388j, 1500o, 1574n; diag. 1572j, 1591o, 1633e, 1650w; disparagement 1651b; exper. 1379a; hypnotic 1430q; pseudomaturity 1651a; surg. ther. 1673c; ther. 1467c, 1650r
- NEUROSURGERY, 1387g; Ukraine 1420p
- NEUROSYPHILIS, 1385-1, 1466g; blood 1678c; compl. 1678d; serodile. 1490g; spinal fluid 1678c; ther. 1373c, 1466g, 1476c, 1541j, 1677v, 1678a, 1678b, --statist. 1652k
- NEUTRONS, 1399w
- NEVI, pigmented 1479p, --in child. 1540c
- NIGHT BLINDNESS, test 1551s, 1638h
- NIKETHAMIDE, 1650o
- NITRATES, pois., bovine 1495u
- NITRITES, chem. 1495t
- NITROGEN, 1612w, 1613-1
- NITROGEN MUSTARD, 1480a; eff. 1361j, 1366d, 1455p, 1641m; ther. 1366c, 1405b
- NOISE, 1405i, 1429u
- NOMENCLATURE, 1611q, 1631m
- NORISODRINE SULFATE, dust 1461d
- NOSE, bact. in animals 1515b; deform. 1405a; dis. 1400v, 1479b, 1637p; fibrosarcoma 1388r; hemorrh. 1397t; infect. 1657f; physiol. 1490k; plastic surg. 1510o; polypi 1496h, 1581b; septum, perf., arsenical 1383p; stuffy 1466g; surg. 1394r, 1405a, 1656g, --appar. 1422m; tumor 1657g; virus 1408e
- NOVOCAINE, admin. & dos. 1648d; obst. 1618a; otorhinolaryng. 1656w; ther. 1558u
- NUCLEIC ACIDS, desoxyribo. 1383a, 1461m
- NUCLEOPROTEINS, 1365f
- NUCLEOSIDES, synthetic 1443p
- NUMBERS, psychol. 1430o, 1493r, 1504b, 1505n
- NURSES AND NURSING, 1382t, 1391e, 1420t, 1494u, 1578p, 1619p, 1652g; accid. 1647b; educ. 1420s, --Italy 1652s; hist. 1549i, 1652p; military 1578p; otorhinolaryng. 1578o; psychiatric 1493c; pub. health, 1948 1494w; soc. asp. 1578a, 1652v; Sweden 1420v
- NUTRITION, 1463w, 1478-1, 1546i, 1653g; biochem. 1 1579o; Canadian Indians 1625m; Chile 1506w, 1507 1507b; dis. 1645e, 1674v, --adrenal eff. 1638p, --ther. 1568g, 1583e; exam. 1664-1, France 1431f; heat 1653-1, indust. 1391o, 1391v; newborn 1570-1; parenteral 1466t; Sweden 1659-1
- NYSTAGMUS, caloric 1423v, 1657k; rotatory 1561u, 1581a
- OBESITY, 1597a, 1636v, 1642n; psychogen. 1408a; sex hormones 1547-1; ther. 1458f
- OBSERVATION, 1559a

- OBSESSIONS, 1505f**  
**OBSTETRICS, 1380w, 1407-1, 1425w, 1624m; anesth.**  
 1417k; appar. 1630t; clinics 1472j; --Gt. Brit.  
 1617e; hist. 1618i; homeopath. 1576f; in China  
 1406c; --in France 1616e; --in India 1395q; surg.  
 1380c; training 1574w  
**OCCUPATIONAL DISEASES, 1383a, 1383f, 1383k,**  
 1383-1, 1383m, 1397n, 1466j, 1478e, 1562b, 1620j,  
 1620n, 1620o, 1620v, 1677a; prev. & control 1383c,  
 1383f, 1560e, 1593f, 1604m, 1620n, 1629c, 1635r,  
 1652a; statist. 1563-1; tumor. 1383r  
**OCHRONOSIS, 1490a**  
**OKDIPUS MYTH, 1420c**  
**OSTRUS OVIS, 1515b**  
**OILS, steril. 1662a**  
**ORTMENTS, 1573n**  
**OLD AGE, 1563s, 1640j; homes 1547e; New Zealand**  
 1482c; recreation 1547e  
**OLEANDER, 1491v, 1576i**  
**OLEOTHORAX, compl. & seq. 1670w**  
**OLFACTORY BULB, 1525b**  
**OLIVE, leaves 1557h**  
**OMENTUM, roent. 1606a; surg. 1500n; torsion**  
 1471f, 1620f; transpl. 1565w  
**OPHTHALMIA, neonat. prev. 1496a**  
**OPHTHALMOLOGY, 1563e; Alaska 1497i; indust.**  
 1497j, 1563f  
**OPIUM, derivatives 1450j**  
**OPOTHEAPETICS, 1583t**  
**OPTIC CHIASM, tumor 1399-1**  
**OPTICIANS, exam. 1655p**  
**OPTICS, 1421v, 1580f; diffraction gratings 1580d;**  
 economy 1655m; emissivity 1580-1; filter 1421v,  
 --ultraviolet 1580c; illumination 1580j; lens  
 1422b; reflection 1580f  
**OPTOMETRY, 1421w**  
**ORBIT, cancer 1664j; dis. 1406-1, 1406q; for. bod.**  
 1477w; wdn. & inj. 1399g  
**ORCHIEPIDIDYMITIS, ther. 1468b**  
**ORIENTATION, visual, exper. 1591e**  
**ORNITHOSIS, 1622i**  
**ORTHODONTICS, 1537q, 1573g**  
**ORTHOPEDICS, roent. 1411i; surg., anesth. 1639b;**  
 traction 1653b  
**ORTHOKINE, 1601g**  
**OSCILLOSCOPE, photography 1614b**  
**OSLER'S DISEASE, ther. 1396n**  
**OSMOSIS AND PERMEABILITY, 1389e**  
**OSTEITIS, 1475-1; deformans 1560s; --heart block**  
 1528t; surg. 1565w  
**OSTEOARTHRITIS, 1400-1**  
**OSTEOCHONDRIITIS, deformans juvenilis 1594d; --**  
 ther. 1561i; dissecan. 1508h; etiol. & pathogen.  
 1673o; syphil. 1499t  
**OSTEOCHONDROMA, 1596f**  
**OSTEOCHONDROSIS, 1621s**  
**OSTEOGRAPHY, 1656g**  
**OSTEOMYELITIS, 1481v; in child. 1490e; multiple**  
 1415e; ther. 1416a, 1499e, 1598m; tuberculous,  
 ther. 1516j  
**OSTEOPATHY, diag. 1417-1; surg. 1492d**  
**OSTEOPOROSIS, 1541g; traum. 1597-1**  
**OSTEOPATHYROSIS, 1512b**  
**OTTIS, chronic, etiol. 1656e; infants 1657a**  
**OTTIS MEDIA, 1422a, 1581h; etiol. & pathogen.**  
 1422j  
**OTOLARYNGOLOGY, 1481f; Cracow 1422j; educ.**  
 1497i; ther. 1422a, 1422t  
**OTORHINOLARYNGOLOGY, 1496r; Alaska 1497i;**  
 in child. pediatric 1478w; statist. 1423c  
**OTOSCLEROSIS, bise sclera 1561e; in child. 1561d;**  
 surg. 1481k  
**OUABAIN, eff. 1525c**  
**OVARY, abnorm. 1547k; cancer 1480g, 1510w; cyst**  
 1633r; dis. 1470w; --etiol. & pathogen. 1547s;  
 insuff. ther. 1628h; preparations 1612a; surg.  
 1574m; --pathol. 1379w; tumor 1396-1, 1499k,  
 1540n, 1548u, 1554c, 1616t; --hemorrh. 1598k; --in  
 child. 1652u; --malign. 1567u  
**OVULATION, 1574d, 1632j; exper. 1379v; prod.**  
 1436k  
**OXIDASE AND PEROXIDASE, 1391t**  
**OKIDATION-REDUCTION, 1429f, 1503n**  
**OKIMES, eff. 1545f**  
**OXYGEN, 1441n, 1603f; consumption 1442s, 1605i;**  
 defic. 1386f, 1567h, 1588q, 1629d, 1661g; intraven-  
 ous 1467m; isotopes 1378p; metab. 1637c, 1664i  
**OKYTOCIN, obst. 1411v**  
**OKYURIASE, 1398d, 1634m**  
**OZENA, bact. 1496e**  
**PAIN, 1392w, 1395-1, 1450g; lumbosacral 1481a;**  
 physiol. 1602c; precordial 1392i; psychiatric  
 asp. 1476g; referred 1493g; surg. 1412-1, 1662t;  
 thorax, surg. 1488i; visceral, ther. 1472a;  
 PAINTERS, indust. hazards 1550n  
**PALATE, angioma 1368u; cleft 1372a, 1400c, 1673m,**  
 --prosth. 1368-1, 1537a; physiol. 1423c; tumor  
 1536u  
**PALLIDIN, eff. 1610-1**  
**PALUDRINE, 1644o; derivatives, eff. 1514q; resist.**  
 1515a  
**PANCARDITIS, 1499o**  
**PANCREAS, acini, dilatation 1497q, ascariasis 1543j;**  
 calculi 1568k; cancer 1408k, 1564p, 1637r; cyst  
 1490k, 1670-1; dis. 1624k, 1628o, 1642j; --ther.  
 1389o; fat necrosis 1631d; fibrosis, congen.  
 1640d; histol. 1489b; inj. 1475i; innerv. 1375n;  
 insular tissue 1365b; --tumor 1638u; palpation  
 1640c; pathol. 1631s; physiol. 1457w; --exper.  
 1587d; pseudocyst 1470f, 1625u; tumor 1432b  
**PANCREATICTOMY, exper. 1585e; indic. 1631b;**  
 tech. 1599g  
**PANCREATIC DUCT, obstr. 1631d**  
**PANCREATIC EXTRACT, 1444r, 1603a**  
**PANCREATITIS, 1403j; chronic 1641-1; surg.**  
 1595j, 1631c  
**PANCREATODUODENECTOMY, compl. & seq.**  
 1595k  
**PANNICULITIS, ther. 1553a**  
**PANROENTGENOTHERAPY, 1509q**  
**PANTOTHENIC ACID, exper. 1612m**  
**PAPANICOLAOU METHOD, 1373w**  
**PARA-AMINOBENZOIC ACID, eff. 1454s**  
**PARACOLON BACILLI, 1469u**  
**PARADENTITIS, ther. 1609r**  
**PARADICHLOROBENZENE, tox. 1383i**  
**PARAFFIN, metab. 1525m**  
**PARALYSIS, cerebral 1559j; --infants 1562a; facial**  
 1398r, 1411g, 1468a; --surg. 1496-1; general in  
 child. 1659t; oculomotor 1492p, 1540w; peroneal  
 1675c; pharyngeal 1490b; progressive, ther.  
 1414s; pseudobulbar, compl. & seq. 1625d; rad-  
 ial, surg. 1489r, 1675c; recurrent 1409r; spastic  
 1500u; spinal 1573n  
**PARAMECTUM, 1364t; autogamy 1364k; calkinal,**  
 1364s; chilomonas 1589t  
**PARANOIA, 1505c**  
**PARAPLEGIA, spastic, ther. 1490i**  
**PARAPSORIASIS, 1539v**  
**PARAPSYCHOLOGY, 1429s**  
**PARASITIC DISEASES, intest. Mex. 1413f**  
**PARASITOLOGY, 1442d**  
**PARATHYROID, cancer 1543m, 1637f; dis. 1405m,**  
 1571p; hyperfunction, surg. 1473d; tumor 1405a  
**PARATYPHOID, bact. 1507q; compl. & seq. 1557u;**  
 epidemol. 1508b, 1665-1; immun. 1581u  
**PARESSIS, ther. 1391d**  
**PARESTHESIA, etiol. & pathogen. 1555w**  
**PARINAUD'S SYNDROME, 1478b**  
**PARKINSONISM, 1406v, 1646g; hypnosis 1493-1;**

- postencephalitic 1650p; ther. 1628k, 1632k  
**PAROTID GLAND**, infect. 1658i  
**PARANIT**, 1587b, 1587i, 1588b, 1646g  
**PATELLA**, fract. 1594c, 1667m; osteomyelitis 1644v  
**PATHOLOGY**, gyn., in Leopoldville 1388f  
**PEA FLOUR**, 1495k  
**PEDIATRICS**, 1394a, 1426b, 1498b, 1501a, 1630t, 1635a; Italy 1499c; U. S. 1499v  
**PELENTAN-RAPID**, ingyn. & obst. 1616m  
**PELGER'S NUCLEAR ANOMALY**, in gyn. & obst. 1646b  
**PELLAGRA**, 1425b; compl. & seq. 1573f; sine pellagra 1566k  
**PELVIS**, cancer 1633p; dia. 1627g; exam. 1548b, 1615d, 1633a, 1633u; fract. compl. & seq. 1476r; hydratidosis 1671e; surg. 1670n; tuberculosis, diag. 1626a; tumor 1566a  
**PEMPHIGUS**, 1372f, 1373f, 1539p, 1611e; cyto-diag. 1540d; etiol. & pathog. 1570b; erythematous 1372g; foliaceus 1570t; neonat. ther. 1616q; transm. 1507w  
**PENETRASOLS**, ther. 1472w  
**PENICILLIN**, 1431s, 1502f, 1541e; absorption 1594k; admin. & dos. 1394q, 1398k, 1398u, 1562a; anti-coagulant eff. 1604c; depot 1501l, 1662b; determ. 1401k, 1550d, 1550f; eff. 1394b, 1403b, 1408b, 1425a, 1474q, 1477i, 1502b, 1538q, 1548f, 1550e, 1582c, 1600f, 1632c; exper. 1411o, 1443-l, 1550b; G 1501t; in clin. diag. 1454t; in dent. 1455m; in pregn. 1582c; lungs 1486v; non-effective 1410m; ophth. asp. 1655f; oral 1475a; pediatric asp. 1641r; postop. ther. ophth. asp. 1622w; prep. 1401-l, 1556e, 1630a; procaine 1481q, 1646d; research 1361-l; standard. 1401g, 1401h; ther. 1369v, 1381w, 1394f, 1396-l, 1386b, 1389i, 1390a, 1391s, 1391v, 1394q, 1395i, 1396n, 1412f, 1415b, 1460c, 1466c, 1466n, 1466o, 1466p, 1466q, 1467q, 1473j, 1473m, 1476c, 1476d, 1483v, 1496g, 1496k, 1516j, 1516k, 1538b, 1539n, 1540-l, 1541j, 1542c, 1542g, 1547i, 1548i, 1549v, 1553a, 1558h, 1569w, 1570p, 1572r, 1578m, 1582r, 1582u, 1595o, 1596m, 1599i, 1611j, 1628b, 1629v, 1633t, 1640-l, 1641f, 1644k, 1649e, 1649g, 1674p, 1677v, 1678a, 1678b, --compl. & seq. 1649d, --in dent. 1369i, --Poland 1641k; tox. 1395d, 1401-l, 1601j, 1601n, 1649i, 1654-l; with bismuth 1540w with iodine 1641v  
**PENICILLINASE**, exper. 1549w, 1550b  
**PENIS**, atrophy 1644i; birds 1441g; cancer 1644q; induration 1480k; plastica, radiother. 1467v; syphil. 1540m; tuberculosis 1538r  
**PENTOSE**, metab. 1603k  
**PENTOTHAL**, admin. & dos. 1599a; eff. 1482h  
**PEPTIC ULCER**, 1375o, 1405r, 1434-l, 1469m, 1543c, 1543d, 1557r, 1640f; compl. & seq. 1384a; diag. 1553k; esophag. roent. 1472q; etiol. & pathogen. 1408a, 1542s; exper. 1402e, 1485e; hemorr. 1412b; in pregn. 1380j; jejunum 1638w; perf. 1458d, 1490f, 1508e, --diag. 1387b; postop. 1397s; psychosom. asp. 1493-l; recurrent 1556j, 1632m; roent. 1509e, 1624r, 1660g; statist. 1416v; surg. 1374r, 1374s, 1402v, 1404v, 1407p, 1435-l, 1469r, 1470t, 1483o, 1597-l, 1599d, 1634a, 1639g, 1639h; symptoms 1612i; ther. 1374t, 1375o, 1389r, 1405k, 1469a, 1565f, 1566g, 1571i, 1575d, 1595u, 1599d, 1634k, 1635c, 1637u; vagus radiation 1508p  
**PERCEPTION**, 1505i  
**PERFUME**, melanoderma 1540r  
**PERFUSION**, 1401p; appar. 1401o  
**PERIARTERITIS**, nodosa 1409b  
**PERICARDIUM**, diverticula 1485s; inflamm. 1465u, 1494v; surg. 1406a; tuberculosis 1528i; tumor surg. 1639f  
**PERICHOLECYSTITIS**, 1561-l  
**PERIDONTITIS**, 1370k  
**PERINEUM**, tumor 1379a; ulcer 1669t  
**PERIODONTIUM**, 1537m, 1609a; develop. 1389s; dia. 1371m, 1453d, 1536v; in diabetes 1453f  
**PERITONEOPLASTY**, 1381i  
**PERITONEUM**, irrigation 1434e; nodes 1540p; surg. 1566a; tuberculosis 1548a  
**PERITONITIS**, 1389a, 1463p, 1500i  
**PERMANENT WAVING**, cold 1383b; compl. & seq. 1415-l  
**PERSONALITY**, 1412t, 1504e, 1652a, 1665a; change 1571j; develop. 1460c; tests 1430b, 1430c, 1430f, 1430g, 1483d, 1665b  
**PERVITIN**, eff. 1650n  
**PESSARY**, patents 1462i  
**PETIT MAL**, ther. 1639v  
**PEYRONIE'S DISEASE**, radiother. 1467v  
**PHANTOM LIMB**, surg. 1433u  
**PHARMACOLOGY**, 1395j, 1414a, 1428j, 1570i  
**PHARMACOPOLIA**, Austria 1584c; Germany 1585d; India 1501i; Italy 1661a; U. S. 1584v  
**PHARMACY**, 1477d, 1501p, 1663g, 1662i, 1662o, 1662n, 1662v, 1662w; accid. 1429-l; assistant 1662b; chem. 1662r; economy 1429n, 1429o, 1585d, 1662t, 1662u; Finland 1663c; Gt. Brit. 1501j; hist. 1643b; legal asp. 1585f, 1585g; Saxony 1662g; schools 1377h; statist. 1428m; Sweden 1660f, 1663b  
**PHARYNX**, 1496w; bact. 1443r; cancer 1508-l; inflamm. ther. 1467q; surg. 1496w, 1657c; syphilis 1422r; tuberculosis 1492j, 1496b  
**PHENINDAMINE**, 1466g, 1601e  
**PHENOLS**, in uremia 1445o; tox. 1383d  
**PHENOSULFAZOLE**, ther. 1501i  
**PHENOTHIAZINE**, prod., patents 1462q  
**PHENYLAMINE**, thiold- 1662e  
**PHENYLHYDRAZONE**, o-aminobenzal 1496m  
**PHEOCHROMOCYTOMA**, diag. 1552r  
**PHLEBITIS**, chiropod. asp. 1649q; in pregn. 1574c; postop. prev. 1555g, 1596r; thromb. 1389u  
**PHOBIA**, 1493-l  
**PHONETICS**, dent. asp. 1370m  
**PHOSPHATASE**, 1363h, 1588a; obst. asp. 1618c; exper. dehydr. 1443q  
**PHOSPHORUS AND COMPOUNDS**, 1586h; determ. 1544p; in cerebrospinal fluid 1418q, --embryo 1442u, --wheat 1624c; metab. 1419i, 1443o, 1619c; obst. asp. 1618c; organic 1552a, 1638m; radio-active 1364f, 1364h, 1603a; tox. 1601f  
**PHOSPHORYLATION**, 1376o, 1461j  
**PHOTOELECTRIC CELLS**, ophth. asp. 1422a  
**PHOTOFLUOROGRAMS**, 1506c  
**PHOTOGRAPHY**, museums 1564t  
**PHOTOMETRY**, heterochromic 1422c; photographic 1422b  
**PHOTOSYNTHESIS**, 1385-l, 1602i; exper. 1384r  
**PHOTOTAXIS**, 1602i  
**PHYSICAL EDUCATION AND TRAINING**, 1397h  
**PHYSICAL MEDICINE**, 1483t, 1578w  
**PHYSICIANS**, 1370p, 1403c; Arabia 1431m; Arkansas 1395u; Australia 1400g; cooperation 1551f; Doctor Gruby 1473i; female 1395r; group health 1554k; partnership 1554-l; practice 1462a; refugee, in Germany 1557r; rural 1558r, 1569m; specialization 1555c  
**PHYSIOLOGY**, 1490a, 1511s; appar. 1502n; surg. 1490j  
**PHYSIOTHERAPY**, in child. 1659q  
**PICKRELL'S SOLUTION**, ther. 1560r  
**PIGMENTATION**, biochem. 1378t; mammals 1373u; Negroes 1542a; social asp. 1494b  
**PILONIDAL SINUS**, 1598j  
**PINEAL GLAND**, chondroblastoma 1568a  
**PIPERIDINE AND COMPOUNDS**, 1663r  
**PITUITARY**, basophilism 1577o; dia. 1405n, 1467i,

- 1470w,--metab. 1458c; histol. 1526f; insuff.  
1482-1,1555f; physiol. 1424o,1443c,1444p,1444q,  
1526d,1551t,1638j; preparations 1573w,1612q,  
1641o; tumor 1651i
- PITYRIASIS, rubra 1372j,--ther. 1538j
- PLACENTA, blood 1547r,1565n; chem. 1603i,1603j;  
detach. premature 1489j; eff. of erythroblastosis  
1565-1; permeability 1379r,1426c,1548o,1582c,  
1603t; thrombus 1380g
- PLAGUE, hist. 1416c,1514s; transm. 1568h
- PLANTS, aerial 1526r; antimalarial, China 1584g;  
chem. 1661u; medicinal 1604o,1612a; motility  
1362t; nuclei, staining 1363m; partheuocissus  
quinquefolia 1524-1; scorzonera 1524m,1524o,  
1524p; tissue culture 1525k
- PLASMA, proteins 1553u
- PLASMOCID, eff. 1419d
- PLASMODIUM, gallinaceum, quinine resist. 1551r,  
1638g
- PLATELETS, extract. 1588c
- PLATINUM, hist. 1545r
- PLATYHELMINTHES, 1376q
- PLAY, ther. 1419p,1419q,1419s,1419t
- PLETHYSMOGRAPHY, 1401s,1401t,1401u
- PLEURA, 1643t; tuberculosis 1389j,1516j
- PLEURISY, 1399a,1635h,1676c
- PLEUROPNEUMONIA, bact. 1522k
- PNEUMOCOCCOSIS, 1383d,1551h; etiol. & pathogen.  
1620j; pathol. 1393v; prev. 1396g
- PNEUMONIA, 1402n,1467t,1620v; compl. & seq.  
1404q; in child. 1426g,--ther. 1641r; occup.  
1658n; ther. 1394q,1410m,1635g,1646e; virus  
1497r,1507n
- PNEUMOTHORAX, 1516b,1574m,1599q,1623d,1643w,  
1676b; compl. & seq. 1397c,1438d,1675a,1677c;  
eff. 1410j,1599t; exudates, ther. 1516o; hydatid,  
surg. 1671f; spontan. 1438d,1516e,--ther. 1393-1;  
test 1586v
- POISONING, immun. 1513p, in child. 1468k,1482e
- POLYOMYELITIS, 1388m,1500q,1558j; acute 1623i;  
antisera 1662a; biochem. 1384-1; bulbar, ther.  
1491a; compl. 1375d,1500e; diag. 1414k,1474o,  
1557j; epidemiol. 1498-1,1665e,1665v; etiol. &  
pathogen. 1395a; exper. 1498k; immun., exper.  
1593b,1593c; mortal. 1389u; prev. & control  
1631v; pseudo. 1413e; research, U. S. 1426w;  
ther. 1476p,1499o,1501i,1637m,--U. S. 1659u; vi-  
rus 1384h,1454t,1631u
- POLLEN, distrib. 1521o; Brazil 1629a; Los Angeles  
1601f
- POLYARTHRITIS, ther. 1566-1
- POLYCYTHEMIA, cobalt 1444f; compl. & seq. 1574t;  
ther. 1405b
- POLYELECTROLYTES, 1461u
- POLYMERS, 1502e
- POLYNEURITIS, familial 1463u
- POLYPEPTIDES, antibact. 1384d; biochem. 1376j
- POLYPODUS, versicolor 1523o
- POLYTHENE, 1434b
- PONTOCAINE HYDROCHLORIDE, analgesia 1388r
- POPULATION, 1546j
- PORCELAIN, dent. inj. eff. 1536q
- PORPHYRIA, 1482g
- POPHYRIN AND COMPOUNDS, 1527i; metab. 1456j
- PORTAL VEIN, surg. 1670h
- POSTURE, 1417j,1446t
- POTASSIUM AND COMPOUNDS, blood 1365p; defic.,  
exper. 1558t; inj. eff. 1598e; radioactive 1363k;  
ther. 1539a; tissue 1378r; tox. 1409h,1568t
- PRECOGNITION, 1429t
- PREGNANCY, age 1379g; appendicitis 1674v; blood  
1482b,1484q,1548e,--pressure 1455s,--high 1573d;  
cancer 1408f; card. compl. 1487-1; care & hyg.  
1482d; chiropod. asp. 1492b; compl. 1379o,1380m,  
1380r,1381v,1396f,1403n,1460t,1487e,1548a,1574c,  
1615q,1616b,1616i,1625r,1643j,1643q,1646o; diag.  
1380f,1393h,1411u,1436j,1485m,1548a,1612s,1632d,  
1643r; ectopic 1380h,1382j,1404p,1460f,1511q,  
1548g,1548t,1615g,1615p,1615s,1615v,1644e; heter-  
ospecific 1473h; multiple, compl. 1380j,1380n;  
pathol. 1411j; physiol. 1525r,1615k,1622m; pro-  
tracted 1478t,1628i; roent. 1617g; toxemia 1463q,  
1618k,1622m,1633p,1618-1; tuberculosis 1390n;  
tumor 1380u; urine 1455r,1525w; voice change  
1657e; vomiting 1548d
- PREPUCE, edema 1539f
- PRESCRIPTIONS AND PRESCRIBING, 1428-1
- PROBABILITY, logical asp. 1545w
- PROCAINE AND COMPOUNDS, 1406s; intravenous  
1415p,1466g,1625g; hydrolysis 1524c
- PROTITE, 1485j
- PROTOLOGY, 1397q,1669f; in pregn. 1618m
- PROGERIA, 1427h
- PROGESTERONE, 1588-1; eff. 1458k; synth. 1429g;  
ther. 1643a
- PROJECTION, sentence 1591n
- PROPANOL, 2,3 dithio 1661-1
- PROPTOSIS, 1478v
- PROPYL THIOURACIL, ther. 1458v
- PROSTATE, 1629h; calculi 1439r; cancer 1410u,  
1473a,1485b,1606e,1606f,1673b,1674c,--ther. 1482t;  
dis. 1508b,--diag. 1486j,--pre-op. care 1436a,  
--ther. 1491t; hypertrophy 1485b,1622t,1623j,1672g,  
--surg. 1672t; tumor 1397j,1439d,--compl. & seq.  
1439v,--tuberculosis 1439e
- PROSTATECTOMY, 1389e,1397j,1405-1,1517e,1597t  
1600e,1672i,1672w,1673a,1677m; compl. & seq.  
1439n; suprapubic 1394k,1517g
- PROSTHESES, 1676c
- PROSTITUTION, Italy 1402-1
- PROTAMINE SULFATE, eff. 1456-1
- PROTEINS, 1363e,1371b,1377j; blood 1445g; crystal-  
line, diffraction 1364a; defic., ther. 1569s; fibrous  
1553t; in surg. 1631b; iodination 1461q; lymphocy-  
tes 1443h; metab. 1476-1,1497c; tumor, metab.  
1545e
- PROTHROMBIN, 1588b,1588c
- PROTOANEMONIN, 1461n
- PROTOPLASM, 1365k,1634p
- PRURITUS, anal 1669u; in jaundice 1575p; occup.  
1486p; ther. 1634k
- PSKUDARTHOSES, ther. 1675b
- PSKUDOHOMOPHILIA, 1552-1
- PSKUDOLEUKEMIA, relapsing 1398q
- PSKUDOMONAS 1524w; pyocyanea 1634f
- PSKUDOXANTHOMA, elast. 1538f
- PSITTACOSIS, virus 1445r,1522c
- PSORIASIS, 1372m,1395a,1454g,1623j
- PSYCHASTHENIA, 1505a
- PSYCHIATRY, 1601h
- PSYCHIATRY, 1418w,1488a,1546j,1629e,1650m; ag-  
gressions 1652i; Canada 1625t; child. 1582s; con-  
gress 1419w; etiol. 1391b; pentothal 1578d; Swe-  
den 1405o
- PSYCHOANALYSIS, 1420a,1467p,1492w,1505a,1505d
- PSYCHOANALYTIC TOPICS, conception, pulmonary  
1504o; libido 1493s; maternal aggression 1505c;  
matricide 1504q; the miscellaneous 1504t
- PSYCHODYNAMICS, 1474d; pattern 1419a
- PSYCHOLOGISTS, German 1590b; indust. 1504i,  
1504j
- PSYCHOLOGY, 1429s,1430o,1430q,1505h,1505p,  
1546e,1664r,1664u; compar. 1503s; exper.  
1412p,1430-1,1591b,1592m,1592o; Gt. Brit. 1544t;  
indust. 1504j; military 1460n; movement res-  
ponse 1664u; statist. 1527b; tests 1592-1; types  
1664w
- PSYCHOPATHOLOGY, research 1577k

- PSYCHOPATHICS**, 1418f; sex crime 1650-1  
**PSYCHOSES**, 1391a, 1646-1, 1650o; man. depress. medication 1651b;  
**PSYCHOSOMATIC MEDICINE**, 1390w, 1391b, 1407u, 1407v, 1407w, 1408a, 1406w, 1410i, 1411r, 1494n, 1559s, 1634o; diag. 1391r; geriatric asp. 1467f; gyn. asp. 1633p; progn. 1577f; ther. 1558e, 1648c; training 1493j  
**PSYCHOSURGERY**, 1494f, 1558w, 1571r, 1628q, 1645c, 1650q, 1657u; results 1571j, 1577v, 1590m  
**PSYCHOTHERAPY**, 1385a, 1420a, 1430d, 1474r, 1493d, 1562r, 1640m, 1650r; group 1493p, 1637b  
**PSYLLIUM SEED**, 1660j  
**PTERINS**, 1561d  
**PTEROPUS**, edulis 1514f  
**PTEROYLGLUTAMIC ACID**, determ. 1527-1  
**PTERYGIUM**, 1415u, 1655f  
**PTOSIS**, constitutional 1390j  
**PUBERTY**, precocious 1444p, --girls 1557m  
**PUBLIC SYPHILIS**, abnorm. 1671k; dis. 1677p  
**PUBLIC HEALTH**, 1431k, 1806u, 1566u, 1571d, 1578-1; educ. 1415k; in Argentina 1408b, --Bulgaria 1397o, --Canada 1490-1, 1506-1, --Formosa 1392a, --France 1397f, --Maryland 1506d, --Massachusetts 1637c, --Pacific Islands 1649m, --Saskatchewan 1648d, --South Africa 1442k, --Switzerland 1391m, --U. S. 1505u, 1506b; psychiatric asp. 1506j; reform 1620q, 1620r  
**PURPERIUM**, blood 1484q; breast 1459a; compl. 1379s; infect. 1392c, --prev. 1381b  
**PULMONARY STENOSIS**, 1490u  
**PUMPS**, 1378i  
**PUNISHMENT**, psychol. asp. 1430r  
**PUPIL**, dilatation & contraction 1580a, 1589b; eff. of drugs 1418n  
**PURPURA**, 1498k; haemorrhagic 1645p, 1668o; thrombopenic 1456k  
**PYELOGRAPHY**, 1615i  
**PYELONEPHRITIS**, in pregn. 1381v, 1396f  
**PYLORUS**, 1606m; deform. 1668h; hypertrophy & stenosis 1398b, 1399k, 1432i, 1483r, 1562j, 1666s  
**PYOCYANASE**, 1562b  
**PYODERMA**, gangrenous 1483q  
**PYORRHEA ALVEOLARIS**, 1370g, 1478p, 1537n  
**PYRAMIDAL TRACT**, 1410j  
**PYRAMIDON**, ther. 1479k  
**PYRANSAMINE MALEATE**, tox. 1521h  
**PYRIBENZAMINE**, eff. 1373m, 1464o, 1464p  
**PYRIDONE**, N-methyl-2, deriv. 1377e  
**PYRIMIDINES**, eff. 1487b; metab. 1460s  
**PYROGENS**, eff. 1455w  
**PYRROLE**, eff. 1522o  
**Q FEVER**, California 1593r; epidemiol. 1442c; immua. 1437q  
**QUACKERY**, 1645c  
**QUARANTINE**, 1630d  
**QUINIDINE**, exper. 1457g; sulfate 1606r; ther. 1457f  
**QUININE**, admin. & dos. 1427d; pois., ocular asp. 1496s; ther. 1384i, 1384k, 1675q  
**QUINONES**, 1588j, 1663j  
**RABBIT SERUM**, research 1526-1  
**RABIES**, 1514n; immua. 1549t  
**RACE**, equality 1404b; psychol. 1504c  
**RADIATION**, compl. & seq. 1461o, 1559o; detector 1613w; eff. 1445m, 1594n, 1607-1; ionizing 1376m  
**RADIOACTIVE ELEMENTS**, 1545a, 1667f; anti-serum 1545c; assay 1378d; carbon 1461-1, 1462b; eff. 1361j; iodine 1553b, 1667j; molybdenum 1461b; zinc 1617r  
**RADIOACTIVITY**, 1397w, 1594-1, 1678-1; artif. 1554q, 1594k; balnologic asp. 1643g; eff. 1383c, --inj., prev. & control 1557r; ther. 1574-1, 1636b  
**RADIOGRAPHY**, 1432q, 1432s, 1432t; botanic asp. 1594k, 1607j; obst. 1417p; sectional, appar. 1677b; serial 1417o; stereoscop. appar. 1432r  
**RADIOLOGISTS**, hands 1509f; occup. dis. 1488p  
**RADIOLOGY**, 1479f, 1593v, 1668p; contrast prep. 1508m; osteopath. educ. 1417m  
**RADIOTHERAPY**, 1433c, 1433d, 1479u, 1479v, 1479w, 1480g, 1480h, 1480k, 1480-1, 1667q, 1667s; in ophthalmol. 1480-1, 1480m, 1480n  
**RADIUM**, deposits 1459e; excretion 1668p; ther. 1497b, 1497f, --compl. & seq. 1373j  
**RADIUS**, fract. 1630b; styloid process 1674n  
**RADON**, ther. 1401c  
**RAGWEED**, extermination 1485v  
**RARITY**, logical asp. 1545w  
**RAT POISON**, eff. on hair 1540s  
**RATIONS**, 1664k  
**RATS**, 1431i; Canada 1506-1  
**READING**, 1659o  
**RECKLINGHAUSEN'S DISEASE**, 1628o  
**RECOGNITION**, visual. 1591a  
**RECRUITS**, 1574g, 1650s  
**RECTUM**, abnorm., congen. 1413p; accid. perf. 1413g; anastomosis 1434a; calculi 1669k; cancer 1411a, 1594f, 1637-1, 1669g, 1669i, --diag. 1612g, --surg. 1433s, 1435n, 1596p, 1612i, 1672r, 1672u, --ther. 1639a; for. bod. 1669k; hemorrh. 1434i; inj. 1672j; polyp. 1669k, 1669q; prolapse 1434-1, 1572n; stricture 1483w, 1669v; surg. 1482c, --unnecessary 1557-1; tumor 1574j, 1629n, 1669r, 1669w  
**RED CROSS**, British 1491f; International 1415j  
**REFLEX**, aural 1397a; pupillary 1406n, 1588c; stretch 1651o; tongue-jaw 1562f  
**REFRACTION**, 1655-1  
**REFRIGERANTS**, tox. 1484u  
**REFRIGERATION**, obst. 1436i  
**REHABILITATION**, 1398m, 1620t; med. asp. 1551e  
**REITER'S SYNDROME**, 1568a  
**RELAXATION**, ther. 1576f  
**REPRESSION**, exper. 1592-1  
**REPRODUCTION**, congresses 1661d; nutrit. asp. 1421o, 1421q, 1579u  
**RESEARCH**, 1375u, 1491j, 1545a; biologic 1379b; industrial 1383w; psychologic 1430s; U. S. 1613e  
**RESPIRATION**, 1441o; carbon dioxide 1638e; depression 1602a; eff. of morphine 1587s; electrophrenic 1461h; exper. 1585o, 1588h, 1588j; in insects 1638e; ophth. asp. 1605s, 1605t; pharmacol. asp. 1434a; physiol. 1402f, 1455e  
**RESPIRATORS**, 1462n, 1663t  
**RESPIRATORY SYSTEM**, dis. 1385c, 1395v, 1402n, 1404q, 1418p, 1469v; in inf. 1480j, 1550s, 1557m, 1665o; tumor, histol. 1424f  
**RESUSCITATION**, 1663q  
**RETICULOCTES**, morphol. 1444h  
**RETICULOENDOTHELIAL SYSTEM**, dis. 1538v, 1635w; impregnation 1498g  
**RETINA**, arteriovenous nicking 1458t; atrophy 1655j; blood pressure 1588b, 1589d; detach., surg. 1655h; pigments 1399g; vein, occlusion 1649k  
**RETINENE**, 1377g  
**RETINOCHOROIDITIS**, 1654k  
**RETROFLEXION**, surg., psychiatric asp. 1628r  
**Rh FACTOR**, 1414o, 1454n, 1454o, 1454p, 1468c, 1489j, 1527d, 1553-1, 1560p, 1659i; nomenclature 1505n  
**RHEUMATIC FEVER**, 1426k, 1507g, 1562p, 1593o; allergic asp. 1659k; blood protein in 1457c; cardiac compl. 1394c, 1402v, 1419b, 1488u; compl. & seq. 1425k; diag. 1483v; in child. 1683a; pathogen. 1467j; statist. 1557o; ther. 1478a, 1627p; tonsillectomy 1384f

- RHEUMATISM, 1436p, 1635e; classif. 1571b; coronary compl. 1488i; etiol. & pathogen. 1407h; in Brasil 1628v; in child. 1593-i; in U. S. 1483j; pulmon. compl. 1489j; ther. 1412t, 1483j; tuberculous 1389-i; vertebral, diag. 1411j
- RHINITIS, ther. 1628k; vasomotor 1468j, 1562g, -- homeopath. 1491v
- RHINOPHYMA, 1610i, 1643d
- RHINOSPORIDIOSIS, 1497b
- RHIZOBIUM, fixation 1445g
- RIBOFLAVIN, 1474-i, 1524r; chem. 1428k; defic. 1653k; eff. 1602p, 1610r; in blood 1603h; in wheat 1624e; metab. 1604k
- RIBONUCLEOSIDES, starch 1377g
- RIBS, chondroma 1649n; erosion 1528c; notched 1668k; tumor 1631e
- RICE, extracts 1660q; inj. eff. 1455w
- RICKETS, in Germany 1499r; ther. 1467w, 1500e
- RICKETTSIAL DISEASES, 1403-i, 1473e, 1582-i, 1582m, 1621k; exper. vector 1437s
- RINGWORM, 1454e, 1467-i
- "ROBINSON CRUSOE'S", modern 1568c
- ROCKY MOUNTAIN SPOTTED FEVER, ther. 1412b, 1467o, 1474s, 1490q
- ROENGEN RAYS, 1479a, 1668a; appar. 1400q; diag. 1395g; eff. 1385v, 1484-i; protection 1528e, 1668-i; tox. 1668v
- ROENTGENOGRAPHY, 1404m, 1567f, 1667g
- ROENTGENOLOGY, 1667o, 1668c; notched ribs 1668k
- ROENTGENOTHERAPY, 1381e, 1479s, 1480a, 1480b, 1480d, 1480e, 1480f, 1480i, 1491f; contact 1480c; deep 1433i; infants 1480j
- RORSCHACH TEST, 1407v, 1590i; Denmark 1405o; indication 1590o; reaction time 1430j
- ROSSI, PELLEGRINO (1787-1848), 1628k
- ROUND WORMS, 1623k
- RUBELLA, 1624r; in pregn. 1646u, 1659b; retinitis 1563c
- RUBROPHEN, ther. 1412t, 1412u, 1412v, 1413a
- RUTIN, dicumarolism 1444k; eff. 1455r; in food 1579h
- SACCHARIDES, 1370i
- SACCHARIN, tox. 1422w
- SACRUM, meningocoele 1509c; resection 1407-i; tumor 1669-i
- SAILORS, hyg. 1465e
- SALICYLS, 1409c; eff. 1461e, 1604h, 1663c; intolerance, ther. 1569a; metab. 1454s; ther. 1567-i
- SALIVA, 1370r, 1370w, 1371b; calculi 1368u; carbonic anhydrase 1638d; plant growth 1462g; secretion 1385p
- SALIVARY GLANDS, dis. 1372c, 1631j
- SALMONELLA, animal infect. 1602-i; in Dominican Republic 1644t; infect. 1507o; pneumonia 1386e; relation to vibrio 1444j
- SALT, depletion, determ. 1412g; excretion, in desert mammals 1586e
- SANITATION, Canada 1490-i
- SAPONIN, biol. eff. 1366v; globular resistance, in pregn. 1425d
- SARCOIDOSIS, 1454-i, 1480r, 1564o, 1564u, 1644g; compl. & seq. 1404a; in syphilites, ther. 1541p
- SARCOMA, 1606c, 1635s, 1673u; conjunctiva 1510i; diag. 1571g; exper. 1604r; gliosarcoma 1396g; Kaposi's 1409s; lymphosarcoma 1426d, 1606n; multiple 1666w; myosarcoma 1614w; osteosarcoma 1666w; radio ther. 1541c; reticulosarcoma 1423k; ther. 1606g
- SARCOPTES, 1442a
- SAUERKRAUT, biochem. 1495t
- SAUNA, 1666q
- SCABIES, 1396q, 1404g
- SCALP, ringworm 1625a
- SCARLET FEVER, 1624r; epidemiol. 1665a; following burns, in child. 1561h; immun. 1500k, 1507r
- SCHISTOSOMA, 1470r; japonicum 1523c; mansoni 1437a
- SCHISTOSOMIASIS, compl. & seq. 1474e; in China, epidemiol. 1437n; in Mindanao 1561b; parasitology 1437e; ther. 1607c
- SCHIZOPHRENIA, 1504r, 1545t; endocria asp. 1577s; etiol. 1650j; in child. 1418h; in students 1418b; progn. 1549t
- SCHOOLS, dent. serv. 1666c; hygiene 1475e, 1578v, --study 1506k, 1665m; meals 1653q, 1653r
- SCIATICA, 1435r, 1470w, 1555c, 1555e, 1628a; diag. 1405e; etiol. & pathogen. 1398d, 1641b; lumbar 1391k; ther. 1407r
- SCIENCE, 1553g, 1629i
- SCIENTISTS, 1365s
- SCLERODERMA, 1385n, 1536t; compl. & seq. 1406i; pathol. 1622k; reont. eff. on esophagus 1555r; ther. 1372u, 1455o
- SCLEROSIS, in child. 1405m; multiple 1405m, 1419i, 1419j, 1492q, 1650u, 1657o, --compl. & seq. 1418p, --statist. 1578e, --ther. 1489n, 1641e; sphincter, in child. 1673c
- SCORPIONS, stings 1659s
- SCREW, hole measuring 1575g
- SCRUB TYPHUS, immun. 1465a
- SCURVY, 1387q; ther. 1386u; therapeutic 1625d
- SEA URCHIN, eggs 1363a, 1461g
- SEASICKNESS, 1422p, 1422q
- SEBORRHEA, facial 1625d; ther. 1541u
- SECRETION, 1455r, 1589q
- SELACEAN, 1441e
- SEMANICS, 1430n, 1592f
- SEMEN, analysis 1543i; in bulls 1551r
- SEMIUNAR CARTILAGES, surg. 1650c, 1650d
- SEMINAL VESICLES, 1629b; surg. 1512k, 1600e
- SENSATION, dis. 1634m
- SEPTICEMIA, compl. & seq. 1394d; post-anginous 1564c; radio ther. 1512d
- SEPTUM, interventricular, infarction 1455g
- SEREMPTION, 1473g
- SERINE, chem. 1377d
- SEROLOGY, 1386a, 1541-i, 1541q
- SEROTHERAPY, 1454h
- SERUM, anti-tetanus 1525m; sensitivity 1647j; sickness, ther. 1647v
- SEWAGE, 1582h; disposal, alkalichlorination 1666-i, --compressed yeast 1666n, --filters 1666k, --oxidation ponds 1666j, --oxygen determ. 1666k, --statist. 1666i
- SEX, 1592i; determ. 1488g; function 1395p, 1558j; hormones 1547b; precocity 1498s
- SHIGELLA, 1464r; infect. exper. 1394g
- SHOCK, 1398s, 1648s; anaphylactic 1524g; diag. 1628c; etiol. & pathogen. 1575a; hemorrh., exp. 1588u; Karloff's bodies 1645o; secondary 1596h; therapeutic 1400a, 1416w, 1480w, 1481v, 1630g, 1650o, 1651v; traumatic 1570h
- SHOULDER, dis. anesth. 1513e, 1513f; dialoc. 1571c, 1650b; pain 1480j; roent. 1508h
- SICKLE CELL, 1552s; anemia 1569a
- SICKNESS, insurance 1421j; soc. & econ. asp. 1563k, 1666e
- SIGMOID, cancer 1637-i, 1666g, 1669i, --surg. 1433s; perfor. 1590g; polyp, roent. 1543f; tumor 1629n, 1672a
- SILICOSIS, 1472e, 1550r, 1550w, 1623m; diag. 1392t; statist. 1620k; ther. 1383g
- SILKWORM, exper. 1365j
- SILVER, hemolytic eff. 1364n
- SIMMOND'S DISEASE, 1471o
- SINESTROL, 1674c
- SINUS, carotid 1547d; frontal, mucocoele 1556g;

- nasal 1635-1, 1674s, --cancer 1481g, --cyst 1656-1, --dis. 1400m, --surg. 1497a, --tumor 1423k
- SINUSITIS**, 1423k, 1656m
- SIPHONOSPORA**, polymorpha 1610b
- SKIN**, calcification 1539f; cancer 1480e, 1564j, --roent. 1542d, --sun 1454b; collagen, morphol 1558r; dis. 1372i, 1372j, 1454b, 1478s, 1562b, 1575e, 1634f, 1637d, --allergic 1414-1, --artif. 1388d, 1388g, --hormone metab. 1372s, --in inf. 1500g, --ther. 1386g, 1393r, 1412j, 1542f, 1610p, 1611b; fungi, ther. 1541s; infect. 1611a; livedo 1611-1; permeability 1525o; physiol. 1492m; pigmentation 1561a; reactions 1469d, 1538k; reflectometry 1610i; roent. 1520h; subcutan. transpl. 1510q; temperature 1401s; tests 1539i, 1647o; ther. 1394g, 1610o; transpl. 1377i, 1391-1, 1454s, 1673i, 1673j; tuberculin reactions 1470u; tuberculosis 1395i, 1438p, 1540a, 1540b, 1611k, 1636f, --Poland 1641f; tumor 1453v, 1454b, 1455o; ulcer 1403d
- SLUM CLEARANCE**, 1506o
- SKULL**, osteitis fibrosa 1672a
- SMALLPOX**, 1582i, 1634f, 1665f
- SMELL**, 1528u, 1529v, 1604v
- SMOKING**, in child, psychol. asp. 1651u
- SNAILS**, 1362k, 1514-1
- SNAKE BITE**, hysteria 1623b
- SOAPS**, in industry 1465i
- SOCIAL MEDICINE**, 1593f, 1593g, 1494c; in Mexico 1620u
- SOCIAL WELFARE**, rural 1555h
- SOCIETY**, applied bacteriology 1377j; medical, county 1391g
- SODIUM**, acetate 1522e; chloride 1470i, 1472p, 1582i, 1587g, 1587j; dodecyl sulfate 1364p; hyposulfite 1647v; mercury compounds 1504a; morphate 1637o; pentothal 1578e; propionate 1453u; radioactive 1668o; salicylate 1388c, 1596f, 1627g; succinate 1602a
- SOLDIERS**, missing, legal asp. 1369p
- SOLUTIONS**, hypertonic 1364p; sterile 1429-1
- SOUND**, energy 1460k; inj. indust. 1550o; response 1591c, 1591d
- SOYBEAN TRYPSIN INHIBITOR**, 1503i
- SPARTEINE**, 1362e, 1548k, 1660s
- SPASM**, ther. 1506r, 1629m
- SPECIALISM**, 1396a
- SPECIMENS**, 1658k
- SPECTROMETERS**, 1614d; beta ray 1614a; infra-red 1580k; mass 1378-1; x-ray 1378n
- SPECTRUM ANALYSES**, 1377r
- SPEECH**, 1423o, 1429v; dis. 1640k, 1657d; schizophrenic 1590o; sleepy 1590o
- SPERMATOZOA**, 1638b; develop. 1658e; fertility 1524c, 1524f; physiol. 1632j
- SPRINTCER**, anal 1637-1; artificial 1546g; Oddi's 1668v
- SPILLMAN**, W.J., case 1379i
- SPINA BIFIDA**, occulta 1651s
- SPINAL CORD**, compression 1621q; cysts 1649e; degen. ther. 1412b; dis. 1637g; electrophysiol. 1551u, 1638k; embryol. 1441b; roent. 1640p; surg. 1433j; tumor 1410v, 1473w, 1637r, --surg. 1595m; wds. & inj. 1425w, 1494w
- SPINAL FLUID**, exam. 1181i, 1538s
- SPINE**, abnorm. 1508k; cervical, wds. & inj. 1646g; cysts, congen. 1385k; dis. 1673p; fract. 1634i; hematoma 1632p; intervertebral disks 1398r, 1405e, 1405e, 1407r, 1481v, 1555e, 1559e, 1598i, 1621q; osteochondritis 1668b; osteomyelitis 1599h; roent., in child. 1425b; surg. 1599b; tuberculosis 1411e, 1573n, 1597g, 1599h, 1634a; tumor 1482j, 1489w, 1511f
- SPIROCHAETA**, 1538i; pallida, resist. 1538r
- SPIROCHETOSIS**, 1390f, 1416o, 1565b; epidemiol. & statist. 1514d; interhemorrhagic 1399e, 1621o; in Paris 1550t; ther. 1569w
- SPIROMETERS**, 1587v
- SPLEEN**, abscess 1414c; anat. & histol. 1442g; apemia 1424j; hernia 1597a; surg. 1512o, --compl. & seq. 1511u; tuberculosis, compl. & seq. 1645p
- SPLENECTOMY**, 1397s; exper. 1443d; in aviators 1441o; indic. 1433o
- SPLENOMEGALY**, 1628k, 1635b
- SPLINTS**, 1410b, 1462a
- SPONDYLOSIS**, 1639b; ankylopoietica 1484j
- SPONGE**, 1598e; retained 1511a
- SPRAINS**, outopath. ther. 1417m
- SPREADING PHENOMENON**, 1613a
- SPRUE**, ther. 1387o
- SQUAMATA**, scincidae 1527i
- SQUID**, axon, inn. permeability 1362i; nerves, enzymes 1365d
- ST. JOHN AMBULANCE BRIGADE**, 1491f
- STAINS AND STAINING**, 1361f, 1362o, 1419-1, 1498b, 1507s, 1514v, 1611s
- STANDARDIZATION**, 1491j
- STAPHYLOCOCCI**, 1545e; aureus, antagonists 1442a; culture 1503g, 1503h, 1582c, 1654s; infect. 1398u, 1477i, 1507w, 1565v, 1632-1; resist. 1443-1
- STARVATION**, 1465p; eff. 1653o; neurol. asp. 1444-1
- STATISTICS**, methods 1376c, 1376d, 1376e
- STEINERT'S DISEASE**, 1418b
- STELLATE GANGLION**, blocking 1513e, 1513f, 1630c; surg. 1448i
- STENON'S DUCT**, dilat. 1567p
- STENOSIS**, mitral 1443k; pyloric 1500v
- STEREOENCEPHALOTOMY**, 1445a
- STERILITY**, 1596k, 1602e, 1618g, 1640q; congresses 1661d; diag. 1617g; genetic asp. 1614i; medicolegal asp. 1556v; surg. 1547b; ther. 1484s, 1624v, 1624w, 1635q
- STERILIZATION**, 1633a
- STERNUM**, puncture 1642m; tumor 1434h, 1636q
- STEROIDS**, metab. 1456c
- STEROLS**, oxid. 1376p
- STIGMA**, social asp. 1593f, 1593g
- STILBOESTROL**, ther. 1482b
- STIMULI**, conditioned 1590v; inhibitory 1430-1; movement 1430a
- STOMACH**, abnorm. 1400b, 1458c; acidity 1402f; atony 1483k; cancer 1402s, 1402t, 1404j, 1410p, 1410q, 1421c, 1468f, 1468d, 1494a, 1495a, 1572e, 1598m, 1600t, --diag. 1433r, 1543v, --hypoproteinemia 1619b, --pathol. 1560a, --progn. 1510s, --surg. 1369h, 1366j, 1648g, 1672s, --ther. 1557a; cardiospasm surg. 1581-1; dis. 1395o, 1558t, --endoscopy 1560w; diverticula 1486e; excision 1556j, 1596e, 1674i; for. body 1474a; hemorrh. 1542s; hernia 1399t, 1542z; inflamm. 1476r; physiol. 1586d, 1664o; polyp 1597b; roent. 1465e; rupture 1673v; secretion 1444m, 1565f, 1621-1, 1642-1; stenosis, surg. 1521p, 1640i; suction appar. 1421a; surg. 1375h, 1433v, 1479i, 1512g, 1643e, 1674j, 1674u, --compl. & seq. 1511u; pyphilia 1569j; tumor 1468a, 1482i, 1560v, 1671a, --in child. 1511v
- STOMATITIS**, aphthous 1422w; gangrenous 1368n; in child. 1396r
- STRABISMUS**, 1654e; orthoptics 1478e
- STREPTOCOCCI**, culture 1654a; faecalis, metab. 1361j; hemolytic 1668r; hemolytic, dissociation 1522e; immun. 1361f, 1582j; infect. 1460e, 1514i
- STREPTOMYCIN**, venezuelae 1361a
- STREPTOMYCIN**, 1396e, 1396g, 1401-1, 1414a, 1443f, 1464e, 1469m, 1511a, 1523w, 1627a, 1661a, 1675s,

- 1675t, 1675v, 1677t; accid. 1647b; admin. & dos. 1426b; adulteration 1432t; determ. 1401k; eff. 1364b, 1393e, 1395e, 1455-1, 1522c, 1560m, 1582c; exper. 1444m, 1524e; in clin. diag. 1454t; in gyn. & obst. 1617-1; in surg. 1511e, 1670m; inj. eff. 1477k; leukocyte eff. 1603s; lung 1486v; metab. 1676a; prod. 1401-1 resist. 1515o, 1515p, 1515q, 1549v; standard. 1401i; ther. 1373b, 1373i, 1384p, 1384r, 1389i, 1389j, 1395e, 1396d, 1396e, 1403k, 1405b, 1408c, 1412a, 1432g, 1469c, 1473j, 1475n, 1490b, 1499a, 1501d, 1501e, 1547i, 1548s, 1552t, 1557s, 1559t, 1560n, 1566a, 1568k, 1569b, 1569n, 1571u, 1571v, 1574s, 1581s, 1599-1, 1599n, 1599o, 1600a, 1626m, 1630i, 1633i, 1637v, 1638s, 1643u, 1644i, 1646n, 1675u, 1675v, --compl. & seq. 1556m, 1556n, --eff. 1386r, --in dent. 1369i, --in U. S. 1588f; tox. 1393r, 1397d, 1401-1
- STREPTOMYCINASE**, 1549u
- STRETCHERS**, patents 1462q
- STROPHANTHUS**, tincture 1662r
- STRYCHNINE**, tox. 1482e
- STUTTERING**, 1421h
- STYLOID PROCESS**, elongated 1656g
- SUBTOSAN**, 1550c
- SUDECK'S SYNDROME**, 1597-1
- SUGGESTIBILITY**, 1665a
- SUICIDE**, 1470s, 1620s; insurance asp. 1559h; prev. 1415q; psychoanalytic asp. 1504t
- SULFACIN**, exper. 1443-1
- SULFADIAZINE**, 1412f, 1464u; resist. 1384g; ther. 1406g
- SULFAGUANIDINE**, ther. 1473-1
- SULFAMETHAZINE**, 1574b
- SULFATHALIDINE**, in surg. 1511e
- SULFETRONE**, 1660v
- SULFONAMIDES**, 1557f, 1618t; admin. & dos. 1508b; dermatol. asp. 1611b; eff. 1507t, 1582k, 1598q, 1647u; 4<sup>o</sup> ammonium 1501w; 4-hydrazine-benzene 1660o; in surg. 1465q; inj. eff. 1181n; powder 1674f; resist. 1414u; ther. 1384r, 1396e, 1473j, 1473m, 1501a, 1507k, 1574b, 1611i, 1625b, 1629v, 1634i, 1637o, 1656v; tox. 1636d, --in child. 1427g; urologic asp. 1439u, --penicillin 1550c, --streptomycin 1550c
- SULFUR**, 1415t
- SULPHASUCCIDINE**, tox. 1384s
- SUPERSONIC WAVES**, 1414n; optic asp. 1655q; ther. 1414n
- SUPERSTITIONS**, med. 1513k
- SUPRANAL**, 1381r, 1502d, 1507t
- SURGERY**, 1511t, 1575v; appar. 1439o; blood in 1392o, 1406h; card. compl. 1415b; geriatric asp. 1614q; hist. 1471f; in child. 1414; mortal. 1395t, --in Philippine General 1597v; obst. 1410i; plastic 1408g, 1413k, 1475j, 1489-1, 1510o, 1571o, 1634f; Poland, congresses 1641i; postop. care 1404h, 1407f, 1512n, 1625p, 1630o; postop. compl. 1398k; postop. vomiting 1478u; progn. 1644w; psychosom. asp. 1392j; recovery 1456e, Sweden 1641i; training 1382r, 1574w; war eff. 1412e
- SURGERY, MINOR**, anesth. 1486m
- SURPRISE**, logical asp. 1545w
- SUTURES**, 1413r, 1433r
- SWALLOWS**, nest-building, in Brasil 1527w
- SWEAT**, palmar 1373h, 1562g, 1591d
- SWIMMING POOLS**, 1506b, 1582h; hyd. 1506q, 1507e
- SWORDFISH**, nutrit. asp. 1579j
- SYMBOLISM**, in pictorial art 1505m
- SYMPATHECTOMY**, 1490u, 1510f, 1548f; indic. 1513b, 1627g
- SYMPATOL**, 1587s
- SYMPLYSIS PUBIS**, tuberculosis 1674b
- SYNREXYL**, psychol. eff. 1651h
- SYPHYLLIS**, 1372v, 1466-1, 1475v; blood 1628u; congen. 1390p, 1398c, 1572r; diag. 1381k; early, ther. 1476a; epidemiol. & statist. 1466m; geriatric asp. 1614o; immun. 1466-1; in pregn. 1466p, 1476b, 1633t; progn. 1540j; reinfection 1517m, 1539m; secondary, diag. 1630e; serodiag. 1374e, 1466n, 1475v, 1475w, 1665n, 1678g; soc. asp. 1476a; tertiary 1490a, --ther. 1540w, 1627w; test 1372t; ther. 1373g, 1466n, 1466o, 1466p, 1558u, 1572r, 1628n, 1649e, --exper. 1431b; tonsils 1564b
- TABES**, hered. 1566s; marantic, hist. 1516-1
- TABES DORSALES**, 1406v, 1414s; arthropathy 1390a; compl. & seq. 1466s, 1678f
- TABLETS**, 1548s
- TACHYCARDIA**, paroxysmal. 1435f; in child. 1487k, --surg. 1457g; ther. 1484h
- TAKATA-ARA REACTION**, modification 1374f
- TALC**, 1585a
- TALIPES**, surg. 1436h
- TALUS**, disloc. 1649-1
- TANNINS**, exper. 1428g
- TAPEWORM**, 1514f; Germany 1427d; Manson's 1441u
- TARSUS**, excess bones 1556k
- TECHNICIANS**, medical 1619k
- TEETH**, abnorm. & deform. 1536q, 1537i, 1537o; amalgam fillings 1371r; ankylosis 1609n; bact. 1370a, 1370v, 1371a; calculus 1535w; care & hyg. 1453h; caries 1370c, 1370d, 1370f, 1370g, 1370h, 1370v, 1370w, 1371a, 1371k, 1371-1, 1452w, 1478m, 1500a, 1537t, 1609d, --control lab. 1452n, --diet 1453q, --exper. 1609h, --fluorine 1537c, --prev. 1453b; chemistry 1371f; crowns & bridges 1453-1, 1537w, 1609e; dentin 1371f, 1371g; develop. 1371g, 1402m, 1609s, --diet 1536f; dis. 1537g, 1537p, --vaccine ther. 1369-1; enamel 1371c, --eff. of fluorides 1536m, --protein 1535u; extraction 1368q, 1370e, 1536k; fract. ther. 1452b; histol. 1368m, 1371d; impregnation 1453r; im-pressions 1371o; inlays 1369g; occlusion 1370s, 1609k, 1609o; permanent, in Sweden 1546t; photog. 1368m; prostheses 1368r, 1368s, 1368w, 1369i, 1369n, 1369o, 1369r, 1371p, 1536g, 1536p, 1537d, 1610d, 1610e, 1610f, 1610g, --physiol. 1369h, --tech. 1368s, 1369n; pulp, gangrene 1610c; pulpless, infect. 1649c; reimplantation 1369-1; restoration 1609j; roent. 1371o; roots, ther. 1451w; surg. 1537i; traum. ther., in child. 1370i; tumor 1452u, --roent. 1536f
- TELANGIECTASES**, 1538n, 1542b; hemorrh. hered. 1469e, 1552k; ther. 1645s
- TELEPATHY**, 1429s
- TELEVISION**, 1382r, 1391t
- TEMPERAMENT**, physiol. 1569r
- TEMPERATURE**, control appar. 1378e; eff., exper. 1523p, 1596-1; endurance 1502p, 1502q; gyn. asp. 1616e; in hibernating animals 1442s; oral 1578k
- TEMPORAL BONE**, dis., rhinol. asp. 1422g; fract. 1423u
- TENDON**, surg. 1435v
- TERPENES**, 1584i
- TESTES**, atrophy 1392w; dis. 1628p; ectopic 1596e; hypertrophy 1433i; inflamm. 1649h; pathol. 1436f; surg. 1479d; syndrome 1570v; tumor 1392k, 1487q, 1499j, 1559w, 1649g; undescended, estrone prod. 1551s, 1638l, --ther. 1388p
- TESTOSTERONE**, 1389o, 1487r, 1620d, 1624n
- TETANUS**, 1415m, 1499-1, 1629v, 1657m; in newborn 1425-1; in obst. 1547o; postop. 1561g; prev. 1639t, 1659c; ther. 1629m
- TETANY**, 1624k
- TETRA-ETHYL-AMMONIUM CHLORIDE**, 1455s, 1661j
- THALLIUM**, tox. 1409n

- THEMATIC APPERCEPTION TEST, 1665a
- THENAR, tumor 1599a
- THEOPHYLLINE, eff. 1414b
- THEPHORIN, 1486i
- THERAPEUTICS, 1389d; anti-allergic 1567b; appar. 1462k; hist. 1473i
- THERMODYNAMICS, nomenclature 1462g
- THIAMINE, 1520c; defic. 1565c, 1619a; dos. 1374k; eff. 1384u, 1495e; in candy 1496-l; in wheat 1624e; triphosphoric acid 1526a
- THINKING, flexibility 1430m
- THIOGLYCOLLATE, 1660e
- THIOPHENE, eff. 1522o
- THIOURACIL, eff. 1663m; endocrine asp. 1458h; ther. 1467s, 1488r, 1570a, 1604s; tox. 1602p
- THIRD MOLARS, compl. & seq. 1609t; eruption 1452d; pericoronitis 1451w
- THIXOTROPY, 1377b
- THORACIC DUCT, wds. & inj. 1598p
- THORACOPLASTY, 1480r, 1515k
- THORACOSCOPE, 1644a
- THORAX, abnorm. 1508i; develop. 1411f, 1411h, 1573a; dis. 1644-l; surg. 1407d, 1414g, 1473c, 1482a, 1542r, 1627e, 1639f, 1639w, 1668t, 1669c, 1670h, 1670l, --in Europe 1507q; wds. & inj. 1670p, --compl. & seq. 1478a, 1553k
- THOROTRAST, inj. eff. 1597j, 1597k
- THREONINE, synth. 1377c
- THROMBIN, 1663j
- THROMBOANGIITIS, 1415s; obliterans 1446u, 1632h
- THROMBOPHLEBITIS, 1388u, 1392n, 1567e; axillary 1607g; cerebral 1471k, 1651f; etiol. & pathogen. 1399h; septic 1673-l; ther. 1634j, 1636r
- THROMBOPLASTIN, 1378w, 1588c
- THROMBOSIS, 1466r, 1509w, 1598o, 1637r; aortic 1407q, 1472o, 1510g, 1573o, 1658s, 1670w; blood in 1568f; brachial 1574t; caval 1386d; cerebral 1394f, --in pregn. 1547u; coronary 1458d, 1471l, 1606p, 1629q; postop. 1639o, --tests 1434c; ther. 1568b, 1638o
- THUMB, innerv. 1470p; surg. 1385q
- THYMINE, prod. 1660u
- THYMOL, eff. 1384t, 1413u
- THYMUS, 1379u; cancer 1621r; dis. 1488c; histol. 1618o
- THYROGLOBULIN, form. 1612p
- THYROGLOSSAL DUCT, 1575w
- THYROID, 1605d, 1605f, 1605g; assay 1661p; cancer 1408k, 1414e, 1595d, 1595e, 1632i, 1668k; cartilage 1422h; chem. 1428p; dis. 1468m, 1595h; hyperfunction 1398i, 1409i, 1409p, 1458t, 1573h, --anoxemia test 1457q, --blood 1433t, --in pregnancy 1643j, --ther. 1595f; hypofunction 1385g; inflamm. 1595r, --acute, ther. 1467a; liver relation 1424t; pharmacy 1584t; physiol. 1526d, 1595c; surg. 1395t, 1490p; tox. 1597u; tumor 1496f, 1497o
- THYROIDECTOMY, 1435h, 1567i; eff. 1458s, 1606c
- THYRONINE, derivatives, eff. 1427v
- THYROTHERICIN, 1524a
- THYROTOMY, 1496c
- THYROTOXICOSIS, compl. & seq. 1639p; ther. 1570a
- THYROXIN, eff. 1460b, 1527k; metab. 1585t; ther. 1602w
- TIBIA, tumor 1596n
- TICKS, 1377v; abnorm. 1441v; statist., Massachusetts 1564w
- TISSUE, chem. 1402i; choline in 1385d; culture 1461f, 1525k; ectopic 1499i; heating 1466f; homo-genate 1402i; respiration 1402j, 1402h, 1503c, 1503d, 1654a; sections 1611u, 1611v; suspension 1588a; ther. 1635a
- TOBACCO, addict. 1544-l; eff. 1405u, 1405v, 1457m; resins 1495u; tests 1495v
- TOES, abnorm. & deform., surg. 1597p; fract. 1383n
- TOLUENE, bact. asp. 1659d
- TOLUIDINE BLUE, 1456-l
- TOMOGRAPHY, 1508j, 1627h
- TONGUE, 1376i, 1375t; black 1406j, 1638d; cancer 1409q, --roent 1594g; depressor 1535w; tumor 1369-l
- TONICS, 1578h
- TONOMETRY, corneal-scleral 1496u
- TONSILLECTOMY, 1541h, 1564g; anesth. 1398p, 1405g; appar. 1462r, 1496n; compl. & seq. 1423-l, 1632a; indic. 1483s; hemorrh. 1413m
- TONSILS, 1563v, 1563w, 1564d; allergy rel. 1564d; appendix rel. 1564e; blood vessels 1563t; embryol. 1563u; histamine rel. 1564e; infect. 1480h, --acute, ther. 1413h; lymphatic tissue 1564a; mast cells 1657d; voice rel. 1564g
- TONUS, exper. 1605p
- TORTICOLLIS, 1636r
- TOURNIQUETS, compl. & seq. 1596h
- TOXEMIA, 1575a; anesth. 1477g; nutrit. 1501c
- TOXINS AND TOXOIDS, prod. patents 1462p
- TOXOPLASMA, 1437r
- TOXOPLASMOSES, 1562r, 1565e; exper. 1562m; in child. 1583h
- TRACHEA, tumors 1581i
- TRACHEOTOMY, 1479q, 1636n
- TRACHOMA, ther. 1641f; Weil-Felix reaction 1641h
- TRACTOTOMY, 1496j
- TRAINING SCHOOLS, stat. 1417t
- TRANSFERENCE, 1505r
- TRANSPLANTATION, 1673g, 1673h
- TREMATODES, 1441s, 1523h, 1523i
- TREPHINING, 1468j, 1563g
- TRICHINOSIS, 1396b; allergy 1478g; exper. 1523i
- TRICHOZEACAR, 1668j
- TRICHOMONAS, 1514h, 1590d, 1616u
- TRICHOPHYTON, antagonist 1442a
- TRICHOPHYTOSIS, 1561s
- TRICHOPHYTIN, test 1538-l
- TRIDIONE, ther. 1471a, 1639v
- o-TRIMETHYLBRAZILONE, 1613i
- TRINITRATE AMINOPHYLLINE, postop. 1543a
- TRIOXYMETHYLENE, 1584a, 1661n
- TRISMUS, newborn 1490s
- TRITURUS, 1442t; viridescens, eggs 1613u
- TROPICAL MEDICINE, dis. 1412c; hyg. 1515f; pediatric 1421g
- TROPICS, 1664d, 1664e
- TRUSS, patents 1462p
- TRYPANOSOMES, 1437a
- TRYPTOPHAN, defic. 1653k
- TSETSE FLY, 1514e
- TSETSUGAMUSHI DISEASE, ther. 1634u
- TUBERCLE BACILLI, 1438t, 1515o, 1515p; culture 1386g, 1525-l, 1562-l, 1621-l, 1676d; rare 1515s; viability 1582a; virulence 1575f
- TUBERCULIN, 1629i; allergy 1445i, 1582b, 1590p, 1678-l; standard. 1515r; ther. 1610s
- TUBERCULOSIS, 1386q, 1396e, 1599w, 1676n; acne 1542a; avian 1482a; B.C.G. vaccine 1390o, 1395p, 1398w, 1400p, 1413u, 1474g, 1479-l, 1484q, 1515i, 1516n, 1563q, 1578m, 1583c, 1628v, 1676d; bovine 1438s, --Holland 1679i, 1679j; chick-embryo 1676g; compl. & seq. 1409r, 1670a; diag. 1390q, 1395i, 1400q, 1677c, --in child. 1390t; econ. & soc. asp. 1438g; enzymes 1640o; epidem. & statist. 1438m, 1516a, 1559a, 1561m, 1640c, 1665t, 1676m, 1679-l; etiol. & pathogen. 1396t; exper. 1384p, 1515q, 1631v, 1675u; hist. 1516-l, 1516r hospitals 1389k, 1431v, 1431w, 1635j; society, Philippines

- 1486b, --U. S. 1438w; immun. 1414n, 1438k, 1494-1, 1563j; impregn. 1390n, 1438s, 1547t; infect. 1386v, 1556m; nutrit. asp. 1438u; occup. 1677a; osteo-articular 1599j; prev. & control 1363c, 1386t, 1397p, 1438a, 1486c, 1560k, 1563p, 1571k, 1676v, 1676g; prog. 1398j; psychol. asp. 1516g; research 1560-1; roent. 1426i, 1469a, 1516i, 1516p; test 1443h; ther. 1376r, 1376s, 1389i, 1396a, 1397a, 1403b, 1415a, 1416b, 1432g, 1438i, 1438b, 1455-1, 1472b, 1475n, 1476g, 1484a, 1515-1, 1542c, 1557c, 1559t, 1560n, 1568f, 1599a, 1598b, 1600a, 1632a, 1633i, 1638a, 1661c, 1675w, 1676i, 1678c; transm. 1438v, 1482a; urinary 1558a
- TUBERCULOSIS, MILIARY**, 1465b, 1483c, 1572b; compl. & seq. 1627e, 1641j; in child. 1565t, 1657r
- TUBERCULOSIS, PULMONARY**, 1400h, 1572b, 1644b, 1644r, 1677c; bilateral 1571u; bronchoscopy 1599j cavities 1415a, 1438a, 1515a, 1516g; catheterization 1599m; chemother. 1641a; collapse ther. 1438n; compl. & seq. 1487m, 1599v, 1631n; diag. 1465r, 1557p; etiol. & pathogen. 1676b; fever 1600b; heart in 1564j; in child. 1599a; in naval hosp. 1649m; in preg. 1463g; Massachusetts 1490q; pathol. 1563r; prog. 1551g; psychiatric compl. 1416e; respiration 1603m, 1603n, 1603o, 1603p; roent. 1552b; sex physiol. 1381b; silicosis 1623m; surg. 1389j, 1438q, 1511a, 1516g, 1561g, 1568k, 1674w; surg. ther. 1400i, 1676c; ther. 1486c 1484a, 1487t, 1515m, 1515v, 1516m, 1557s, 1571v, 1600a, 1635i, 1641d, 1646a, 1676b; tonsils. 1564c
- TUBERCULOUS**, rehab. 1438b, 1438t, 1678f
- TULAREMIA**, 1397g, 1571b; epidem. & statist. 1466d
- TUMORS**, 1568i, 1606g, 1608k; adamantinoma 1670b, --surg. 1537a; adenocarcinoma 1499j; adenolymphoma 1397r; adenoma 1372b, 1397j, 1405n, 1638a, 1670b, --surg. 1487g; adenosarcoma, in child. 1428r; adrenals 1513a; alveolar cell 1676h; amyloid 1424f; analysis 1366r; angiokeratoma 1611g; angioma 1508t, 1561r, 1572i; angiosarcoma 1366i, 1474b; argemaffinoma 1671n; chloroma 1423i, 1565e; cholesteatoma 1656e; chondromyxoid fibroma 1497v; chorionoma 1487g; chromafinoma 1609r; clinics, Okla. 1476g; cylindroma 1423v, 1410f; dermatofibroma 1540h; desmoid 1497u; diag. 1571s; dysembryoma 1472a; ependymoma 1490c; epithelioma 1409q, 1410f, 1432b, 1453v, 1454b, 1480d, 1498f; etiol. & pathogen. 1606h; Ewing 1434d; exper. 1444i, 1446c, 1446d, 1446f; fibroma 1368r, 1381e, 1490e, 1615t; fibrosarcoma 1485f, --in preg. 1616h, 1616i, 1625r, --recur. 1616j; fibrosarcoma 1481a; fowl 1445t, 1445v, 1445w; giant cell 1404-1; glioma 1399-1; glycolysis 1396r, 1396s, 1396t; hamartoma 1606e; hemangioma 1390a, 1483j, 1486v, 1491a, 1638a, 1673a, --radiation ther. 1674t; hematoma 1376s, --subdural 1513c; histol. prog. 1674g; hyaluronidase 1525a; hygroma 1511g; hypernephroma, metast. 1671p, 1671u; in animals 1432b; in child. 1396a, 1426d; keratoma 1453u; leiomyoma 1672a, --compl. & seq. 1394k; lichenoid 1540g; lipoma 1387r, 1599a, 1637f, 1670u; lymphangioma 1394j, 1496-1; lymphoma 1669w; malign. 1473j; medulla oblong. 1659j; melanoblastoma 1475a; melanoma 1416m, 1606g; mesodermal 1390l; metast. 1390e, 1669r, 1670u; mixed 1399q; myeloma 1405b, 6131e, 1645t; myoma 1393j, 1617a; myosarcoma 1508a; neurofibrosarcoma 1564u; neurogenic 1671n; neuroglioma 1628b; odontoma 1452a; ossific. 1540a; osteoma 1658k; ovary, in child. 1652a; papillo-adenocystoma 1611i; papilloma 1398b; parafollicular adenoma 1497g; paraganglioma 1677h; parotid 1561r; pathol. 1383r, --radiol. asp. 1594m, 1667k; pericardium 1679j; phacomma 1655k; pheochromoma 1668v; pheochromocytoma 1564a; plasmocytoma 1471a; polyp 1629n, 1669j; psammoma 1572b; radiother. 1433b; retethelioma, radiother. 1433c; reticuloendothelioma 1373e, 1655w; reticulohistocytoma 1655w; rhabdomyoma 1656e; rhabdomyosarcoma 1490-1; sarcoma 1389q, 1410t, 1410w, 1439d, 1463a, 1486a, --in child. 1511v; stimulated 1672b; spinal cord 1473w; sympathoma 1477a, --tuberculoidea 1439e, 1627j; xanthoma 1468f
- TWINS**, 1473a, 1546v
- TYPHOID**, bacilli 1507m, 1507q, 1658r; compl. & seq. 1413a, 1473m, 1557v, 1617a; diet 1487t; epidemiol. 1413a, 1507c; epidemiol. & statist. 1665g; etiol. & pathogen. 1634d; immun. 1581u; ther. 1473-1, 1629v, 1634j; compl. & seq. 1498h, 1671j, 1443j; diag. 1626v; exanthematic, compl. & seq. 1570g; immun. 1437g; murine 1437j, 1437o 1443n; ther. 1507-1, 1507i, 1554a; vaccine 1507j
- TYPOLOGY**, 1505o
- TYROXINE**, dihydro, eff. 1605b, 1605d
- TYROTHRICIN**, dermatologic asp. 1393k; standard. 1401j
- ULCER**, etiol. & pathogen. 1484f; crural 1485h, 1541-1; pressure 1626u; ther. 1570t
- ULNA**, disloc. 1597f, 1671k; fract. 1649w
- ULTRASONICS**, ther. 1492k
- ULTRAVIOLET RAYS**, filter 1580j; reflection 1580g; ther. 1492h
- UMBILICAL CORD**, 1570n
- UMBILICUS**, 1427j
- UNDERSTANDING**, 1375m
- UNDULANT FEVER**, compl. & seq. 1493a, 1604g; diag. 1374g, 1374-1, 1486p, --psychol. asp. 1650v; epidem. Gr. Brit. 1593k; exper. 1464a; in Pombal. 1580t; prev. & control 1630p; ther. 1604q, 1625b
- U. S. ARMY**, health service 1575-1; hosp. Europe 1648b; Med. Dept. 1575m
- U. S. FOOD, DRUG AND COSMETIC ACT**, 1459n
- U. S. NAVY MEDICAL CORPS**, reserves 1648p
- U. S. PUBLIC HEALTH SERVICE**, hist. 1502h, 1502j, 1503p
- UNIVERSE**, evolution 1613f
- UNIVERSITIES**, health service 1572a, 1628-1, 1632t
- URACHUS**, dis. 1644p
- URANIUM**, genetic eff. 1461v; tox. 1661-1
- URATES**, in blood 1379d; metab. 1456d
- UREA**, clearance 1461i; eff. 1663g; resorption 1638k
- URECHOLINE**, eff. 1374q
- UREMIA**, etiol. & pathogen. 1458u; in hypertension 1580j; peritoneal lavage 1672v
- URETER**, abnorm. & deform. 1439a, 1439w, 1677-1; bilharzial, surg. 1671a; calculi 1475-1; cancer 1671p; hernia 1439g; inj. 1672f; megalic. 1671g; surg. 1381e, 1512a, 1677r; transplant. 1435q, 1439d, 1597g
- URETHANE**, eff. 1497a, 1503-1, 1606m; pharmacol. 1645t; ther. 1484d, 1640a
- URETHRA**, abnorm. 1439h, 1508g, 1671s, 1677m; calculi 1657w; carcinoma 1511g; dis. 1472a; fistula, surg. 1598a; male, deform. 1439v, --surg. 1512r; prolapse 1380t; strict. surg. indic. 1672v; varix, bleeding 1390p
- URINARY TRACT**, abnorm. & deform. 1463-1; dis. 1568n; fr. bod. 1439-1; infect. 1404a, 1475p, 1568a roent. 1508j; tuberculous 1439k, --ther. 1517d
- URINATION**, dis. 1386l, 1403w, 1478p, 1482c; incontinence 1491t; retention 1583m, 1617c, 1677m
- URINE**, 1643h; acidity 1586g; analysis 1585m, 1638a, --in preg. 1543u; antidiuretic activity 1456i; barbital & barbital derivatives 1658j; bilirubin

- 1658g; casts 1643v; chyle 1604t, 1465w; hormones 1543t; ketones 1603c; ketosteroids 1543q, 1639e; physiol. 1517t; riboflavin 1604j, 1604k, 1604-l; secretion, excessive 1392e, --reduced 1478r; sodium chloride 1433p; urobilin 1410r; urobilinogen 1656g
- UROGENITAL ORGANS**, tuberculosis 1639m; anesth 1516a, 1516v, 1516w, 1517a, 1517h; case hist. 1567a; geriatrics 1385c; osteopath. recont. 1417o
- URTICARIA**, papulous 1454k; pigment 1539h, 1542j, 1572t; suppression 1611g; ther. 1538m, 1552h
- USNIC ACID**, 1368e
- UTERUS**, abnorm. 1404k, 1564a; adnex 1548g, 1548i, 1548h; blood vessels 1424q; cancer 1381q, 1400f, 1404c, 1409q, 1480f, 1480g, 1548w, 1606d, 1614a, 1615h, 1615r, 1633o, --diag. 1511m, --exper. 1617q, --in twins 1390k, --metast. 1574e
- UTERUS**, cancer, prev. & control 1558b, --radiother. 1417n, 1594h, --ther. 1617p; vaginal smear 1490r; cervix, cancer 1366h, 1390n, 1574q, --physiol. 1570g; curettage 1484r; dis. 1549e; displaced 1625g, 1629h; for. bod. 1571s; hemorrhh 1460p, 1484a, 1549d, 1564i, 1573e, --diag. 1617h, --in prepa. 1391i, 1540-l; inflamm. 1573e; motility 1548q; mucosa 1549b, 1549d; muscle, culture 1625r; myoma, surg. 1547v; perf. 1548s; physiol. exper. 1587-l; prolapse 1463h, 1637i, --surg. 1438q; radiother., compl. & seq. 1547i; recont. 1548i, 1617h; rupt. 1398t, 1642o; sarcoma 1614w; secretion 1632t; spasmodics 1635o; syphilis 1381k; tumor 1380t, 1380p, 1394j, 1480e, 1540n, 1596q, 1617s
- UVEA**, 1654a; inflamm. 1571q, 1654a, --glaucom. 1563h, --tuberculous 1418e; tumor 1571q
- VACCINATION**, 1500n; accidental 1542k; compl. & seq. 1373o, --ophth. 1654f; in child. 1477s
- VAGINA**, abnorm. 1404k; bact. 1547v; blood vessels 1424q; dia. 1615t, --ther. 1414p; hemorrhh. 1598e; secretion 1374t, 1615c, 1616t; smear 1476o; stimulation, exper. 1551v, 1638-l; surg. 1380e, --plast. 1548g
- VAGITUS**, uterinus 1380j
- VAGOTOMY**, 1374v, 1378i, 1433v, 1554c, 1639h, 1672r; compl. & seq. 1374q; eff. 1374u; lab. tests 1374p; physiol. asp. 1374q; results 1374r, 1374s, 1374t, 1433v, 1469r, 1511-l; sub diaphragmatic 1542t; with gastrectomy 1374t
- VALERIAN**, 1428j
- VARICOSE VEINS**, 1485h; bone eff. 1668a; surg. 1410n; ther. 1610a, 1637o
- VAS DEFERENS**, restoration 1513g
- VATER'S AMPULLA**, cancer 1483-l
- VEINS**, dis., ther. 1488e; jugular, puncture, infants 1552e; recont. 1414c, 1667d
- VENEREAL DISEASES**, 1476e, 1517-l; dermatol. asp. 1643f; econ. & soc. asp. 1386m, 1472t, 1491o, 1506v, 1517n, 1649-l, 1678j; in child. 1413e, 1678h, 1678i, --in France 1440c, 1471g, --international 1387m; statist. France 1539r, 1539n, --U. S. Army 1491d; ther. 1610o, 1611i, 1623g
- VENOCLYSIS**, appar., patents 1462-l
- VENTILATION**, eff. 1593e
- VENTRILQUISM**, 1406n
- VERATRUM**, viride 1446e, 1633v
- VERBALIZATION**, 1591h
- VERTEBRAE**, thoracic, fract. 1672o
- VERTEBRATES**, lower, cerebrospinal fluid 1364d
- VERTIGO**, aural 1581m; paralyzing 1418r
- VETREN**, eff. 1516o
- VIBRATION SICKNESS**, 1550k
- VIBRIO**, fetus, culture medium 1361r
- VINEGAR**, 1432i
- VIRUSES**, 1526j, 1550g, 1553a, 1622r; dis. 1611w, --in child. 1559b; hemagglutinin prod. 1444a; in-fluenza 1623a, 1623b, 1623v, 1623w, 1624a, 1624c; neoplastic 1444w; sex asp. 1460v; T2 1361h; viability 1378e
- VISCERA**, cancer 1577e; transpos. 1565e
- VISCOXITY**, appar. 1614c; determ. 1462e
- VISION**, 1406k, 1591a, 1613b, 1655e, 1663o; anat. 1393a defect. 1593m; physiol. 1622k; stimuli, exp. 1590q
- VISUAL PURPLE**, 1362t, 1655h
- VITALLIUM**, dent. asp. 1452c
- VITAMIN A**, 1428p, 1606m, 1606n, 1606o, 1624q; ex-cens 1568i; metab. 1653n
- VITAMIN B**, 1428q, 1432b; complex 1558g; cooking eff. 1579k; in inf. 1379q; ther. 1565q, 1566k; B<sub>1</sub> 1556b; B<sub>6</sub>, ther. 1581q; B<sub>12</sub>, ther. 1387o, 1412b, 1454i
- VITAMIN C**, 1377f, 1629b; cardiovasc. eff. 1641u; determ. 1501e
- VITAMIN D**, 1630r; eff. on blood 1586-l; ther. 1611k, 1625o; tox. 1468-l, 1624q; D<sub>3</sub> 1406p; eff., duodenal 1568c; tox. 1409b
- VITAMIN E**, eff. 1459b, 1627c; in inf. 1653h; ther. 1499o, 1643n
- VITAMIN K**, 1454w, 1546m, 1626j, 1658b, 1660k; eff. 1603r; K<sub>2</sub> 1502b
- VITAMIN P**, ther. 1539k, 1539-l
- VITAMINS**, 1429d, 1472m, 1478n, 1624q; defic. dermat. asp. 1411a; exper. 1675j; growth 1421n; in bacteriol. 1496w; in dentistry 1745m; in ophthalmol. 1573f, 1635d; metab. 1398a, 1477s; rice 1578d; ther. 1629g
- VITELLINE DUCT**, persistence 1387d
- VITILIGO**, ther. 1476g
- VITREOUS HUMOR**, 1654-l
- VOCABULARY**, 1503w, 1504a, 1504d
- VOCAL CORDS**, 1581k; wds. & inj. 1578e
- VOCATIONAL**, guidance 1430e; rehab. 1650k
- VULVA**, cancer 1433k; elephantiasis 1548a
- WALDEYER'S LYMPH RING**, tuberculosis 1564b
- WALNUTS**, pasteurization 1579m
- WAR**, wds. & inj. 1509a
- WAR CRIMES**, Nuremberg trials, psychiatr. asp. 1577d
- WAR PRISONERS**, psychol. asp. 1478q
- WARTS**, 1539d; chiropody 1492c; plantar 1480c; ther. 1476h, 1541t, 1566e
- WASHING MACHINES**, san. asp. 1648s
- WASPS**, 1367v, 1363t
- WASSERMANN REACTION**, 1432c; appar. 1659e
- WATER**, bog 1513u; evap. determ. 1378k; inject. 1455u; metab. 1472p, 1562p, 1587o, 1587p, 1632b; mineral 1436o, 1436r, 1513m, 1513q; purific. 1396b, --pediatric asp. 1506h
- WATERHOUSE-FRIDERICHSEN SYNDROME**, 1428e
- WERNER'S SYNDROME**, 1595c
- WESTERN SURGICAL ASSOCIATION**, hist. 1434g
- WHEAT**, caloric value 1495f
- WHOOPING COUGH**, 1565r; compl. & seq. 1395o; immus. 1571g, 1652i; in inf. 1638u; ther. 1499a
- WILSON-WESTPHAL-STRAUMPELL DISEASE**, 1651r
- WOLFF-PARKINSON-WHITE SYNDROME**, 1607h, 1635m
- WOLFFIAN BODY**, dis. 1434r
- WOMEN**, in industry 1620m
- WOOL**, electron microscopy 1460k; fat 1662p
- WORK**, exper. 1621c, 1621f; metr. asp. 1580a; psychol. asp. 1621c; Russia, legal asp. 1620-l; tests 1621d, 1621e
- WORLD FEDERATION OF SCIENTIFIC WORKERS** 1378u
- WORLD HEALTH ASSEMBLY**, 1431q
- WORMS**, oriental eye 1622u

- WOUNDS, gunshot 1409u, 1673r; healing 1464j, 1464k; high speed missiles 1377n; infect. 1398j, 1507k; internal 1512j; surg. 1400m, 1671c; ther. 1492j, 1509k, 1512v, 1641m, 1674g
- WRIST, develop. 1427f; dis. 1628a; occup. 1512a; surg. 1673j; wds. & inj. 1410b
- WRITERS, psychoanal. of 1504n
- WUCHERERIA, bancroft., infect. 1437g
- XENOPUS, laevis 1526f
- XEROPHTHALMIA, 1496m
- XEROSIS, rhinol. asp. 1496m
- XEROSTOMIA, 1496m
- YAWNING, 1568j
- YEAST, 1442b; dried 1653p; prod. 1602k
- YELLOW FEVER, etiol. 1514s; hist. 1633h; immun. 1404u
- YOHIMBINE, ther. 1408f
- ZIMMERMAN REACTION, 1543q
- ZOOLOGY, nomenclature 1613p
- ZYGOMA, 1609d

; tm-

8